



# A P P E N D I C E S

## BUSHFIRE ADVISORY COMMITTEE MEETING

To be held

**Wednesday, 11<sup>th</sup> October 2023**

At

Shire of Dardanup  
Administration Centre Eaton  
1 Council Drive - EATON

This document is available in alternative formats such as:  
~ Large Print  
~ Electronic Format [disk or emailed]  
Upon request.



POLICY NO:-

**SDev CP077 - BRIGADE VOLUNTEER MINIMUM FIRE TRAINING REQUIREMENTS****GOVERNANCE INFORMATION****Procedure Link:**

NA

**Administrative Policy Link:**

NA

**ADMINISTRATION INFORMATION**

History:		OCM:	Res:	Synopsis:	
1	DEV2	11/10/07	295/07	Policy created.	11/10/2007
2	CP077	10/05/12		Reviewed Policy Adopted	
3	CP077	26/07/18	251-18	Reviewed and Adopted by Council	
3	SDev CP077	30/09/20	270-20	Reviewed and Adopted by Council	
3	SDev CP005	28/09/22	243-22	Reviewed and adopted by Council.	

**1. RESPONSIBLE DIRECTORATE**

Sustainable Development

**2. PURPOSE OR OBJECTIVE**

To ensure that the volunteer bushfire brigade officers have received the minimal level of training so as to be able to undertake firefighting duties safely, efficiently and confidently whilst on the fire ground.

**3. POLICY****3.1 New Volunteers**

Prior to undertaking any firefighting duties all new volunteer bushfire brigade members will be required to;

- a) Complete the Volunteer Induction Program through their relevant brigade;
- b) Complete the required 'Bush Firefighter' course as per the DFES pathway/training programs; and
- c) Register on the DFES Volunteer Hub and eAcademy.
- d) Accept and willing to fulfill all duties as an 'Active' or 'Auxillary' volunteer member of the brigade.

**3.2 Training Officer**

The minimum requirements for an individual to be appointed to the position of Training Officer are:

- a) Minimum 2 years active firefighting experience;
- b) Completion of 'Bushfire Fighter' and "Advanced Firefighter' course;
- c) Completion of (or working towards) 'BFS Leadership – Training Officer' courses as per the DFES pathway/training programs; and
- d) Registered on the DFES Volunteer Hub and eAcademy.
- e) Accept and willing to fulfill all duties of the Training Officer as outlined in the Brigade Local Law.

**3.3 Lieutenants**

The minimum requirements for an individual to be appointed to the position of Lieutenant are:

- a) Minimum 2 years active firefighting experience;

- b) Completion of 'Bushfire Fighter', 'Advanced Firefighter' and 'Leadership Development' courses as per the DFES pathway/training programs;
- c) Completion of (or working towards) 'BFS Leadership – Lieutenant' courses as per the DFES pathway/training programs; and
- d) Registered on the DFES Volunteer Hub and eAcademy.
- e) Accept and willing to fulfill all duties of the Lieutenant as outlined in the Brigade Local Law.

### 3.4 Captains

The minimum requirements for an individual to be appointed to the position of Captain are:

- a) minimum 3 years active Fire Fighting experience;
- b) Completion of 'Bushfire Fighter', 'Advanced Firefighter', 'Leadership Development' and 'Lieutenant' courses as per the DFES pathway/training programs;
- c) completion of (or working towards) 'BFS Leadership – Captain' course as per the DFES pathway/training program. ;
- d) registered on the DFES Volunteer Hub and eAcademy; and completion of any relevant refresher course every five years.
- e) Accept and willing to fulfill all duties of the Captain as outlined in the Brigade Local Law.

### 3.5 Fire Control Officer

The minimum requirements for an individual to be appointed to the position of Fire Control Officer are:

- a) minimum 5 years active Fire Fighting experience;
- b) completion of 'Bushfire Fighter', 'Advanced Firefighter', 'Leadership Development', 'Lieutenant' and 'Captain' courses as per the DFES pathway/training programs;
- c) completion of (or working towards) 'BFS Leadership – Fire Control Officer' course as per the DFES pathway/training program. ;
- d) registered on the DFES Volunteer Hub and eAcademy; and completion of any relevant refresher course every five years.
- e) Accept and willing to fulfill all duties of the Fire Control Officer as outlined in the Brigade Local Law.



POLICY NO:-

SDev CP077 - BRIGADE VOLUNTEER MINIMUM FIRE TRAINING REQUIREMENTS

## GOVERNANCE INFORMATION

Procedure Link:

NA

Administrative Policy Link:

NA

## ADMINISTRATION INFORMATION

History:			OCM:	11/10/07	Res:	295/07	Synopsis:	Policy created. 11/10/2007
	1	DEV2	OCM:	10/05/12	Res:		Synopsis:	Reviewed Policy Adopted
Version:	2	CP077	SCM	26/07/18	Res:	251-18	Synopsis:	Reviewed and Adopted by Council
Version:	3	SDev CP077	SCM	30/09/20	Res:	270-20	Synopsis:	Reviewed and Adopted by Council
Version:	3	SDev CP005	OCM	28/09/22	Res:	243-22	Synopsis:	Reviewed and adopted by Council.

## 1. RESPONSIBLE DIRECTORATE

Sustainable Development

## 2. PURPOSE OR OBJECTIVE

To ensure that the volunteer bushfire brigades have a breadth of training, and officers have received ~~the a~~ minimum level of training, ~~so as~~ to be able to undertake firefighting duties safely, efficiently and confidently whilst on the fire ground.

## 3. POLICY

### 3.1 New Active Volunteers

Prior to undertaking any firefighting duties all 'active' ~~new~~ volunteer bushfire brigade members will be required to;

- a) Complete the Volunteer Induction Program through their relevant brigade;
- b) Complete ~~the required~~ 'Bush Firefighter AllMS Awareness', 'Bushfire Safety Awareness' and 'Firefighting Skills' courses ~~as per the DFES pathway/training programs; and~~
- c) Register on the DFES Volunteer Hub and eAcademy; ~~and-~~
- d) Accept and be willing to ~~fulfill~~ fulfill all duties as an 'Active' ~~or 'Auxillary'~~ volunteer member of the brigade.

### ~~3.2 Training Officer~~

~~The minimum requirements for an individual to be appointed to the position of Training Officer are:~~

- ~~a) Minimum 2 years active firefighting experience;~~
- ~~b) Completion of 'Bushfire Fighter' and "Advanced Firefighter' course;~~
- ~~c) Completion of (or working towards) 'BFS Leadership Training Officer' courses as per the DFES pathway/training programs; and~~
- ~~d) Registered on the DFES Volunteer Hub and eAcademy.~~
- ~~e) Accept and willing to fulfill all duties of the Training Officer as outlined in the Brigade Local Law.~~

### 3.3 Lieutenants

The minimum requirements for an individual to be appointed to the position of Lieutenant are:

- a) ~~Minimum 2 years active firefighting experience~~Completion of the minimum training requirement for Active Fire Fighter;
- b) ~~Completion of 'Bushfire Fighter', 'Advanced Firefighter' and 'Leadership Development Crew Leader' courses as per the DFES pathway/training programs; and~~
- e)b) ~~Completion of (or working towards) 'BFS Leadership Lieutenant' courses as per the DFES pathway/training programs; and~~
- d) ~~Registered on the DFES Volunteer Hub and eAcademy.~~
- e) ~~Accept and be willing to fulfill~~Accept and be willing to fulfill all duties of the Lieutenant as outlined in the Brigade Local Law.

### 3.4 Captains

The minimum requirements for an individual to be appointed to the position of Captain are:

- a) ~~minimum 3 years active Fire Fighting experience~~Completion of the minimum training requirements for Lieutenant;
- b) ~~Completion of "Bushfire Fighter", "Advanced Firefighter", "Leadership Development" and "Lieutenant Sector Commander" courses as per the DFES pathway/training programs; and~~
- e)b) ~~completion of (or working towards) 'BFS Leadership Captain' course as per the DFES pathway/training program.;~~
- d) ~~registered on the DFES Volunteer Hub and eAcademy; and completion of any relevant refresher course every five years.~~
- e) ~~Accept and be willing to fulfill~~Accept and be willing to fulfill all duties of the Captain as outlined in the Brigade Local Law.

### 3.5 Fire Control Officer

The minimum requirements for an individual to be appointed to the position of Fire Control Officer are:

- a) ~~minimum 5 years active Fire Fighting experience~~Completion of the minimum training requirements for Captain;
- b) ~~completion of "Bushfire Fighter", "Advanced Firefighter", "Leadership Development", "Lieutenant" and "Captain Fire Control Officer" courses as per the DFES pathway/training programs; and~~
- e)b) ~~completion of (or working towards) 'BFS Leadership Fire Control Officer' course as per the DFES pathway/training program.;~~
- d) ~~registered on the DFES Volunteer Hub and eAcademy; and completion of any relevant refresher course every five years.~~
- e) ~~Accept and be willing to fulfill~~Accept and be willing to fulfill all duties of the Fire Control Officer as outlined in the Brigade Local Law.

### 3.6 Brigade

Whilst Officers require minimum training to undertake their duties, brigades need to ensure there is contingency in place to enable safe and effective firefighting operations.

For all members, brigades are to recommend:

- a) 'Assist with Planned Burning', 'WAERN Basic Radio Use', and/or 'Plantation Firefighting' courses.

Of active members with three, or more, years experience, brigades:

- a) Must have a minimum of six who have completed the 'Advanced Fire Fighter' course;
- b) Must have a minimum of six who have completed the 'Crew Leader' course; and
- c) Are to recommend the 'Machine Supervision', 'Pump Operations', 'On/Off Road Driving', and 'Sector Commander' courses.

Of active members with five, or more, years experience, brigades:

- a) Must have a minimum of four who have completed the 'Sector Commander' course;
- b) Must have a minimum of four who have completed the 'Machine Supervision' course;
- c) Must have a minimum of four who have completed the 'Pump Operations' course;
- d) Must have a minimum of four who have completed the 'On/Off Road Driving' course; and
- e) Are to recommend the 'AIIMS 2017', 'Level 1 Incident Controller', 'Workplace Assessor/Trainer', and 'Mental Health First Aid' courses.

Of active members with seven, or more, years experience, brigades:

- a) Must have a minimum of two who have completed the 'Level 1 Incident Controller' course;
- b) Must have a minimum of four who have completed the 'AIIMS 2017' course; and
- c) Are to recommend the 'Fire Weather 1', and 'Leadership Fundamentals' courses.



POLICY NO:-

**SDev CP077 - BRIGADE VOLUNTEER MINIMUM FIRE TRAINING REQUIREMENTS****GOVERNANCE INFORMATION****Procedure Link:**

NA

**Administrative Policy Link:**

NA

**ADMINISTRATION INFORMATION**

History:		OCM:	Res:	Synopsis:	
1	DEV2	11/10/07	295/07	Policy created.	11/10/2007
2	CP077	10/05/12		Reviewed Policy	Adopted
3	CP077	26/07/18	251-18	Reviewed and Adopted by Council	
3	SDev CP077	30/09/20	270-20	Reviewed and Adopted by Council	
3	SDev CP005	28/09/22	243-22	Reviewed and adopted by Council.	

**1. RESPONSIBLE DIRECTORATE**

Sustainable Development

**2. PURPOSE OR OBJECTIVE**

To ensure that the volunteer bushfire brigades have a breadth of training, and officers have received a minimum level of training, to be able to undertake firefighting duties safely, efficiently and confidently whilst on the fire ground.

**3. POLICY****3.1 Active Volunteers**

Prior to undertaking any firefighting duties all 'active' volunteer bushfire brigade members will be required to;

- a) Complete the Volunteer Induction Program through their relevant brigade;
- b) Complete 'AllIMS Awareness', 'Bushfire Safety Awareness' and 'Firefighting Skills' courses;
- c) Register on the DFES Volunteer Hub and eAcademy; and
- d) Accept and be willing to fulfill all duties as an 'Active' volunteer member of the brigade.

**3.3 Lieutenants**

The minimum requirements for an individual to be appointed to the position of Lieutenant are:

- a) Completion of the minimum training requirement for Active Fire Fighter;
- b) Completion of 'Advanced Firefighter' and 'Crew Leader' courses; and
- c) Accept and be willing to fulfill all duties of the Lieutenant as outlined in the Brigade Local Law.

**3.4 Captains**

The minimum requirements for an individual to be appointed to the position of Captain are:

- a) Completion of the minimum training requirements for Lieutenant;
- b) Completion of 'Sector Commander' course; and
- c) Accept and be willing to fulfill all duties of the Captain as outlined in the Brigade Local Law.

### 3.5 Fire Control Officer

The minimum requirements for an individual to be appointed to the position of Fire Control Officer are:

- a) Completion of the minimum training requirements for Captain;
- b) completion of 'Fire Control Officer' course; and
- c) Accept and be willing to fulfill all duties of the Fire Control Officer as outlined in the Brigade Local Law.

### 3.6 Brigade

Whilst Officers require minimum training to undertake their duties, brigades need to ensure there is contingency in place to enable safe and effective firefighting operations.

For all members, brigades are to recommend:

- a) 'Assist with Planned Burning', 'WAERN Basic Radio Use', and/or 'Plantation Firefighting' courses.

Of active members with three, or more, years experience, brigades:

- a) Must have a minimum of six who have completed the 'Advanced Fire Fighter' course;
- b) Must have a minimum of six who have completed the 'Crew Leader' course; and
- c) Are to recommend the 'Machine Supervision', 'Pump Operations', 'On/Off Road Driving', and 'Sector Commander' courses.

Of active members with five, or more, years experience, brigades:

- a) Must have a minimum of four who have completed the 'Sector Commander' course;
- b) Must have a minimum of four who have completed the 'Machine Supervision' course;
- c) Must have a minimum of four who have completed the 'Pump Operations' course;
- d) Must have a minimum of four who have completed the 'On/Off Road Driving' course; and
- e) Are to recommend the 'AIIMS 2017', 'Level 1 Incident Controller', 'Workplace Assessor/Trainer', and 'Mental Health First Aid' courses.

Of active members with seven, or more, years experience, brigades:

- a) Must have a minimum of two who have completed the 'Level 1 Incident Controller' course;
- b) Must have a minimum of four who have completed the 'AIIMS 2017' course; and
- c) Are to recommend the 'Fire Weather 1', and 'Leadership Fundamentals' courses.



**2023/2024 FIREBREAK EXEMPTION APPLICATIONS**

Date	Applicant Name	Assess No.	Lot No.	House No.	Street Road	Suburb Locality	Reason for Impracticality	Alternative Fire Prevention Measures	FCO Recommendation	Years	Expiry
2/08/23	Rob Allen	A8001	331	17	Venn Road	Dardanup West	Southern boundary is adjacent to neighbouring irrigated pasture land. Western boundary is adjacent to main water drain 2 meter wide always with water. Northern boundary is adjacent to main road.	Grasses grazed by stock and kept green and short. Driveway through divides property by mineral earth break	Yes	3	2026
18/08/23	Michael Child	A11412	118	198	Holland Loop	Crooked Brook	As per discussed with fire control officers and Rangers the 2 sides boarding the road have manicured lawns and trees plus then a fire break. Rear Boundary trees removed as requested.	Fire break completely around property. 5x water hose connections around property. Manicured lawns boundary and road verge. 2 kva Honda back up with bore and pump and 220,000 litre tank to supply continual fire water.	Yes	3	2026
18/08/23	George Sam Rees	A8059	90	35	Meadow Lane	Dardanup West	Due to position of established vegetation (trees shrubs) position of fire firebreaks would encroach on paddock area. This would excessively reduce feed supply for horses present.	Irrigation channels are present on three sides of the property (north, East, South) North and South are Water Corp assets South drains to the Water Corp channel and is kept short. West boundary has a fire break installed and maintained by neighbour paddocks are maintained, kept short, and fully irrigated. This continues throughout restricted and prohibited burning periods.	Yes	3	2026

21/08/2023	Kurt Carruthers	A8221	58	93	Kentucky Drive	Dardanup West	Standard Fire Break methods will cause dust to be between us and the neighbours would like to keep it green for grazing and an arena.	We wish to keep the grass growing to be grazed on as well will be watering it for horses we will always keep it low at all times	Yes	3	2026
21/08/2023	Alana Pederick	A8105	55	16	Maryanne Place	Dardanup West	Power connection at the front of the property connected overhead to meter box is located within the required 4m high by 6 m wide break zone. Unable to safely clear the required break.	Alternative break and access zone provided as close as currently possible, with full vehicle access to front of residence with blue metal laid for all weather access. Further clearance of trees to be continued when suitable EWP available.	Yes	3	2026
31/08/2023	Dawn Thompson and Danny Williams	A8104		18	Clara Court	Dardanup West	Front of property is reticulated and grassed as the side (left side) has sprinklers set up around the front of the property lawn and gardens around house paddock has fire break all around.	Reticulated sprinklers established lawns clear of rubbish and well maintained.	Yes	3	2026
27/08/2023	Kim Knight	A7080	33	101	Shenton Road	Burekup	In the front portion of the property the number of trees (natural and exotic) make it impractical to install firebreaks as indicated on the accompanying map.	In the front section of the property the ground is mowed regularly including the verge along Shenton Road	Yes	3	2026
28/08/2023	Ian Jackman	A11461	72	33	Padbury Road	Dardanup West	Access to the sides of the property is via a driveway on one side and manicured lawns on the other. Lawns to be kept at a manicured height.	No need for an alternative fire protection plan.	Yes	3	2026
28/08/2023	George Kokir	A8135	68	13	Clara Court	Dardanup West	Exempt areas of land shown on attached plan.	Areas will be maintained mowed and	Yes	3	2026

							Exemption request as sections of land are highly maintained as gardens and access ways. Turning the soil over will loosen up sand and prevent access.	watered throughout the fire season			
4/09/2023	Ian Bridge	A10679	33	213	Wellington Mills Road	Ferguson	The 2 metres of cleared land alongside the mineral earth fire break is not achievable due to the steep terrain. The break cannot be within 6 metres of the boundary fence in some places due to the terrain.	The 2-metre-wide mineral earth break will remain in place and be maintained throughout the required period.	Yes	3	2026
5/09/2023	Parkridge Group Pty Ltd	A12121	9007		Guernsey Street	Eaton	Parkridge contractors have worked closely with SOD Rangers regarding prevention (fine) work. Parkridge seeks an extension for further works as the size of the area is impractical.	Parkridge and Parkridge contractors continue to work closely with Shire Rangers to ensure that the land is safe and that all preventable fire measures are implemented when needed.	Yes	1	2024
5/09/2023	Kevin Robinson	A2523	34	20	Seaview Heights	Henty	NE corner large trees 5m high plus very steep heading to corner. SE corner large thick trees 20 m high. S Body of large tree trunks. E Body of large trees 10m high plus paperbark rather wet all year.	Firebreak diverted from corner. Firebreak truncated on corner and diverted by approx. 12m for 60m Firebreak diverted around stumps. Firebreak diverted over top of dam wall.	Yes	3	2026
5/09/2023	Simon Beckley	A3018	114	78	Greenwood Heights	Ferguson	The property is on undulating ground, plus slopes to the west. <b>High</b> risk of erosion on all boundaries due to undulating nature of the property, bare earth clearing will result in wash	Firebreaks early and frequent spray application of chemicals (Glyphosate) to control plant/weed growth. Continued spray application throughout the fire season when	Yes	3	2026

							<p>out and soil movement if ground cover is reduced to bare earth as defined in the Shire Fire break ruling.</p> <p><b>Northern</b> central boundary is a natural soak which feeds into the dam. It is impractical to install a firebreak in that area.</p> <p><b>Western</b> lower boundary is clay mud and floods every winter as the area is directly downhill from the dam run off/spillway.</p> <p><b>Eastern</b> firebreak (roadside top) has been moved downhill from existing trees to avoid continued erosion and provide better access.</p> <p>Hill between shed and water tank clearing impractical due to undulation and erosion as previously mentioned above.</p>	<p>vegetation growth is active.</p> <p>Firebreak established internally around the dam and soak where boundary fence line clearing is impractical.</p> <p>Top and bottom of hills surrounding the shed has been planted with ground creeper (plants) to minimise the grass weed growth.</p> <p>Operational machinery located on the property - tractor - slasher – firefighting unit 800L mobile plus fire pump located at the dam plus 5000L tank located side of property plus generator 240V portable to supply – power for domestic water pump during power failure.</p>			
6/09/2023	David Lowry	A3629	26	10	Japonica Views	Wellington Mills	<p>It is impractical to access and clear the tree line on the rear boundary of the property and the small section of fence line facing the road along Japonica View (both areas are marked on the attached site picture in orange highlights) to the required distances (6metre deviation).</p>	<p>The following prevention measures have been adopted- Property has cleared fire breaks which protect the main structures as highlighted in blue on the attached site map. These are maintained on a regular basis. Property has dual driveway protecting the main dwelling near the border along Japonica View that does not have</p>	Yes	3	2026

								a firebreak (orange shaded section on the attached site map) The main dwelling is protected by maintained lawn that is irrigated. The gutters on both structures are cleared and maintained on an annual basis. The property has easily accessible water sources with 3 rain water tanks situated near the main dwelling. The property has an emergency evacuation plan that includes exit points in both directions along Japonica View			
11/09/2023	John Garvey	A11204	9003	101	Padbury Road	Dardanup West	Lot 9003 comprises 14.5968 hectares (approx. 38 acres) rural land used for running cattle. I am currently in the process of purchasing cattle to eat pasture. Two horses and many kangaroos on the property have kept the grass to a minimum.	Fire breaks as required for general farming (Non irrigated lots) will be maintained along the boundaries of above-mentioned property as marked coloured yellow on map attached.	Yes	1	2024
11/09/2023	Robert Doherty	A7176		47	South Road	Wellington Mills	As stated on all previous exemptions the location of the river at the front of the property makes it impossible to construct a firebreak inside the front boundary on south road.	Firebreaks are constructed where practical on the rest of the property as has been the practice for the past 10 years since I have been managing this property.	Yes	3	2026
13/09/2023	Robert Kim Humphries	A7039	122	54	Hutchinson Road	Burekup	Have stock horses on property. Grass needed for summer feed.	Slash to 15 metres inside boundary all around block with 2 metre firebreaks	Yes	3	2026

								around four boundary sides as well.			
15/09/2023	Colin Johnston	A2515	26	94	Gardincourt Drive	Henty	In order to prevent erosion of susceptible soils on steep slopes a coverage of short ground covers is required along the section identified on the accompanying plan.	Maintain a low perennial evergreen lawn (fed by subsurface water) in the immediate vicinity of the property boundary as indicated. The area indicated is mostly backed by permanent ponds and a more extensive, maintained lawn. Permanent outlets from a fuel driven pumped irrigation system are located nearby. Additionally, a gravel driveway separates the house and shed from the lawn area	Yes	3	2026
21/09/2023	Julie Carson	A11510	18	30	Reading Place	Waterloo	Driveway acts as a firebreak no undergrowth – all cleared near buildings.	Burning off rubbish done twice a year – spraying of unwanted undergrowth done twice a year. Firebreaks and rubbish burn off done regularly	Yes	3	2026
21/09/2023	Alexander Killen	A11622	7	245	Garvey Road	Crooked Brook	All firebreaks are maintained at below 100mm. All flammable material/vegetation has been removed and is maintained. The required firebreaks are also reticulated/irritated as well as the 20m asset protection zone.	Spraying perimeter of the property with herbicide. Mowing of property to maintain height of lawn at 100mm or lower. Ensuring sufficient reticulation around property with additional access to bore taps around property.	Yes	3	2026
21/09/2023	John Lyn Eiszelle	A4319	12	68	Bailey Loop	Dardanup West	Each paddock has established lawn for horse feed.	Paddock mowing on a regular basis.	Yes	3	2026

							All paddocks have sprinklers and are kept to a min height for feed. Access to all areas of the property.	Sprinklers/water system can be run from a generator. Vehicle access available to all areas.			
27/09/2023	Michael Greenhalgh	A10889	114	385	Wellington Mills Road	Wellington Mills	Area west of river inaccessible by vehicles	Provide firebreak immediately east of river	Yes	3	2026
27/09/2023	Tom Beard	A4193	75		Harold Douglas Drive	Dardanup West	Most of my block is treed along the fence, lawned and retic	4 Metre mowed break around fence line that is not reticulated, water point tap in all corners full access to any fire truck this property is kept mowed and clean all year round.	Yes	3	2026
2/10/2023	Jocelyn Golding	A10969		19	Tweed Chase	Crooked Brook	Our property has a very low fire risk as we have no trees or vegetation. We have well maintained, green grass covering the property all year round and as we are the lowest lying property in the area, our back third is waterlogged and under water.	The whole property will be regularly mowed to maintain low grass levels and grass watered where required to keep it green. No trees or vegetation will be planted within the required access area around the perimeter.	Yes	3	2026
28/09/2023	LA,MJ Liddington	A7032	8	525	Collie River Road	Burekup	Fire prevention works as installed is adequate simply want conformation work is within guidelines of act.		Yes	3	2026
28/09/2023	De Wer De La Porre	A7091	18	47	Hynes Road	Waterloo	Large section of property already has a form of a firebreak, asphalt road, creek running adjacent to property where we clear the grass. We also have irrigation for our nursery running along the side.	We keep the grass short with sheep grazing. We keep the section of our asphalt road clean. Majority of area surrounding our property is cleared.	Yes	3	2026

28/10/2023	Ian Keen Sarah Hennigan	A3856	28		Japonica View	Wellington Mills	Unable to gain access within 6 m of boundary due to a large number of trees. Refer to photo attached. The block is currently vacant.	Maintain an existing firebreak that runs along the tree line. Refer to attached file for reference.	Yes	3	2026
23/09/2023	Tony Albertson	A3024	121	79	Greenwood Heights	Ferguson	The boundary perimeter is largely too steep and rocky. The steep area is prone to soil erosion	Where possible a 4m spray buffer. All flammable material to be removed from around all buildings. Gutters are free of leaves. Ute tank pump on standby.	Yes	3	2026
25/09/2023	Steven Kirkpatrick	A7114	20	6	Hakea Close	Waterloo	Drain, native trees around property creek at the back.	Manicured lawns and gardens all kept mowed sprayed where needed fire break on inside of paddock.	Yes	3	2026
28/10/2023	Pat Garvey	A11149	401	69	Padbury Road	Dardanup West	Property is being used to fatten cattle.	Fire breaks are maintained cattle grazing excess vegetation/grass	Yes	3	2026
16/02/2023	Jason Van Nierop	A7017	2	117	Crampton Road	Burekup	Access of machinery. Grass there is mowed regularly to ground level. Grass is not totally dry – kept green through irrigation run off	Grass kept mowed or livestock keep grass down. Fire unit on site.	Yes	3	2026





REQUEST FORM  
FIRE PREVENTION & FIRE BREAK  
EXEMPTION  
FORM 82

SHIRE OF DARDANUP  
RECEIVED  
27 AUG 2023  
Date stamp

Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot: 9007, House No: [blank], Street/Road Name: Guernsey St  
Suburb/Locality: Eaton

Part 2 Requested by

Details of person making request, in accordance with the Bush Fire Act 1954 and the Shire of Dardanup Fire Prevention Order

Name: Parkridge Group Pty Ltd.  
Daytime Contact Phone Number: [redacted]  
Postal Address: P.O. Box 8357 Angelo St, South Perth 6154  
Email Address: [redacted]

Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

Parkridge Contractors have worked closely with Shire Rangers regarding prevention (fine) work!  
Parkridge seeks an extension for any further works as the size of the area is impractical.

Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

Parkridge and Parkridge contractors continue to work closely with Shire Rangers to ensure that the land is safe and that all preventable fire measures are implemented when needed.

I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

1 year (12 months)

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

As previously stated.

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

District/Brigade

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby:

Recommend

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

Date

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name  
Thurston Saulsman Director, Parkridge Group

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

Owner of Land

Occupier of Land

Applicants Signature

Date  
16 August 2023

Part 8 OFFICE USE ONLY

Applicant Notified:

Yes  No

Name of Officer

Signature

Date



REQUEST FORM  
FIRE PREVENTION & FIRE BREAK  
EXEMPTION  
FORM 82

Date stamp

Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot: 9003 House No: 101 Street/Road Name: PADBURY ROAD  
Suburb/Locality: DARDANUP WEST

Part 2 Requested by

Details of person making request, in accordance with the Bush Fire Act 1954 and the Shire of Dardanup Fire Prevention Order

Name: JOHN FRANCIS GARVEY  
Daytime Contact Phone Number: [REDACTED]  
Postal Address: UNIT 5, 60 MOUNT STREET  
WEST PERTH 6005  
Email Address: [REDACTED]

Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

LOT 9003 comprises 14.5968 hectares (approx 38 acres) rural land used for running cattle. I am currently in the process of purchasing cattle to eat pasture. Two horses and many kangaroos on the property have kept grass to a minimum.

Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

Fire breaks as required for general farming (non irrigated lots) will be maintained along the boundaries of above-mentioned property as marked coloured "yellow" on map attached.

I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

SHIRE OF DARDANUP  
RECEIVED

8 SEP 2023

Name: \_\_\_\_\_

**John Garvey**  
**5/60 Mount Street**  
**West Perth 6005**  
Email: [REDACTED]

4 September 2023

Mr P Sydney-Smith  
Ranger  
Shire of Dardanup  
PO Box 7016  
1 Council Drive  
Eaton WA 6232

Dear Sir,

**Re: Fire Exemption Renewal – A11204- 101 Padbury Road Dardanup West**

Further to your letter of 26 July 2023 with enclosures, I enclose Form 82 and map requesting **renewal of fire exemption** in relation to the above-mentioned property at Dardanup West.

If any additional information is required, please email me.

Kind regards,  
John Garvey



Enc: Completed Form 82  
Map of property



Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

1 year (12 months)

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

THE PROPERTY IS ON THE MARKET FOR SALE

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

NEIL DYER

District/Brigade

WEST DARDANUP

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby;

Recommend

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature



Date

12-9-23

Part 7 Declaration by Applicant

Applicant to complete

Please note Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

JOHN FRANCIS GARVEY

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

Owner of Land

Occupier of Land

Applicants Signature



Date

4/09/2023

Part 8 OFFICE USE ONLY

Applicant Notified:

Yes

No


Name of Officer

Signature

Date



INTERESTS AND NOTIFICATIONS					
SUBJECT	PURPOSE	STATUTORY REFERENCE	OPTION	LAND BURDENED	BENEFIT TO
④	PASSENGER DRAMATIC	SEC 4(1)(c) OF THE TLA	TRIP PLAN	LOT 463	LOTS 461 & 462
⑤	PASSENGER DRAMATIC	SEC 4(1)(c) OF THE TLA	TRIP PLAN	LOT 461	LOT 462
MOBILE PLAN		SEC 4(1)(c) OF THE TLA	LOT M728420	LOTS 461 & 462	



BARRY GARVEY  
 LICENSED SURVEYOR  
 P O BOX 2000  
 DALTON, W.A. 6220  
 PH - 01282640, FAX - 01282620

HELD BY LANDGATE  
 IN DIGITAL FORM ONLY.

LANDGATE COPY OF ORIGINAL NOT TO SCALE 18/11/2021 02:37 PM Request number: 62842494

Landgate  
[www.landgate.wa.gov.au](http://www.landgate.wa.gov.au)





**REQUEST FORM  
FIRE PREVENTION & FIRE BREAK  
EXEMPTION  
FORM 82**

Date stamp

**Part 1 Property Details**

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot:  House No:  Street/Road Name:   
 Suburb/Locality:

**Part 2 Requested by**

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name:   
 Daytime Contact Phone Number:   
 Postal Address:   
 Email Address:

**Part 3 Reason for Request**

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

Southern boundary is adjacent to neighbouring irrigated pasture land.  
 Western Boundary is adjacent to main water Drain 2m wide always with water  
 Northern boundary is adjacent to main Rd.

**Part 4 Alternative Proposal**

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

Grasses grazed by stocks and kept green all short  
 Driveway through property divides property by mineral earth brake.

I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

1 year (12 months)

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

NEIL DYER

District/Brigade

WEST DARDANUP.

I have carried out an inspection of the property described in Part 1 for an exemption


I hereby:

Recommend

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan

Bush Fire Control Officers Signature



Date

2-8-23

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

ROB ALEX

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

Owner of Land

Occupier of Land

Applicants Signature



Date

1/8/23

Part 8 OFFICE USE ONLY

Applicant Notified:

Yes


No

Name of Officer

Signature

Date







**REQUEST FORM  
FIRE PREVENTION & FIRE BREAK  
EXEMPTION  
FORM 82**

Date stamp

**Part 1 Property Details**

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot: 118      House No: 198      Street/Road Name: Holland Loop  
Suburb/Locality: Crooked brook.

**Part 2 Requested by**

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name: Michael Child  
Daytime Contact Phone Number: [Redacted]  
Postal Address: PO Box 1145 Dardanup Post office  
Email Address: [Redacted]

**Part 3 Reason for Request**

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

As per discussion with fire control officers + rangers the 2 sides bounding the road have manicured lawns + trees plus then a fire break. Near boundary trees removed as requested. = net.

**Part 4 Alternative Proposal**

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk.

Fire Break completely around property. 5x water hose connections around property. Manicured lawns + Boundary + Road verge 2kva honda back up with bore + pump and 200,000Ltr tanks to supply continual fire water.

I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

1 year (12 months)

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

As discussed with FCO boundary trees removed last year to get 3 year exemption

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

NEIL DYER

District/Brigade

WEST DARDANUP

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby;

Recommend

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

Date

15-8-23

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

Michael Chitt

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

Owner of Land

Occupier of Land

Applicants Signature

Date

14/8/23

Part 8 OFFICE USE ONLY

Applicant Notified:

Yes

No


Name of Officer

Signature

Date

■ Exemption

■ OK as is  
with no fees +  
free Break.



*[Handwritten signature]*



# REQUEST FORM FIRE PREVENTION & FIRE BREAK EXEMPTION FORM 82

Date stamp

**Part 1 Property Details**

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot <div style="border: 1px solid black; padding: 2px; text-align: center;">40</div>	House No <div style="border: 1px solid black; padding: 2px; text-align: center;">35</div>	Street/Road Name <div style="border: 1px solid black; padding: 2px;">MEADOW LANE</div>
Suburb/Locality <div style="border: 1px solid black; padding: 2px;">DARDANUP WEST</div>		

**Part 2 Requested by**

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name <div style="border: 1px solid black; padding: 2px;">GEORGE SAM REES</div>
Daytime Contact Phone Number <div style="border: 1px solid black; padding: 2px; background-color: black; height: 15px;"></div>
Postal Address <div style="border: 1px solid black; padding: 2px;">35 MEADOW LANE DARDANUP WEST 6036</div>
Email Address <div style="border: 1px solid black; padding: 2px; background-color: black; height: 15px;"></div>

**Part 3 Reason for Request**

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

DUE TO POSITION OF ESTABLISHED VEGETATION (TREES, SHRUBS), POSITION OF FIREBREAKS WOULD ENCRACH ON Paddock AREA. THIS WOULD EXCESSIVELY REDUCE THE FEED SUPPLY FOR HORSES PRESENT.

**Part 4 Alternative Proposal**

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

- IRRIGATION CHANNELS ARE PRESENT ON THREE (3) SIDES OF THE PROPERTY (NORTH, EAST, SOUTH). NORTH AND SOUTH ARE WATERCORP ASSETS. SOUTH DRAINS TO THE WATERCORP CHANNEL AND IS KEPT SHORT.

- WEST BOUNDARY HAS A FIREBREAK INSTALLED + MAINTAINED BY NEIGHBOUR.

- PADDOKES ARE MAINTAINED, KEPT SHORT, AND FULLY IRRIGATED.

THIS CONTINUOUS THROUGHOUT RESTRICTED + PROHIBITED BURNING PERIODS.

I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

1 year (12 months)

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

PROPERTY HAS BEEN MAINTAINED FOR 10+ YEARS WITHOUT FIRE RISK  
WHILST HAVING FIREBREAK EXEMPTION

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

NEIL DYER

District/Brigade

WEST DARDANUP

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby;

Recommend

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

*[Signature]*

Date

11-8-23

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

GEORGE SAM REES

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

Owner of Land

Occupier of Land

Applicants Signature

*G. Sam. Rees*

Date

7/8/23

Part 8 OFFICE USE ONLY

Applicant Notified:


Yes

No

Name of Officer

Signature

Date



North Boundary;  
Watercorp irrigation  
channel

West Boundary;  
Firebreak installed  
by neighbours

East Boundary;  
Watercorp irrigation  
channel

South Boundary;  
Irrigation channel maintained by  
property owner



**REQUEST FORM  
FIRE PREVENTION & FIRE BREAK  
EXEMPTION  
FORM 82**

Date stamp

**Part 1 Property Details**

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot

58

House No

93

Street/Road Name

Kentucky Drive

Suburb/Locality

Dardanup West

**Part 2 Requested by**

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name

Kurt Carruthers

Daytime Contact Phone Number

Postal Address

93 Kentucky Drive  
Dardanup West

Email Address

**Part 3 Reason for Request**

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

Standard fire break methods will cause dust between us and neighbours  
would like to keep it green for grazing and an area

**Part 4 Alternative Proposal**

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

We wish to keep the grass growing to be grazed on as we will be watering it for or horses we will always keep it mowed and low at all times



I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.



Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

1 year (12 months)

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

Empty text box for Reason/Details

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

NEIL DYER

District/Brigade

30 West Dardanup

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby;

Recommend

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

[Signature]

Date

21-8-23

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

Alannah Kiera CARLITHERS

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

Owner of Land

Occupier of Land

Applicants Signature

[Signature]

Date

21-8-23

Part 8 OFFICE USE ONLY

Applicant Notified:

Yes

No

Name of Officer

Signature



Date

Empty text box for Name of Officer

Empty text box for Signature

Empty text box for Date



 Shire of Dardanup	The Shire of Dardanup does not warrant the accuracy of information in this publication and any person using or relying upon such information does so on the basis that the Shire shall bear no responsibility or liability whatsoever for any errors, faults, defects or omissions in this information.		11/01/2023	
			1:2428	
Shire of Dardanup   P.O. Box 70161   Council Drive, Ieper, WA 6117   F (08) 9724 0300				

Exemption



REQUEST FORM  
FIRE PREVENTION & FIRE BREAK  
EXEMPTION  
FORM 82

Date stamp

Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot

House No

Street/Road Name

Suburb/Locality

Part 2 Requested by

Details of person making request, in accordance with the Bush Fire Act 1954 and the Shire of Dardanup Fire Prevention Order

Name

Daytime Contact Phone Number

Postal Address

Email Address

Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

Power connection at front of property connected overhead to meter box is located within the required 4m high by 6m wide break zone. Unable to safely clear the required break.

Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

Alternate break and access zone provided as close as currently possible, with full vehicle access to front of residence with blue metal laid for all weather access.

Further clearance of trees to be continued when suitable EWP available.



I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

1 year (12 months)

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

TREE clearance to be continuous over several years. Maintenance will ongoing

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

NEIL DYER

District/Bridge

West Dardanup

I have carried out an inspection of the property described in Part 1 for an exemption

I hereby

Recommend

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan

Bush Fire Control Officers Signature

*[Signature]*

Date

21-8-23

Part 7 Declaration by Applicant

Applicant to complete

Please note Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

Alana Eira Pedersen

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year

Owner of Land

Occupier of Land

Applicants Signature

*[Signature]*

Date

21/8/2023

Part 8 OFFICE USE ONLY

Applicant Notified

Yes

No

Name of Officer

Signature

Date

*[Handwritten signature]*

16 Maryanne Place  
Bardonia, NY 10914





REQUEST FORM  
FIRE PREVENTION & FIRE BREAK  
EXEMPTION  
FORM 82

Date stamp

Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot	House No	Street/Road Name
	18	CLARA CRT
Suburb/Locality		
DARDANUP WEST 6236		

Part 2 Requested by

Details of person making request in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name
DAWN THOMSON & DANIEL WILLIAMS
Daytime Contact Phone Number
[REDACTED]
Postal Address
18 CLARA CRT DARDANUP WEST 6236
Email Address
[REDACTED]

Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

FRONT OF PROPERTY IS RETRICULATED AND GRASSED AS THE SIDE (LEFT SIDE) HAS SPRINKLERS SET UP AROUND THE FRONT OF PROPERTY (LAWN + GARDENS AROUND HOUSE Paddock HAS FIRE BREAK ALL AROUND

Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

RETRICULATED, SPRINKLERS, ESTABLISHED LAWNS, CLEAR OF RUBBISH & WELL MAINTAINED.

I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

26 July 2023

DANNY WILLIAMS  
18 CLARA COURT  
DARDANUP WEST WA 6236

Dear Sir/Madam

**RE: FIREBREAK EXEMPTION RENEWAL – A8104 - 18 CLARA COURT, DARDANUP WEST**

Please be advised that your Fire Break Exemption is due to expire on Friday 1 September 2023.

If you are re-applying for an exemption on your property for the 2023/2024 fire season, you are required to complete sections - **1; 2; 3; 4 & 5** of the Fire Prevention & Fire Break Exemption Form 82, as attached.

The application must include a detailed map of the property, detailing the proposed fire prevention measures. The completed application needs to be forwarded to your local Fire Control Officer for assessment.

The completed request for exemption form needs to be submitted to the Shire of Dardanup **no later than Friday 29 September 2023**.

**Please note: Applications that do not include a detailed map/plan, and are received after Friday 29 September 2023, will not be accepted.**

If you require additional information please do not hesitate to contact Ranger Services on 9724 0307 or via email on [rangers@dardanup.wa.gov.au](mailto:rangers@dardanup.wa.gov.au).

Yours sincerely



**MR PAUL SYDNEY-SMITH**  
Ranger

Enc: Form 82 - Request Form - Fire Prevention Fire Break Exemption  
Fire Prevention Order – First and Final Notice  
Fire Prevention Order – Additional Information

Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

1 year (12 months)

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

PREVENTION MEASURES IN PLACE  
WILL REMAIN AND BE RETAINED & CONTINUE TO IMPROVE AREA

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

West Dardanup

District/Brigade

Neil Dyer

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby:

Recommend

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

[Signature]

Date

31-8-23

Part 7 Declaration by Applicant

Applicant to complete

Please note Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

Dawn Thomson & Danny Williams

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

Owner of Land

Occupier of Land

Applicants Signature

[Signature]

Date

30/08/2023

Part 8 OFFICE USE ONLY

Applicant Notified:

Yes

No

Name of Officer

[Blank]


Signature

[Blank]

Date

[Blank]





FIXED SPRINKLERS + RETENTION

JUL DE SAC

YARD

PATIO

HOUSE

PATIO

GARDENS

SINGED

FENCED BACK YARD

SWIMMING POOL

STABLE

YARDS/SAND

DENE WAY

GRASSED AREA

Paddock AREA

SWAMP AREA

MENU SPRINKLERS IN PLACE

LAWN + GARDENS

FIRE BREAK IN PLACE AROUND PERIMETER

F/BREAK

F/BREAK



REQUEST FORM  
FIRE PREVENTION & FIRE BREAK  
EXEMPTION  
FORM 82

Date stamp

Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot	House No	Street/Road Name
	101	SHENTON RD
Suburb/Locality		
BUREKUP.		

Part 2 Requested by

Details of person making request, in accordance with the Bush Fire Act 1954 and the Shire of Dardanup Fire Prevention Order

Name
Kim KNIGHT
Daytime Contact Phone Number
[REDACTED]
Postal Address
101 SHENTON RD
BUREKUP 6227
Email Address
[REDACTED]

Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

In the front portion of the property, the number of trees (natural & exotic) make it impractical to install firebreaks. The majority of the property is protected by firebreaks as indicated on the accompanying map.

Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

In the front section of the property, the ground is mown regularly, including the verge along Shenton Road.

I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

1 year (12 months)

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

The situation is unlikely to change so this exemption will be an ongoing need.

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

Clay Rose

District/Brigade

Burekup

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby;

Recommend

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

[Signature]

Date

25-8-23

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

KIM KNIGHT

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

Owner of Land

Occupier of Land

Applicants Signature

[Signature]

Date

9.8.2023

Part 8 OFFICE USE ONLY

Applicant Notified:

Yes

No

Name of Officer

[Blank]


Signature

[Blank]

Date

[Blank]

101 SHENTON Rd. BUREKUP



FRONT AND SIDE  
BOUNDARIES AS  
FAR AS SHEDS/  
CREEKLINE TO BE  
KEPT MOWN.  
CREATING FIREBREAKS  
HERE IS IMPRACTICAL  
BECAUSE OF TREES.

BREAK INSTALLED  
SIDE AND REAR  
BOUNDARIES.

KIM, MERYL & MICHAEL KNIGHT.



REQUEST FORM  
FIRE PREVENTION & FIRE BREAK  
EXEMPTION  
FORM 82

Date stamp

Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot	House No	Street/Road Name
72	33	PADBURY ROAD
Suburb/Locality		
DARDANUP WEST		

Part 2 Requested by

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name
IAN JACKMAN
Daytime Contact Phone Number
[REDACTED]
Postal Address
33 PADBURY ROAD
DARDANUP WEST 6236
Email Address
[REDACTED]

Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

ACCESS TO THE SIDES OF THE PROPERTY IS VIA ACCESS DRIVEWAY ON ONE SIDE AND MANICURED LAWNS ON THE OTHER. LAWNS TO BE KEPT AT A MANICURED HEIGHT.

Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

NO NEED FOR ALTERNATE FIRE PROTECTION PLAN.

I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

1 year (12 months)

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

[Empty text box for Reason/Details]

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

NEIL DYER

District/Brigade

WEST DARDANUP DISTRICT

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby:

Recommend

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

[Signature]

Date

24-8-23

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

IAN JACKMAN

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

Owner of Land

Occupier of Land

Applicants Signature

[Signature]

Date

23/8/2023

Part 8 OFFICE USE ONLY

Applicant Notified

Yes

No

Name of Officer

[Empty text box for Name of Officer]

Signature

[Empty text box for Signature]

Date

[Empty text box for Date]





**REQUEST FORM  
FIRE PREVENTION & FIRE BREAK  
EXEMPTION  
FORM 82**

Date stamp

**Part 1 Property Details**

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on:

Lot:  House No:  Street/Road Name:   
 Suburb/Locality:

**Part 2 Requested by**

Details of person making request, in accordance with the Bush Fire Act 1954 and the Shire of Dardanup Fire Prevention Order

Name:   
 Daytime Contact Phone Number:   
 Postal Address:   
  
 Email Address:

**Part 3 Reason for Request**

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

EXEMPT AREAS OF LAND SHOWN ON ATTACHED PLAN!  
 EXEMPTION REQUEST AS SECTIONS OF LAND ARE  
 HIGHLY MAINTAINED AS GARDENS AND ACCESS WAYS.  
 TURNING THE SOIL OVER WILL LOOSEN UP SAND  
 AND PREVENT ACCESS

**Part 4 Alternative Proposal**

Please provide details of the alternative fire prevention measures to be taken to mitigate the properties fire risk

AREAS WILL BE MAINTAINED, MOWED AND  
 WATERED THROUGHOUT THE FIRE SEASON

I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.



Please indicate the time frame for this exemption/variation

1 year (12 months)

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

[Empty box for Reason/Details]

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officers Name

NEIL DYER

District/Brigade

WEST DARDANUP

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby;

Recommend

Do Not Recommend

Bush Fire Control Officer to complete

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

[Signature]

Date

[Empty date box]

Part 7 Declaration by Applicant

Applicants Name

GEORGE KOKIR [Signature]

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Owner of Land

Occupier of Land

Applicants Signature

[Signature]

Date

25-8-23

Part 8 OFFICE USE ONLY

Applicant Notified:

Yes

No

Name of Officer

[Empty name box]


Signature

[Empty signature box]

Date

[Empty date box]







**REQUEST FORM  
FIRE PREVENTION & FIRE BREAK  
EXEMPTION  
FORM 82**

Date stamp

**Part 1 Property Details**

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot <b>33</b>	House No <b>213</b>	Street/Road Name <b>WELLINGTON MILL RD.</b>
Suburb/Locality <b>Ferguson</b>		

**Part 2 Requested by**

Details of person making request in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name  
**IAN BRIDGE**

Daytime Contact Phone Number  
[REDACTED]

Postal Address  
**P.O. Box 9267  
PICTON WA 6229**

Email Address  
[REDACTED]

**Part 3 Reason for Request**

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

*The 2metre of cleared land alongside the mineral earth break is not achievable due to the steep trees & rocky terrain. The break cannot be within 6metres of the boundary fence in some places due the terrain.*

**Part 4 Alternative Proposal**

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

*The 2metre wide mineral earth break will remain in place & be maintained throughout the required period.*

I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

1 year (12 months)

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

*Im sure the terrain will not change to allow all aspects of the F.P.O.*

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

*KETH HIGHAM*

District/Brigade

*WELLINGTON MILLS BFB.*

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby:

Recommend

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

*KH*

Date

*4/9/2023*

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

*IAN BRIDGE*

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

Owner of Land

Occupier of Land

Applicants Signature

*Ian Bridge*

Date

*5th Sept 2023.*

Part 8 OFFICE USE ONLY

Applicant Notified:

Yes


No

Name of Officer

Signature

Date

Note - Steep decline  
between Road & River





**REQUEST FORM  
FIRE PREVENTION & FIRE BREAK  
EXEMPTION  
FORM 82**

Date stamp

**Part 1 Property Details**

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot <b>34</b>	House No <b>20</b>	Street/Road Name <b>SEAVIEW HEIGHTS <del>HENTY</del></b>
Suburb/Locality <b>HENTY</b>		

**Part 2 Requested by**

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name  
**KEVIN ROBINSON**

Daytime Contact Phone Number  
[REDACTED]

Postal Address  
**20 SEAVIEW HEIGHTS HENTY W.A 6236**

Email Address  
[REDACTED]

**Part 3 Reason for Request**

**PLEASE SEE  
GOOGLE MAP**

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

- 1 NE CORNER LARGE TREES 5M HIGH +  
VERY STEEP HEADING TO CORNER
- 2 SE CORNER LARGE THICK TREES 20-730M HIGH
- 3 S BOT LARGE TREE TRUNKS
- 4 E BOT LARGE TREES 10M HIGH +  
PAPER BAR RATHER WET ALL YEAR

**Part 4 Alternative Proposal**

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

- 1 FIREBREAK DIVERTED FROM CORNER  
TRUNCATED
- 2 FIRE BREAK ~~TRUNCATED~~ ON CORNER AND  
DIVERTED BY APPROX 12M FOR 60M APPROX
- 3 FIRE BREAK DIVERTED AROUND STUMPS
- 4 FIRE BREAK DIVERTED OVER TOP OFF  
DAM WALL

I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.



Gardner

Seaview Heights

Seaview Heights





Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

1 year (12 months)

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

Empty text box for Reason/Details

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

Lyndon Skeers

District/Brigade

Ferguson BFB

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby;

Recommend

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

Lyndon Skeers

Date

31/08/2023

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

KEVIN ROBINSON.

I accept that this application **must** be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

Owner of Land

Occupier of Land

Applicants Signature

[Handwritten Signature]

Date

31-8-23

Part 8 OFFICE USE ONLY

Applicant Notified:

Yes

No

Name of Officer

Empty text box for Name of Officer

Signature

Empty text box for Signature

Date

Empty text box for Date



# REQUEST FORM FIRE PREVENTION & FIRE BREAK EXEMPTION FORM 82

Date stamp

**Part 1 Property Details**

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot	House No	Street/Road Name
114		GREENWOOD HEIGHTS
Suburb/Locality		
FERGUSON		

**Part 2 Requested by**

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name
SIMON BECKLEY
Daytime Contact Phone Number
[REDACTED]
Postal Address
P.O BOX 834 BUNBURY W.A 6230
Email Address
[REDACTED]

**Part 3 Reason for Request**

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1


1) THE PROPERTY IS LOCATED ON UNDULATING GROUND + SLOPES TO THE WEST.  
 2) HIGH RISK OF EROSION ON ALL BOUNDARIES DUE TO THE UNDULATING NATURE OF THE PROPERTY. BARE EARTH CLEARING WILL RESULT IN WASH-OUT & SOIL MOVEMENT IF GROUND COVER IS REDUCED/REMOVED TO BARE EARTH AS DEFINED IN THE SHIRE (FIRE BREAK) RULING.  
 3) NORTHERN CENTRAL BOUNDARY IS A NATURAL SOAK WHICH FEEDS INTO THE DAM. IT IS IMPRACTICAL TO INSTALL A FIRE BREAK IN THAT AREA.  
 4) WESTERN LOWER BOUNDARY IS CLAY MUD & FLOODS ERODE/WASH AWAY AS THE AREA IS DIRECTLY DOWN HILL FROM THE DAM RUN OFF/SPILLWAY.  
 5) EASTERN FIRE BREAK (ROADSIDE TOP) HAS BEEN MOVED DOWN HILL FROM EXISTING TREES TO AVOID CONTINUED EROSION & PROVIDE BETTER ACCESS.  
 HILL BETWEEN SHED & WATER TANK CLEARING IMPRACTICAL DUE TO - UNDULATION + EROSION AS PREVIOUSLY MENTIONED ABOVE.

**Part 4 Alternative Proposal**

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

FIRE BREAKS: EARLY + FREQUENT SPRAY APPLICATION OF CHEMICALS (GLYPHOSATE) TO CONTROL PLANT / WEED GROWTH. CONTINUED SPRAY APPLICATION THROUGHOUT THE FIRE SEASON WHEN VEGETATION GROWTH IS A GIVE.  
 FIRE BREAK - ESTABLISHED INTERNALLY AROUND DAM'S SOAK WHERE BOUNDARY FENCE LINE CLEARING IS IMPRACTICAL.  
 TOP + BOTTOM OF HILLS SURROUNDING THE SHED HAS BEEN PLANTED WITH GRASS CREEPER (PLANTS) TO MINIMISE GRASS / WEED GROWTH.  
 OPERATIONAL MACHINERY LOCATED ON PROPERTY -  
 TRACTOR - SLASHER - FIRE FIGHTING UNIT: 800L MOBILE + FIRE PUMP - LOCATED @ THE DAM + TANK 5000L LOCATED - S.E TOP OF PROPERTY + GENERATOR 240V POSSIBLE TO SUPPLY POWER FOR DOMESTIC WATER PUMP DURING POWER FAILURE.


I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.



Fire Break -  
yellow

Soak

Dam



Wetland's

Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

1 year (12 months)

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

PROPERTY EXEMPTION TO BE REVIEWED IF EROSION OF FIRE BREAKS BECOMES EVIDENT.

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

Lyndon Skeers

District/Brigade

Ferguson BFB

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby;

Recommend

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

Lyndon Skeers

Date

31/08/2023

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

SIMON BECKLEY

I accept that this application **must** be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

Owner of Land

Occupier of Land

Applicants Signature

Simon Beckley

Date

1-08-2023

Part 8 OFFICE USE ONLY

Applicant Notified:

Yes

No

Name of Officer

Signature

Date



# REQUEST FORM FIRE PREVENTION & FIRE BREAK EXEMPTION FORM 82

Date stamp

**Part 1 Property Details**

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot <input style="width: 80%;" type="text"/>	House No <input style="width: 80%; text-align: center;" type="text" value="10"/>	Street/Road Name <input style="width: 95%;" type="text" value="Japonica View"/>
Suburb/Locality <input style="width: 100%;" type="text" value="Wellington Mill"/>		

**Part 2 Requested by**

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name <input style="width: 95%;" type="text" value="David Lowry"/>
Daytime Contact Phone Number <input style="width: 95%; background-color: black;" type="text"/>
Postal Address <input style="width: 95%;" type="text" value="45 Fairlane Drive"/>
<input style="width: 95%;" type="text" value="Carine WA 6020"/>
Email Address <input style="width: 95%; background-color: black;" type="text"/>

**Part 3 Reason for Request**

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

<p>Its impractical to access and clear the treeline on the rear boundary of the property and the small section of fence-line facing the road along Japonica View (both areas are marked on the attached site picture in orange highlights) to the required required distances (6 metre deviation).</p>

**Part 4 Alternative Proposal**

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

<p>The following prevention measure have been adopted:-</p> <ul style="list-style-type: none"> <li>- Property has cleared fire breaks which protect the main structures as highlighted in blue on the attached site map. These are maintained on an annual basis.</li> <li>- Property has a dual driveway protecting the main dwelling near the border along Japonica View that does not have a fire break (orange shaded section on the attached site map).</li> <li>- The main dwelling is protected by maintained lawn that is irrigated.</li> <li>- The gutters on both structures are cleared and maintained on an annual basis.</li> <li>- The property has easily accessible water sources with 3 rain tanks situation near the main dwelling.</li> <li>- The property has an emergency evacuation plan that includes exits points in both directions along Japonica View.</li> </ul>

I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

1 year (12 months)

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

It is impractical to place a fire break on all boundaries in line with the required distances.

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

Keith Higham - 0438726693

District/Brigade

Wellington Mill District

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby;

Recommend

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

*[Handwritten Signature]*

Date

5/9/23

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 **must** be signed off by your local Fire Control Officer before submitting your application

Applicants Name

David Lowry

I accept that this application **must** be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

Owner of Land

Occupier of Land

Applicants Signature

*[Handwritten Signature]*

Date

2/08/2023

Part 8 OFFICE USE ONLY

Applicant Notified:

Yes


No

Name of Officer

Signature

Date

10 Japonica View, Wellington Mill



Key

Firebreaks

Compliance cant be achieved  
mitigation - Water Tanks & sealed driveway



REQUEST FORM  
FIRE PREVENTION & FIRE BREAK  
EXEMPTION  
FORM 82

SHIRE OF DARDANUP  
RECEIVED  
04 SEP 2013  
BA  
Name Date stamp

Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot: [ ] House No: 47 Street/Road Name: SOUTH ROAD  
Suburb/Locality: WELLINGTON MILL

Part 2 Requested by

Details of person making request, in accordance with the Bush Fire Act 1954 and the Shire of Dardanup Fire Prevention Order

Name: ROBERT DOHERTY  
Daytime Contact Phone Number: [REDACTED]  
Postal Address: 507 Wellington Mill Rd  
Dardanup 6236  
Email Address: [REDACTED]

Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

As stated on all previous exemptions the location of the river at the front of the property makes it impossible to construct a fire break inside the front boundary on South Rd

Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

Fire breaks are constructed where practical on the rest of the property as has been the practice for the past 10 years since I have been managing this property

I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.



Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

1 year (12 months)

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

*As already outlined*

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

*Keith Higham*

District/Brigade

*Wellington Mill*

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby:

Recommend

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

*[Signature]*

Date

*4/9/2023*

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

*ROBERT DOHERTY*

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

Owner of Land

Occupier of Land

Applicants Signature

*[Signature]*

Date

*10/8/2023*

Part 8 OFFICE USE ONLY

Applicant Notified:

Yes

No

Name of Officer

Signature

Date

STATE FOREST

SHIRE OF DARDANUIF

RECEIVED

10 SEP 2012

Name

BSA.

FIREBREAK

shed

HOUSE

FIREBREAK

BUSH

stockyard

FIRE BREAK

FIRE BREAK

RIVER

SOUTH RD

step  
bush  
rocky

BUSH

BUSH

47 South Rd

Wellington  
MILL.

26 July 2023

ROBERT DOHERTY  
47 SOUTH ROAD  
WELLINGTON MILL WA 6236

Dear Sir/Madam

**RE: FIREBREAK EXEMPTION RENEWAL – A7176 - 47 SOUTH ROAD, WELLINGTON MILL**

Please be advised that your Fire Break Exemption is due to expire on Friday 1 September 2023.

If you are re-applying for an exemption on your property for the 2023/2024 fire season, you are required to complete sections - **1; 2; 3; 4 & 5** of the Fire Prevention & Fire Break Exemption Form 82, as attached.

The application must include a detailed map of the property, detailing the proposed fire prevention measures. The completed application needs to be forwarded to your local Fire Control Officer for assessment.

The completed request for exemption form needs to be submitted to the Shire of Dardanup **no later than Friday 29 September 2023.**

**Please note: Applications that do not include a detailed map/plan, and are received after Friday 29 September 2023, will not be accepted.**

If you require additional information please do not hesitate to contact Ranger Services on 9724 0307 or via email on [rangers@dardanup.wa.gov.au](mailto:rangers@dardanup.wa.gov.au).

Yours sincerely



**MR PAUL SYDNEY-SMITH**  
Ranger

Enc: Form 82 - Request Form - Fire Prevention Fire Break Exemption  
Fire Prevention Order – First and Final Notice  
Fire Prevention Order – Additional Information



REQUEST FORM  
FIRE PREVENTION & FIRE BREAK  
EXEMPTION  
FORM 82

SHIRE OF DARDANUP  
RECEIVED  
12 SEP 2023  
Name: \_\_\_\_\_ Date stamp \_\_\_\_\_

Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot: 122 House No: 54 Street/Road Name: Hutchinson Road  
Suburb/Locality: Burekup. 6227

Part 2 Requested by

Details of person making request, in accordance with the Bush Fire Act 1954 and the Shire of Dardanup Fire Prevention Order

Name: Robert and Kim Humphries  
Daytime Contact Phone Number: [REDACTED]  
Postal Address: 54 Hutchinson Road  
Burekup. 6227.  
Email Address: [REDACTED]

Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

Have stock (horses) on property.  
Grass needed for summer feed.

Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

Slash to 15 metres inside boundary all around block, with 2 metre fire break around four boundary sides as well.



I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

1 year (12 months)

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

Clay Rose

District/Brigade

Burekup

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby:

Recommend

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

*Clay Rose*

Date

8-9-23

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

Kim Humphries

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

Owner of Land

Occupier of Land

Applicants Signature

K. Humphries

Date

4/09/2023

Part 8 OFFICE USE ONLY

Applicant Notified:

Yes

No


Name of Officer

Signature

Date

CLARKE ST


- Boundary
- Freebreak (2 metres)
- Slashed to 15 metres inside boundary



HUTCHINSON RD




REQUEST FORM  
FIRE PREVENTION & FIRE BREAK  
EXEMPTION  
FORM 82



Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot	House No	Street/Road Name
26	9A	GARDINCOURT DRIVE
Suburb/Locality		
HENTY		



Part 2 Requested by

Details of person making request, in accordance with the Bush Fire Act 1954 and the Shire of Dardanup Fire Prevention Order

Name	
COLIN JOHNSTON	Name: BA
Daytime Contact Phone Number	
[Redacted]	
Postal Address	
PO BOX 295	
DARDANUP WA 6236	
Email Address	
[Redacted]	

Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

In order to prevent erosion of susceptible soils/spoils on steep slopes, a coverage of short ground cover is required along the section identified on the accompanying plan.

Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

Maintain a low, perennial evergreen lawn (fed by subsurface water) in the immediate vicinity of the property boundary as indicated. The area indicated is mostly backed by permanent ponds and a more extensive, maintained lawn. Permanent outlets from a fuel-driven pumped irrigation system are located nearby. Additionally, a gravel driveway separates the house and shed from the lawn area.

I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

1 year (12 months)

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

The reason noted in Part 3 is ongoing, a 3 years exemption is requested.

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

LYNDON SKEENS

District/Brigade

FERGUSON

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby;

Recommend

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

[Signature]

Date

13/09/2023

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

COLIN JOHNSTON

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

Owner of Land

Occupier of Land

Applicants Signature

[Signature]

Date

10/9/2023

Part 8 OFFICE USE ONLY

Applicant Notified:

Yes

No

Name of Officer

[Blank]


Signature

[Blank]

Date

[Blank]





94 Gardincourt Drive



REQUEST FORM  
FIRE PREVENTION & FIRE BREAK  
EXEMPTION  
FORM 82

SHIRE OF DARDANUP  
RECEIVED

20 SEP 2023

Name: \_\_\_\_\_ Date stamp: 10

Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot:  House No: 30 Street/Road Name: READING PLACE  
Suburb/Locality: WATERLOO

Part 2 Requested by

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name: JULIE CARSON  
Daytime Contact Phone Number:   
Postal Address: P.O. Box 30 AUSTRALIND 6233  
Email Address:

Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

DRIVEWAY ACTS AS A FIREBREAK  
NO UNDERGROWTH - ALL CLEARED  
NEAR BUILDINGS

Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

BURNING OFF RUBBISH DONE  
TWICE A YEAR - SPRAYING OF  
UNWANTED UNDERGROWTH DONE  
TWICE A YEAR  
FIREBREAKS & RUBBISH BURN  
OFF DONE REGULARLY

I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

1 year (12 months)

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

PRECAUTIONS & PREVENTION  
DONE TWICE A YEAR

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

ROB BRENNAN

District/Brigade

WATERLOO BRG.

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby:

Recommend

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan

Bush Fire Control Officers Signature

[Signature]

Date

11/09/23

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

JULIE CARSON

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

Owner of Land

Occupier of Land

Applicants Signature

J.G. Carson

Date

Part 8 OFFICE USE ONLY

Applicant Notified:

Yes

No

Name of Officer

Signature

Date

VER.	AMENDMENT	AUTHORISED BY	DATE



INTERESTS AND NOTIFICATIONS

SUBJECT	PURPOSE	STATUTORY REFERENCE	ORIGIN	LAND BURDENED	E



**REQUEST FORM  
FIRE PREVENTION & FIRE BREAK  
EXEMPTION  
FORM 82**

SHIRE OF DARDANUP  
RECEIVED  
20 SEP 2023  
Name: PP  
Date stamp

**Part 1 Property Details**

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot:  House No:  Street/Road Name:   
Suburb/Locality:

**Part 2 Requested by**

Details of person making request. In accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name:   
Day/Time Contact Phone Number:   
Postal Address:   
Email Address:

**Part 3 Reason for Request**

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

All firebreaks are maintained at below 100 millimetres. All flammable material/vegetation has been removed and is maintained. The required firebreaks are also reticulated/irrigated as well as the 20m asset protection zone.

**Part 4 Alternative Proposal**

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

- Spraying perimeter of property with Herbicide.
- Mowing of property to maintain height of lawn at 100mm or lower.
- Ensuring sufficient reticulation around property with additional access to Bore Taps around property.

I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

1 year (12 months)

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

[Empty text box for Reason/Details]

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

NELIC DYER

District/Brigade

WEST DARDANUP

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby;

Recommend

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

[Signature]

Date

19-9-23

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

ALEXANDRA KILLEN AND ROYCE CRISP

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

Owner of Land

Occupier of Land

Applicants Signature

[Signature]

Date

109/2023

Part 8 OFFICE USE ONLY

Applicant Notified:

Yes

No

Name of Officer

[Empty text box]



Signature

[Empty text box]

Date

[Empty text box]

PROJECT: [unclear]  
 SHEET NO.: [unclear]  
 DATE: [unclear]  
 DRAWN BY: [unclear]  
 CHECKED BY: [unclear]  
 APPROVED BY: [unclear]





REQUEST FORM  
FIRE PREVENTION & FIRE BREAK  
EXEMPTION  
FORM 82

SHIRE OF DARDANUP  
RECEIVED

18 SEP 2023

Name: KH  
Date stamp

Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot

House No

Street/Road Name

Suburb/Locality

Part 2 Requested by

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name

Daytime Contact Phone Number

Postal Address

Email Address

Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

- 1) Each paddock has established lawn for horse feed.
- 2) All paddocks have sprinklers and are kept to a min height for feed
- 3) Access to all areas of the property.

Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

- 1) Paddock mowing on regular basis
- 2) Sprinklers/water system can be run from generator.
- 3) Vehicle access available to all areas.



I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.



Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

1 year (12 months)

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

Part 3 + Part 4 is continuous/  
Ongoing each year.

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

NEIL DYER

District/Brigade

DARDANUP WEST

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby;

Recommend

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

*[Signature]*

Date

13-9-23

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

JOHN EISZBLE

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

Owner of Land

Occupier of Land

Applicants Signature

*[Signature]*

Date

12/09/2023

Part 8 OFFICE USE ONLY

Applicant Notified:

Yes

No

Name of Officer

Signature

Date

# 68 Bailey Loop.



5/13/12



# REQUEST FORM FIRE PREVENTION & FIRE BREAK EXEMPTION FORM 82

Date stamp

### Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot 114	House No 385	Street/Road Name WELLINGTON MILL ROAD.
Suburb/Locality WELLINGTON MILL		

### Part 2 Requested by

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name MICHEL GREENHALGH.
Daytime Contact Phone Number [REDACTED]
Postal Address 385 WELLINGTON MILL ROAD. WELLINGTON MILL.
Email Address [REDACTED]


### Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

AREA WEST OF RIVER ON WESTERN BOUNDARY
INACCESSIBLE BY VEHICLES

### Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

PROVIDE FIRE BREAK IMMEDIATELY EAST OF RIVER.


I have included a plan of the property, detailing the proposed fire prevention measures

Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

1 year (12 months)

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

BECAUSE THIS LAND WILL REMAIN INACCESSIBLE

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

Keith Higham

District/Brigade

Wellington Mill

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby;

Recommend

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

[Handwritten Signature]

Date

27/9/2023

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

MICHEL GREENHALGH.

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

Owner of Land

Occupier of Land

Applicants Signature

[Handwritten Signature]

Date

25/09/2023

Part 8 OFFICE USE ONLY

Applicant Notified:

Yes

No

Name of Officer

[Empty box]

Signature

[Empty box]

Date

[Empty box]



**REQUEST FORM  
FIRE PREVENTION & FIRE BREAK  
EXEMPTION  
FORM 82**

Date stamp

**Part 1 Property Details**

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot  House No  Street/Road Name   
 Suburb/Locality

**Part 2 Requested by**

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name   
 Daytime Contact Phone Number   
 Postal Address   
 Email Address

**Part 3 Reason for Request**

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

MOST OF MY BLOCK IS TREED ALONG FENCE, LAWNED & RETIC

**Part 4 Alternative Proposal**

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

4 METRE MOWED BREAK AROUND FENCE LINE THAT IS NOT RETICULATED & WATER POINT (TAP) IN ALL CORNERS & FULL ACCESS TO ANY FIRE TRUCK THIS PROPERTY IS KEPT MOWED & CLEAN ALL YEAR ROUND.

I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

1 year (12 months)

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

Empty text box for Reason/Details

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

NEIL DYER

District/Brigade

WEST DARDANUP

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby;

Recommend

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

Handwritten signature

Date

22-9-23

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

TOM BEARD

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

Owner of Land

Occupier of Land

Applicants Signature

Handwritten signature

Date

28-7-2023

Part 8 OFFICE USE ONLY

Applicant Notified:

Yes

No

Name of Officer

Empty text box for Name of Officer


Signature

Empty text box for Signature

Date

Empty text box for Date

75 Harold Douglas





REQUEST FORM  
FIRE PREVENTION & FIRE BREAK  
EXEMPTION  
FORM 82

Date stamp

Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot	House No	Street/Road Name
	19	Tweed Chase
Suburb/Locality		
Crooked Brook		

Part 2 Requested by

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name
Jocelyn Golding
Daytime Contact Phone Number
[REDACTED]
Postal Address
As above
Email Address
[REDACTED]

Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

Our property has a very low fire risk as we have no trees or vegetation. We have well maintained, green grass covering the property all year round and as we are the lowest lying property in the area, our back third is water logged/under water.

Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

The whole property will be regularly mowed to maintain low grass levels and grass watered where required to keep it green. No trees or vegetation will be planted within the required access area around the perimeter.



I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.



Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

1 year (12 months)

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

No changes to the current state of the property will occur in this time

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

Nail DYER

District/Brigade

WEST DARDANUP

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby:

Recommend

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature



Date

29-9-23

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

Jocelyn Golding

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

Owner of Land

Occupier of Land

Applicants Signature



Date

27.9.2023

Part 8 OFFICE USE ONLY

Applicant Notified:

Yes

No

Name of Officer

Signature

Date

# DRONE PHOTOGRAPH 18/19/2023

Firebreak exception  
request area

Currently under  
water / water logged

Watered green  
grass

ban  
EARTH

(19)

TWEED CHASE





**REQUEST FORM  
FIRE PREVENTION & FIRE BREAK  
EXEMPTION  
FORM 82**

SHIRE OF DARDANUP  
RECEIVED  
28 SEP 2023  
Name: PP  
Date stamp

**Part 1 Property Details**

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot: 8 House No: 525 Street/Road Name: Collie River Road  
Suburb/Locality: Bure Kuh

**Part 2 Requested by**

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name: LA & MJ Liddington  
Daytime Contact Phone Number: [REDACTED]  
Postal Address: 525 Collie River Rd.  
Email Address: [REDACTED]

**Part 3 Reason for Request**

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

Fire prevention work as installed is Adequate  
Simply want confirmation work is within guidelines of Act

**Part 4 Alternative Proposal**

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

[Empty space for alternative proposal]

I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation



1 year (12 months)



3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

Empty text box for Reason/Details

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

Clay Rose

District/Brigade

Busekup

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby:



Recommend



Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

[Signature]

Date

28-9-23

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

L.A. Liddington

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.



Owner of Land



Occupier of Land

Applicants Signature

[Signature]

Date

28.09.23

Part 8 OFFICE USE ONLY

Applicant Notified:



Yes



No

Name of Officer

Empty text box for Name of Officer


Signature

Empty text box for Signature

Date

Empty text box for Date

525 Collie River Rd  
Burrellok



- FRUIT TREES |||
- FIRE BREAKS ||||
- HYDRANT LINES —
- HYDRANTS —●—
- LAWN □

26 July 2023

LESLIE LIDDINGTON  
525 COLLIE RIVER ROAD  
BUREKUP WA 6227

Dear Sir/Madam

**RE: FIREBREAK EXEMPTION RENEWAL – A7032 - 525 COLLIE RIVER ROAD, BUREKUP**

Please be advised that your Fire Break Exemption is due to expire on Friday 1 September 2023.

If you are re-applying for an exemption on your property for the 2023/2024 fire season, you are required to complete sections - **1; 2; 3; 4 & 5** of the Fire Prevention & Fire Break Exemption Form 82, as attached.

The application must include a detailed map of the property, detailing the proposed fire prevention measures. The completed application needs to be forwarded to your local Fire Control Officer for assessment.

The completed request for exemption form needs to be submitted to the Shire of Dardanup **no later than Friday 29 September 2023**.

**Please note: Applications that do not include a detailed map/plan, and are received after Friday 29 September 2023, will not be accepted.**

If you require additional information please do not hesitate to contact Ranger Services on 9724 0307 or via email on [rangers@dardanup.wa.gov.au](mailto:rangers@dardanup.wa.gov.au).

Yours sincerely



**MR PAUL SYDNEY-SMITH**  
Ranger

Enc: Form 82 - Request Form - Fire Prevention Fire Break Exemption  
Fire Prevention Order – First and Final Notice  
Fire Prevention Order – Additional Information



REQUEST FORM  
FIRE PREVENTION & FIRE BREAK  
EXEMPTION  
FORM 82

SHIRE OF DARDANUP  
RECEIVED  
26 SEP 2023  
Name: CS  
Date stamp

Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot: 18 House No: 47 Street/Road Name: Hynes Road  
Suburb/Locality: Waterloo

Part 2 Requested by

Details of person making request, in accordance with the Bush Fire Act 1954 and the Shire of Dardanup Fire Prevention Order

Name: De Wet de la Porte  
Daytime Contact Phone Number: [Redacted]  
Postal Address: 47 Hynes Rd, Waterloo  
Email Address: [Redacted]

Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

Large section of property already has a form of a firebreak -> Asphalt road; creek running adjacent to property where we clear the grass. We also have irrigation for our nursery running along the side.

Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

We ~~use~~ keep the grass short with sheep grazing. We keep the section of our asphalt road clean. Our neighbours have firebreaks. Majority of area surrounding our property is cleared.

I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

1 year (12 months)

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

[Empty text box for Reason/Details]

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

LOIS DANNAN.

District/Brigade

WATERLOO

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby;

Recommend

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

[Signature]

Date

27/09/23

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

De Wet de la Porte

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

Owner of Land

Occupier of Land

Applicants Signature

[Signature]

Date

21/09/2023

Part 8 OFFICE USE ONLY

Applicant Notified:

Yes

No

Name of Officer

[Empty text box]

Signature


[Empty text box]

Date

[Empty text box]



Property layout with plan for proposed fire prevention measures.



Firebreak 1 (yellow line) indicates our entrance and driveway, which is an asphalt road and cleared area of at least 4m between us and our neighbour. Where our road ends our neighbours still continues on his side so it is a firebreak from that side. There is a big open area between our properties so it would be easy for a vehicle to pass through. On our side of the fence the area is clear of any weeds and the lawn is kept short (sheep graze and we mow the lawn). Firebreak 2 (blue line) on the left-hand side of the property indicates the river that borders our property. This is also a natural fire break. The other side of the river also has a firebreak. On our side the grass is kept short and there is a path that goes around the property. Making it easy for a vehicle to drive around.

Firebreak 3 (purple line) indicates the border between us and our neighbour. On our side there is a road that goes alongside the property. On our neighbour's side he also has a fire break. There is a section of established trees on our side, but as I mentioned there is a gap for a vehicle to drive around the property.

We feel that there is sufficient natural firebreaks and open roads to grant us exemption (as we have been granted in the past). We trust you will look favourably on our request.



**REQUEST FORM  
FIRE PREVENTION & FIRE BREAK  
EXEMPTION  
FORM 82**

Date stamp

**Part 1 Property Details**

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot	House No	Street/Road Name
	28	JAPONICA VIEW
Suburb/Locality		
WELLINGTON MILLS		

**Part 2 Requested by**

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name
IAIN KEEN / SARAH HENNINGAN
Daytime Contact Phone Number
[REDACTED]
Postal Address
31 BOTTRILL STREET, HAMILTON HILL
WA. 6163
Email Address
[REDACTED]

**Part 3 Reason for Request**

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

UNABLE TO GAIN ACCESS WITHIN 6M OF BOUNDARY DUE TO A LARGE NUMBER OF TREES LARGES. REFER TO PHOTO ATTACHED.  
THE BLOCK IS CURRENTLY VACANT.

**Part 4 Alternative Proposal**

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

MAINTAIN AN EXISTING FIRE BREAK THAT RUNS ALONG THE TREELINE. REFER TO ATTACHED FILE FOR REFERENCE.



I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

Part 3 Duration of Exemption

Please indicate the time frame for this exemption/variation

1 year (12 months)

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

UNABLE TO GAIN ACCESS WITHIN 6M OF BOUNDARY.

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

Keith Higham

District/Brigade

Wellington Mill

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby:

Recommend

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

[Signature]

Date

27/9/2023

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

IAIN KEEN / SARAH MENNIGAN

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

Owner of Land

Occupier of Land

Applicants Signature

[Signature]

Date

27/09/23

Part 8 OFFICE USE ONLY

Applicant Notified:

Yes

No

Name of Officer

[Blank]


Signature

[Blank]

Date

[Blank]

28 Japonica View, Wellington Mills proposed firebreak.



Yellow – Property boundary

Red – Proposed firebreak





REQUEST FORM  
FIRE PREVENTION & FIRE BREAK  
EXEMPTION  
FORM 82

SHIRE OF DARDANUP  
RECEIVED  
21 SEP 2023  
Name: BA  
Date stamp

Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot: 121 House No: 79 Street/Road Name: GREENWOOD HEIGHTS  
Suburb/Locality: FERGUSON

Part 2 Requested by

Details of person making request, in accordance with the Bush Fire Act 1954 and the Shire of Dardanup Fire Prevention Order

Name: TONY ALBERTSEN  
Daytime Contact Phone Number: [REDACTED]  
Postal Address: P.O. BOX 101  
DARDANUP 6236  
Email Address: [REDACTED]

Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

THE BOUNDARY PERIMETER IS LARGELY TOO STEEP AND ROCKY. THE STEEP AREAS ARE PRONE TO SOIL EROSION.

Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

- 1) WHERE POSSIBLE A 4.0M SPRAY BUFFER
- 2) ALL FLAMMABLE MATERIAL TO BE REMOVED FROM AROUND ALL BUILDINGS
- 3) GUTTERS ARE FREE OF LEAVES
- 4) WTE TANK PUMP ON STANDBY.

I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

1 year (12 months)

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

SAME AS BEFORE IN YEARS 2000 -> 2022.

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

LYNDON SKEERS

District/Brigade

FERGUSON

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby:

Recommend

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

*[Signature]*

Date

20/09/2023

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

TONY ALBERTSEN

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

Owner of Land

Occupier of Land

Applicants Signature

*[Signature]*

Date

20/09/2023

Part 8 OFFICE USE ONLY

Applicant Notified:

Yes

No

Name of Officer

Signature

Date




GREENWOOD  
HEIGHTS

T. AUBERISEN  
79 GREENWOOD  
HEIGHTS

GRAVEL  
DRIVEWAY

HOUSE  
AND GARAGE



OO

WATER TANKS

FIRE BREAK  
4.0m



LOT 121.

WELLINGTON NATIONAL PARK





REQUEST FORM  
FIRE PREVENTION & FIRE BREAK  
EXEMPTION  
FORM 82

SHIRE OF DARDANUP  
RECEIVED

25 AUG 2023

Name: PD  
Date stamp

Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot: 20 House No: 6 Street/Road Name: HAKEA CLOSE  
Suburb/Locality: WATERLOO W.A.

Part 2 Requested by

Details of person making request, in accordance with the Bush Fire Act 1954 and the Shire of Dardanup Fire Prevention Order

Name: STEVEN KIRKPATRICK  
Daytime Contact Phone Number: [REDACTED]  
Postal Address: P.O. BOX 7105  
EATON W.A. 6232  
Email Address: [REDACTED]

Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

DRAIN, NATIVE TREES AROUND  
PROPERTY CREEK AT THE BACK.

Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

MANICURED LAWNS + GARDENS  
ALL KEPT MOWED.  
SPAYED WHERE NEEDED  
FIRE BREAK ON INSIDE OF  
PADDOCK.

I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

1 year (12 months)

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

ROB BRENNAN

District/Brigade

WATERLOO

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby,

Recommend

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

[Signature]

Date

19/08/23

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

STEVEN RONALD KIRKPATRICK

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

Owner of Land

Occupier of Land

Applicants Signature

[Signature]

Date

17/8/2023

Part 8 OFFICE USE ONLY

Applicant Notified:

Yes

No

Name of Officer

Signature

Date

## 6 Hakea Cl

Business



- Hakea Cl Waterino WA 6228
- Suggest an edit on 6 Hakea Cl
- Add a missing place
- Add your business
- Add a label

### Photos





6 Hakea

Hakea Close



6 Hakea

Hakea Close



**REQUEST FORM  
FIRE PREVENTION & FIRE BREAK  
EXEMPTION  
FORM 82**

SHIRE OF DARDANUP  
RECEIVED

11 AUG 2023

Name: \_\_\_\_\_

Date stamp

**Part 1 Property Details**

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot

401

House No

69

Street/Road Name

Padbury Rd

Suburb/Locality

Dardanup West

**Part 2 Requested by**

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name

Pat. Garvey

Daytime Contact Phone Number

Postal Address

28 Marabank Loop.  
Bunbury.

Email Address

**Part 3 Reason for Request**

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

Property is being used  
to fatten cattle.

**Part 4 Alternative Proposal**

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

Fire breaks are maintained  
cattle grazing excess  
vegetation / grass.



I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

1 year (12 months)

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

Intend to Graze cattle for this period

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

District/Brigade

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby:

Recommend

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

Date

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

Pet Garvey

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer. I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

Owner of Land

Occupier of Land

Applicants Signature

*Pet Garvey*

Date

8-8-23

Part 8 OFFICE USE ONLY

Applicant Notified:

Yes

No

Name of Officer

Signature

Date





REQUEST FORM  
FIRE PREVENTION & FIRE BREAK  
EXEMPTION  
FORM 82

Date stamp

Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot

117

House No

Street/Road Name

Crampton

Suburb/Locality

Burekup

Part 2 Requested by

Details of person making request, in accordance with the Bush Fire Act 1954 and the Shire of Dardanup Fire Prevention Order

Name

Jason Van Nierop

Daytime Contact Phone Number

[Redacted]

Postal Address

117 Crampton Rd Burekup 6227

Email Address

[Redacted]

Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

Access of machinery.  
Grass there is mowed regularly to ground level  
Grass is not totally dry - kept green through irrigation run-off

Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

Grass kept mowed, &/or livestock keep grass down  
Fire shut on site

I have included a plan of the property, detailing the proposed fire prevention measures

Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

1 year (12 months)

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

[Empty box for Reason/Details]

Part 6 Declaration by Applicant

Applicant to complete

Applicants Name

Jason Van Nierop

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

Owner of Land

Occupier of Land

Applicants Signature

[Signature]

Date

16/2/23

Part 7 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

Clay Rose

District/Brigade

Burekup

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby;

Recommend

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

[Signature]

Date

10-2-2023

Part 8 OFFICE USE ONLY

Applicant Notified:

Yes

No

Name of Officer

[Empty box]

Signature

[Empty box]

Date

[Empty box]