



A P P E N D I C E S

BUSHFIRE ADVISORY COMMITTEE MEETING

To be held

Wednesday, 8th October 2025

Commencing at 7.00pm

At

Shire of Dardanup
Administration Centre Eaton
1 Council Drive - EATON

This document is available in alternative formats such as:
~ Large Print
~ Electronic Format
Upon request.

2025/2026 FIREBREAK EXEMPTION APPLICATIONS

Date	Applicant Name	Assess No.	Lot No.	House No.	Street Road	Suburb Locality	Reason for Impracticably	Alternative Fire Prevention Measures	FCO Recommendation	Years	Expiry
12/09/2025	Daniel Skerratt	A4353	3001		Eaton Drive	Eaton	Due to the size of the lot (18.9 ha) it is impractical to maintain the entire lot to achieve all vegetation below 100mm for the entire restricted and prohibited burning periods.	It is proposed to maintain a mineral earth firebreak 4m in width around the internal perimeter of the lot and an overall 20m wide low fuel zone along the boundary with Eaton Drive. In addition, it is proposed to establish a 4m wide fire break approximately though the middle of the lot to break up the vegetation into two areas.	FCO approval	1	2026
17/02/2025	Elizabeth Eastman	A7192	104	433	Wellington Mills Road	Wellington Mills	Because of the tree boundary along Wellington Mills Road.	Have kept the boundary completely clear of all debris to boundary. Area reticulated and all tree branches removed below 2m.	Recommended	3	2028
14/09/2025	Daniel Normington	A10825	314	27	Sand Pits Road	Crooked Brook	The driveway of Lot 313 runs between Lot 312 and 314, it consists of a 4m wide hotmix driveway with a 1m wide gravel shoulder either side providing a total of	No fire break to be put in on the western and northern boundaries. I will personally maintain the brindle path across the front of Lot 314 and the gravel shoulders of the	Recommended	3	2028

							6m wide separation clear of any fuel loads. The bridle path on the western boundary of Lot 314 is a 6m wide limestone path which I have maintained to be free of weed and fuel loads since purchasing the property in 2012 provides adequate separation from the road side drain across the front of Lot 314. This will allow me to grow another 450m ² of pasture for livestock to graze and maintain a neat and tidy street frontage.	driveway to Lot 313 to be clean, free of weeds and fuel loads throughout the year.			
12/09/2025	Mike Tefry	A2527	20	19	The Dress Circle	Henty	Southern quarter of block too rugged for safe access during fire fighting operations. Native trees in this are to be retained to avoid soil erosion near natural drainage line of Henty Brook.	Fire breaks to be maintained around boundaries where possible (see diagram). Southern quarter of block will be cordoned off by an east-west fire break. Movement within property boundary has been improved by installation of two extra gates along internal fence line.	Recommended	3	2028

								Annual clearing of fallen timber by licenced aborists. Livestock (sheep) to be held on property during Spring and Summer to reduce fuel loads in paddocks, replacing prior slashing approach.			
14/09/2025	James Brussen	A7280	15	2	Pfennig Place	Henty	The property is relatively steep and rocky in areas. It was rotary once but water running down the fire break has caused erosion with gravel and rocks washing into the creek bed.	Fire breaks will still be sprayed with Glyphosate in August and November. All pasture areas will be slashed prior to Summer. Debris under tree lines will be cleared.	Recommended	3	2028
14/09/2025	Tevor Hill	A3016	112	39	Nyleeta Close	Ferguson	Our property is a small holding in a small holding zone and is required by the 2024/2025 Fire Prevention Order to have a 2m fire break around the perimeter of the entire property boundary. In the case of our property the steep terrain and soil type makes the provision of the required fire break physically	The proposed alternative fire break will provide a 2m fire break around an existing internal fence line that surrounds all buildings on the property. A fire break will also be provided along the northern boundary, as well as extending part way down our adjoining neighbours boundary. These fire breaks will be in addition to the usual 20m Asset	Recommended	3	2028

							impractical. It would also exacerbate the erosion risks on both the eastern and western boundaries. The western boundary's granite rock base, limits the provision of a fire break.	Protection Zone around the buildings on the property.			
10/08/2025	Mark Titchener	?	1620	?	Ferguson Road	Ferguson	The boundary on Ferguson Road is 500m in length, approx. 460m of that is a creek bed, which is too wet to access. This area stays green all summer. There are environmental and erosion issues to consider.	Reduce fuel loads – grazing and strategic slashing. Improved farm access and turnaround zones. Plus access to paddocks improved water point of shed for BFB appliances.	Recommended	3	2028
17/09/2025	Jane Skipworth	A3027	124	101	Greenwood Heights	Ferguson	Steep terrain makes it impractical to install fire breaks on the full length side of the boundaries.	Fire breaks will be installed on side boundaries for a length of approx. 50m, then a bare earth fire break will be created across the slope, connecting the two sides to protect buildings.	Recommended	3	2028
15/09/2025	Andrew Carrick	A7315	624	19	Tyrrell Road	Ferguson	The centre of the front fence line is underwater making it impossible to create a fire break for the beginning of	Fire break will be cut as soon as the water subsides.	Recommended	3	2028

							the fire break season.				
13/09/2025	Chris Walton	A3023	119	43	Greenwood Heights	Ferguson	Terrain too steep and trees too thick.	<p>New fire boundary running along top fence line. Grated to bare earth.</p> <p>FCO NOTES: Approved on condition that fire break extends 45m to the east on the side boundary and the rest of the breaks are installed as per the shire requirements – as per attached plan.</p>	Recommended	3	2028
26/08/2025	Theresa Barker	A11684	514	19	Killarney Road	Dardanup West	<p>Fire breaks are not practical due to the following reasons: Established trees along the back section of the perimeter of the property. Grass and vegetation kept short through year round (especially in Summer months). The property is well maintained and kept free of rubbish and other combustible material. There are also 2x sheds, water tanks, established</p>	<p>The property is well maintained, with grass and vegetation on the property kept short and mowed year round using a ride on mower and whipper snipper, greatly reducing the risk of fire spreading on or from the property. The well maintained grass and vegetation essentially negates the need for a fire break.</p>	Recommended	3	2028

							gardens and driveway from the gate towards the big shed.				
08/09/2025	Susan Green	A8106	24	29	Coonan Avenue	Dardanup West	Established for 36 years the small area where the house is situated within the building area is reticulated lawns and garden. Also to the side of the house is a gravel driveway with a small reticulated garden extending along the fence line. Not practical to put a fire break in.	This area is only a small portion of the property bordered by the sealed road (Coonan Avenue), a gravel driveway, green gardens and lawn that are reticulated. Bore tank. Fire break for the remaining 90% of the property are put in every year.	Recommended	3	2028
01/04/2025	Amanda Thrasher	A2596	23	138	Garvey Road	Dardanup West	Fire prevention works are impractical at my property for a number of reasons: I already have over ¾ of my front verge filled with large, established Shire trees that overhang my boundary and I have to prune every 6 months or so. These trees are an ongoing and expensive problem to maintain. I would like to alleviate the constant issue by	The required fire breaks will still be on the property boundary, following the necessary guidelines. The only difference is that it would commence at the 3m-4m mark rather than immediately along the fenceline. This would make access and maintenance simpler. We keep the pasture grass reticulated up to the fence line. It is always kept cropped low due	Recommended	3	2028

							having my fire break further away from them. I would like to plant screening shrubs down my fenceline at the 2m mark. If I planted at the required distance of 4m, after allowing a fire break, It would only create a tunnel effect down my fence line that would still fill with daily debris from the verge trees and create more of a fire hazard. PLEASE SEE FORM FOR ADDITIONAL NOTES - BP	to the horses grazing and proved to be another extremely effective fire prevention plan. We liased with the local BFB before building our home to make sure our property was as fire safe as possible. We even removed over 21 trailer loads of trash and debris from the Shire verge to reduce potential flammability risk. PLEASE SEE FORM ADDITIONAL NOTES - BP			
18/08/2025	Neil Dyer	A3701	86	136	Padbury Road	Dardanup West	The soil at the front of the property is very sandy and the removal of the grass will make the ground hard to maintain/mow and will result in sand escaping from the property.	As indicated on the attached plan, the section of the fire break at the front of the property (northern) and a portion of the property (eastern) will be mowed/maintained throughout the fire season.	Recommended	3	2028
14/09/2025	Reece Nash	A8228A	85	37	Gavins Gully Court	Dardanup West	Exemption required for area where fire break is not on	Fire breaks around all other borders of property. All weeds	Recommended	3	2028

							fence line. Property has native garden from lawn up to fence line. Established trees close to fence.	sprayed throughout native garden. All grass in paddocks mowed lower than 100mm. All fuel removed from ground. No build-up of leaves in garden. No trees close to house, 2x gates on front of property, 1x on rear.			
15/09/2025	Grant Legge	A2602	2	41	Maier Place	Dardanup West	I'm positioned on a sandy ridge of a fragile nature and have problems with erosion. I have spent time in the rehabilitation of my 5-acre property. Each year I mow and maintain the Dardanup Shire 10m walkway along the side of my property as part of the Fire Break Prevention process at my own expense, with road frontage, gravel driveways dividing the property and cleared fence lines and paddocks all around. I would like to submit a fire break exemption request for 3 years	All paddock areas cut short and cleared. All fence lines cut. All rubbish removed. All above maintained until the end of restricted burning period. Dardanup Shire walkway mowed and maintained.	No FCO approval?	3	2028

							due to low risk around my property. I have successfully completed a 3-year fire break exemption program ending September 2025.				
16/09/2025	Matthew Pover	A8234	94	12	Meadow Lane	Dardanup West	Livestock on property so wish to keep feed in paddocks for summer grazing. Slashing to 100mm would leave minimal feed.	Compliance to the remainder of the conditions listed in the application Fire Prevention Order (fire breaks to correct specification). We also have good property access for fire appliances should the need arise.	Recommended	3	2028
16/08/2025	Gerhard Vrijburg	?	501	18	Meadow Lane	Dardanup West	West side of the house boundary and neighbouring fence at 3.5m. All other areas are standard.	Maintain via cutting/turning soil over. Bore pump available in case of fire. Area affected is ATU irrigation area.	Recommended	3	2028
17/09/2025	Malcolm Woods	A7218	11	21	Pfennig Place	Henty	Irrigated lawn and garden, always green. Grass between gravel carpark and boundary to hold bank from slipping, gravel car park will prevent fires movement. Irrigated orchard. Unable to get tractor between	I have a 600-litre fire unit in trailer with pump. Quick fill from both dam and rainwater tanks. Member of the volunteer Ferguson BFB.	Recommended	3	2028

(Appendix BFAC 8.13A)

							dam and fence safely, dam will prevent fires movement.				
19/09/2025	Catherine Sayers	A3026	123	97	Greenwood Heights	Ferguson	Due to the steepness of the northern and southern boundaries of the block fire breaks would cause severe erosion.	Two side boundaries cleared for approximately 50m, fire break created behind buildings and connecting the two side boundaries.	Recommended	3	2028
13/09/2025	Andrew Grieve	?	?	11	Seaview Heights	Henty	Topography, large trees and outcropping granite stops a tractor getting through. FCO NOTE: You need to extend break in front of your shed and across the line between your trees and paddock.	Grass on property will be mowed and kept short.	Recommended	3	2028
22/09/2025	Jason Collard	A11943	20	18	Tweed Chase	Crooked Brook	I have previously submitted an exemption that was approved for 1 year, I am now applying to have the exemption in place for 3 years as my controls have not changed and are not expected to change for the foreseeable future.	I have reticulated lawns along the front of the property, and the rear portion of the property is maintained by livestock and is never at significant length. As well as drain and access track along the rear of the property that acts as a fire break and contains water for the entire	Recommended	3	2028

(Appendix BFAC 8.13A)

								year. Only one section of the property will have maintained fire breaks, as per the attached drawing.			
23/09/2025	David Rumball	A12006	39B	260	Garvey Road	Dardanup West	Trees along front and east side of property screening purposes from the road and neighbours. Most trees have been there for 30 years and others planted to replace those that have died.	Trees and shrubs along the front of the property and east side to approximately 40m down. Fire breaks to requirements along the inside of boundary.	Recommended	3	2028
23/09/2025	Shaun Rumball	12007	39A	262	Garvey Road	Dardanup West	Trees along front and west side of the property for screening purposes from the road and neighbours. Most trees have been there for 30 years and others planted to replace those that have died.	Trees along the front and west side of the property down to the water tank to provide screening to be trimmed back and maintained. Front lawn to the boundary to be mowed and reticulated.	Recommended	3	2028
23.09.2025	Jason Collard	A11943	20	18	Tweed Chase	Crooked Brook	I have previously submitted an exemption that was approved for one year, I am now applying to have the exemption in place for 3 years as my controls have not changed and are not expected to	I have reticulated lawns along the front of the property, and the rear of the property is maintained by livestock and is never at a significant length. As well as a drain and access track along the rear of the property	Recommended	3	2028

(Appendix BFAC 8.13A)

							change for the foreseeable future.	that acts as a firebreak and contains water for the entire year. Only one section of the property will have a maintain=ed firebreak, as per the attached drawing.			
30.09.2025	Paul Psiuk	A11081	440	47	Keenan Road	Dardanup West	Impact on Landscaping	Mainly grassed areas retic irrigated mowed year-round, remaining bushland parkland cleared and firebreaks installed.	Recommended	3	2028
23.09.2025	Robert Britza	A8297	12	14677	Southwestern Highway	Picton East	Fully reticulated and maintained throughout the whole fire season, stock grazing	Irrigation on paddocks through the whole fire season. Paddocks kept green all year round. Mow verge and maintain the drain along the highway.	Recommended	3	2028
25.09.2025	Shane Gibson	A8087	75	16	Kentucky Drive	Dardanup West	We have retic pipes and sprinklers located under the area where the firebreaks would go. Its our front lawn and its always kept green and mowed.	The area is always green and kept mowed. There are very few trees there.	Recommended	3	2028
30.09.2025	Daniel Willcocks	A11619	4	233	Garvey Road	Dardanup West	Very low fuel load Makes weed control very difficult.	Block to be mowed regularly to maintain a low fuel load. No trees to be planted in building envelope	Recommended	3	2028

(Appendix BFAC 8.13A)

30.09.2025	Robert Doherty	A7198	105	507	Wellington Mills Road	Wellington Mills Dardanup	The Ferguson River is on my boundary with Wellington Mills Rd and prevents construction of a fire break. Alternative fire breaks are constructed on my side of the river.	Firebreaks are maintained where practical as has been the case for the last 40 years. Please refer to previous plans	Recommended	3	2028
25.09.2025	Gail Dawn Scott-Pillow	A8257	8	1	Maguire Place	Dardanup West	Small area at front of the property and immediately around the house in maintained lawn and gardens	Lawn area around front of property as shown on plan is mowed, retic and maintained throughout the fire season. Balance of the firebreak is as per notice.	Recommended	3	2028
23.09.2025	Raymond Edward Cosh and Elizabeth Tamzin Langley Cosh	A3274	81	21	Rafferty Road	Dardanup West	Being that our property is 31 Acres I run cattle, sheep and a horse. There are 3 properties in our vicinity that are not the standard 3-5 acres and are part of the Westpine Buffer Zone. I utilize the livestock to assist in maintaining the level of hazardous material, but also need to maintain enough feed for the summer months. I	All paddocks near homestead area are cut for hay and then grazed by both sheep and cattle throughout the summer as part of my paddock/stock rotation. The paddocks at the rear of my block are grazed on a rotational basis all year round as part of fire protection, feed for livestock and also parasite management. On both my North and	Recommended	3	2028

							believe strongly in firebreaks and they will be implemented to standard. My request is around not beingf required to mow all grass to 50mmheight which would destroy valuable feed for livestock and also lead to soil damagethroughout the summer months.	East boundary I have gravelled roadways which are mowed during winter and a final mow just as the grass turns at the end of spring. I will mow this area during summer months as mowers and gravel do not mix and would easily start a fire. Our Western Boundary along Westpine and Southern Boundary along other small land holders I use an offset plough and try and maintain 2 widths of this machine which would total approx. 2.5m minimum. The house and shed area have reticulation around it and if there is a power outage and bore water is required, I have a 5kva generator for back up.			
18.09.2025	Matthew Denton	A3859	31	60	Japonica View	Wellington Mills	Too steep to safely maintain/rocky outcrops on boundary line	Fire break to other areas 4-6m wide through entire length of property will act as a firebreak.	Recommended (No map received)	3	2028
25.09.2025	Peter Cowley	A2594	21	168	Garvey Road	Dardanup West	All paddocks grassed areas well irrigated. All fence	Well maintained fire breaks, well irrigated	Recommended	3	2028

(Appendix BFAC 8.13A)

							lines are well maintained mowed and sprayed 2m wide. House block kept well maintained with water hoses to every point. Back up generator for bore pump.	backup generator Firefighting unit.			
26.09.2025	Stuart Fowler	A8328	10	149	Rich Place	Dardanup West	I need all the grass for cattle feed	Full firebreak to be installed around entire property	Recommended	3	2028

BUSHFIRE ADVISORY COMMITTEE RECOMMENDED RESOLUTION

THAT the Bushfire Advisory Committee recommends that Council grants the following firebreak exemption/variations for 3 year duration commencing from the 2025/26 Bushfire season:

A 4353

Appendix BFAC 8.13B



**REQUEST FORM
FIRE PREVENTION & FIRE BREAK
EXEMPTION
FORM 82**

Date stamp

Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot

3001

House No

19

Street/Road Name

Eaton Drive

Suburb/Locality

Eaton

Part 2 Requested by

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name

Daniel Skerratt for Ardross Estates (S.A.) Pty Limited

Daytime Contact Phone Number

0408 924 444

Postal Address

PO Box 353, West Perth 6872

Email Address

dskerratt@ardross.com

Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

Due to the size of the lot (18.9 ha) it is impractical to maintain the entire lot to achieve all vegetation below 100mm for the entire Restricted and Prohibited Burning Periods.

Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

It is proposed to maintain a mineral earth firebreak 4m in width around the internal perimeter of the lot and an overall 20m wide low fuel zone along the boundary with Eaton Drive.

In addition, it is proposed to establish a 4m wide firebreak approximately through the middle of the lot to break up the vegetation into two areas.



I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

Please indicate the time frame for this exemption/variation



1 year (12 months)



3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

Chris Hynes

District/Brigade

Dardanup CBFCO

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby;



Recommend



Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature



Date

26/09/2025

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

Daniel Skerratt for ARDROSS ESTATES (S.A.) PTY LTD

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.




Owner of Land



Occupier of Land

Applicants Signature



Date

12/09/2025

Part 8 OFFICE USE ONLY

Applicant Notified:



Yes




No

Name of Officer

Chris Hynes

Signature



Date

26/9/2025



A 7192

Appendix BFAC 8.13B

SHIRE OF DARDANUP
RECEIVED

24 SEP 2024

Name: JB

Shire of Dardanup

REQUEST FORM FIRE PREVENTION & FIRE BREAK EXEMPTION FORM 82

PLEASE NOTE: ALL EXEMPTION REQUESTS MUST BE SUBMITTED BY 30
SEPTEMBER TO BE ELIGIBLE FOR THE EXEMPTION PERIOD OF UP TO 3
YEARS DATED FROM THE CURRENT FIRE SEASON.

Date
stamp

Part 1 Property Details

Please provide the details of the
property you are requesting an
exemption/variation of fire
prevention measures on

104

Lot

433

House No

WELLINGTON MILL

Street/Road Name

RD

WELLINGTON MILL

Suburb/Locality

Part 2 Requested by

Details of person making request, in
accordance with the Bush Fire Act
1954 and the Shire of Dardanup Fire
Prevention Order

Name

ELIZABETH EASTMAN

Daytime Contact Phone Number

0419 928785

Postal Address

A/P

Email Address

aspenzha@gmail.com

Part 3 Reason for Request

Please provide details why you
consider the required or standard
fire prevention works to be
impractical at the property described
in Part 1



because of the tree
line boundary along
Wellington Mill Rd

Part 4 Alternative Proposal

Please provide details of the
alternate fire prevention measures
to be taken to mitigate the properties
fire risk

Have kept the boundary
completely cleared of all
debris, branches, garden
adjacent to boundary is
retreated and all tree
branches removed below
2m.


I have included a plan of the property, detailing the proposed fire
prevention measures. Please note: If a plan is not included the
application will not be accepted.



Part 5 Duration of Exemption			
Please indicate the time frame for this exemption/variation			
		1 year (12 months)	
		<input checked="" type="checkbox"/> 3 years (Where alternative fire prevention measures can not be remedied within 12 months)	
Reason/Details			
Can see no changes in any thing that would alter outcome			
Part 6 Declaration by Bush Fire Control Officer			
Bush Fire Control Officer to complete		Bush Fire Control Officers Name	
		Paul Sydney-Smith	
		District/Brigade RANGER	
		SUPPORTED BY RUSSELL HARVEY	
		I have carried out an inspection of the property described in Part 1 for an exemption.	
		I hereby:	
		<input checked="" type="checkbox"/> Recommend	
		<input type="checkbox"/> Do Not Recommend	
		this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.	
		Bush Fire Control Officers Signature	Date
			30.9.25
Part 7 Declaration by Applicant			
Applicant to complete		Applicants Name	
Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application		KLIZABETH KAJTMAN	
		I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.	
		If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.	
		I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.	
		<input checked="" type="checkbox"/> Owner of Land	
		<input checked="" type="checkbox"/> Occupier of Land	
		Applicants Signature	Date
			25.9.2025
Part 8 OFFICE USE ONLY			
Applicant Notified:		Yes	No
Name of Officer		Signature	Date



K KASIMAN
H33 WELLINGTON MILL RD.



A10825

 <p>Shire of Dardanup</p>	<p align="center">REQUEST FORM FIRE PREVENTION & FIRE BREAK EXEMPTION FORM 82</p>	<p align="right">Date stamp</p>												
<p>Part 1 Property Details</p> <p>Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on</p>	<table border="1"> <tr> <td>Lot</td> <td>House No</td> <td>Street/Road Name</td> </tr> <tr> <td>314</td> <td>27</td> <td>Sand Pits Rd</td> </tr> <tr> <td colspan="3">Suburb/Locality</td> </tr> <tr> <td colspan="3">Crooked Brook</td> </tr> </table>		Lot	House No	Street/Road Name	314	27	Sand Pits Rd	Suburb/Locality			Crooked Brook		
Lot	House No	Street/Road Name												
314	27	Sand Pits Rd												
Suburb/Locality														
Crooked Brook														
<p>Part 2 Requested by</p> <p>Details of person making request, in accordance with the <i>Bush Fire Act 1954</i> and the Shire of Dardanup Fire Prevention Order</p>	<table border="1"> <tr> <td>Name</td> </tr> <tr> <td>Daniel Normington</td> </tr> <tr> <td>Daytime Contact Phone Number</td> </tr> <tr> <td>0409106190</td> </tr> <tr> <td>Postal Address</td> </tr> <tr> <td>27 Sand Pits Rd Crooked Brook W.A 6236</td> </tr> <tr> <td>Email Address</td> </tr> <tr> <td>dnadrafting@gmail.com</td> </tr> </table>		Name	Daniel Normington	Daytime Contact Phone Number	0409106190	Postal Address	27 Sand Pits Rd Crooked Brook W.A 6236	Email Address	dnadrafting@gmail.com				
Name														
Daniel Normington														
Daytime Contact Phone Number														
0409106190														
Postal Address														
27 Sand Pits Rd Crooked Brook W.A 6236														
Email Address														
dnadrafting@gmail.com														
<p>Part 3 Reason for Request</p> <p>Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1</p>	<table border="1"> <tr> <td> <p>The driveway of Lot 313 runs between Lot 312 and 314, It consists of a 4.0m wide hotmix driveway with a 1.0m wide gravel shoulder either side providing a total of 6.0m wide separation clear of any fuel loads.</p> <p>The bridle path on the western boundary of Lot 314 is a 6.0m wide limestone path which I have maintained to be free of weed and fuel loads since purchasing the property in 2012 provides adequate separation from the road side drain across the front of Lot 314.</p> <p>This will allow me to grow another 450m2 of pasture for live stock to graze and maintain a neat and tidy street frontage.</p> </td> </tr> </table>		<p>The driveway of Lot 313 runs between Lot 312 and 314, It consists of a 4.0m wide hotmix driveway with a 1.0m wide gravel shoulder either side providing a total of 6.0m wide separation clear of any fuel loads.</p> <p>The bridle path on the western boundary of Lot 314 is a 6.0m wide limestone path which I have maintained to be free of weed and fuel loads since purchasing the property in 2012 provides adequate separation from the road side drain across the front of Lot 314.</p> <p>This will allow me to grow another 450m2 of pasture for live stock to graze and maintain a neat and tidy street frontage.</p>											
<p>The driveway of Lot 313 runs between Lot 312 and 314, It consists of a 4.0m wide hotmix driveway with a 1.0m wide gravel shoulder either side providing a total of 6.0m wide separation clear of any fuel loads.</p> <p>The bridle path on the western boundary of Lot 314 is a 6.0m wide limestone path which I have maintained to be free of weed and fuel loads since purchasing the property in 2012 provides adequate separation from the road side drain across the front of Lot 314.</p> <p>This will allow me to grow another 450m2 of pasture for live stock to graze and maintain a neat and tidy street frontage.</p>														
<p>Part 4 Alternative Proposal</p> <p>Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk</p>	<table border="1"> <tr> <td> <p>No firebreak to be put in on the western and northern boundaries, I will personally maintain the bridle path across the front of Lot 314 and the gravel shoulders of the driveway to Lot 313 to be clean, free of weeds and fuel loads throughout the year</p> </td> </tr> <tr><td> </td></tr> <tr><td> </td></tr> <tr><td> </td></tr> <tr><td> </td></tr> <tr> <td> <input type="checkbox"/> YES I have included a plan of the property, detailing the proposed fire prevention measures </td> </tr> </table>		<p>No firebreak to be put in on the western and northern boundaries, I will personally maintain the bridle path across the front of Lot 314 and the gravel shoulders of the driveway to Lot 313 to be clean, free of weeds and fuel loads throughout the year</p>					<input type="checkbox"/> YES I have included a plan of the property, detailing the proposed fire prevention measures						
<p>No firebreak to be put in on the western and northern boundaries, I will personally maintain the bridle path across the front of Lot 314 and the gravel shoulders of the driveway to Lot 313 to be clean, free of weeds and fuel loads throughout the year</p>														
<input type="checkbox"/> YES I have included a plan of the property, detailing the proposed fire prevention measures														

Part 5 Duration of Exemption	
Please indicate the time frame for this exemption/variation	<div style="display: flex; align-items: flex-start;"> <div style="margin-right: 10px;"> <input type="checkbox"/> 1 year (12 months) </div> <div style="margin-right: 10px;"> <input checked="" type="checkbox"/> 3 years (Where alternative fire prevention measures can not be remedied within 12 months) </div> </div> <div style="margin-top: 5px;"> <p>Reason/Details</p> <div style="border: 1px solid black; padding: 2px; min-height: 30px;">To grow feed for livestock grazing</div> </div>
Part 6 Declaration by Bush Fire Control Officer	
Bush Fire Control Officer to complete	<div style="margin-bottom: 5px;"> <p>Bush Fire Control Officers Name</p> <div style="border: 1px solid black; padding: 2px;">Neil Dyer</div> </div> <div style="margin-bottom: 5px;"> <p>District/Brigade</p> <div style="border: 1px solid black; padding: 2px;">West Dardanup</div> </div> <p>I have carried out an inspection of the property described in Part 1 for an exemption.</p> <p>I hereby:</p> <div style="display: flex; margin-top: 5px;"> <div style="margin-right: 10px;"> <input checked="" type="checkbox"/> Recommend </div> <div style="margin-right: 10px;"> <input type="checkbox"/> Do Not Recommend </div> </div> <p>I recommend this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.</p> <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div style="width: 60%;"> <p>Bush Fire Control Officers Signature</p> <div style="border: 1px solid black; padding: 2px; min-height: 30px;">  </div> </div> <div style="width: 35%;"> <p>Date</p> <div style="border: 1px solid black; padding: 2px;">15-9-25</div> </div> </div>
Part 7 Declaration by Applicant	
<p>Applicant to complete</p> <p><i>Please note: Part 6 <u>must</u> be signed off by your local Fire Control Officer before submitting your application</i></p>	<div style="margin-bottom: 5px;"> <p>Applicants Name</p> <div style="border: 1px solid black; padding: 2px;">Daniel Normington</div> </div> <p>I accept that this application <u>must</u> be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.</p> <p>If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.</p> <p>I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.</p> <div style="display: flex; margin-top: 10px;"> <div style="margin-right: 10px;"> <input checked="" type="checkbox"/> Owner of Land </div> <div style="margin-right: 10px;"> <input checked="" type="checkbox"/> Occupier of Land </div> </div> <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div style="width: 60%;"> <p>Applicants Signature</p> <div style="border: 1px solid black; padding: 2px; min-height: 30px;">  </div> </div> <div style="width: 35%;"> <p>Date</p> <div style="border: 1px solid black; padding: 2px;">14/09/2025</div> </div> </div>
Part 8 OFFICE USE ONLY	
<div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="width: 20%;"> <p>Applicant Notified</p> </div> <div style="width: 40%;"> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"> <input type="checkbox"/> Yes </div> <div style="text-align: center;"> <input type="checkbox"/> No </div> </div> </div> <div style="width: 40%;"></div> </div> <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div style="width: 30%;"> <p>Name of Officer</p> <div style="border: 1px solid black; height: 20px;"></div> </div> <div style="width: 30%;"> <p>Signature</p> <div style="border: 1px solid black; height: 20px;"></div> </div> <div style="width: 30%;"> <p>Date</p> <div style="border: 1px solid black; height: 20px;"></div> </div> </div>	



LOT 314 SANDPITS ROAD
CROOKED BROOK

Daniel Normington
dnadrafting@gmail.com
0409 106 190

DATE DRN: 21-01-13
DATUM: AHD
CCAD JOB: 13DANNOR
AUTHORISED: D.NORMINGTON
SCALE ~ 1:750 @ A3
DRG No: T&P005-13

T & P Design
16 Hooper Place
Bunbury 6230
0429 159 195
T.P.Design@bigpond.com



REQUEST FORM FIRE PREVENTION & FIRE BREAK EXEMPTION FORM 82

PLEASE NOTE: ALL EXEMPTION REQUESTS MUST BE SUBMITTED BY 30 SEPTEMBER TO BE ELIGIBLE FOR THE EXEMPTION PERIOD OF UP TO 3 YEARS DATED FROM THE CURRENT FIRE SEASON.

Date stamp

Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot	House No	Street/Road Name
20	19	The Dress Circle
Suburb/Locality		
Henty		

Part 2 Requested by

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name
Michael Trefry
Daytime Contact Phone Number
0408730787
Postal Address
23 Evandale Street
Floreat WA 6014
Email Address
michaelgtrefry@gmail.com

Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

Southern quarter of block too rugged for safe access during fire fighting operations.
Native trees in this area to be retained to avoid soil erosion near natural drainage line of Henty Brook.

Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

Firebreaks to be maintained around boundaries where possible (see diagram). Southern quarter of block will be cordoned off by an east-west firebreak. Movement within property boundary has been improved by installation of two extra gates along internal fence line.
Annual clearing of fallen timber by licensed arborists. Livestock (sheep) to be held on property during spring and summer to reduce fuel loads in paddocks, replacing prior slashing approach.

X	I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.
---	---

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

Accepted fire risk mitigation strategy for this property

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

Lyndon Skeers

District/Brigade

Ferguson

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby;

☒

Recommend

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature



Date

14/09/2025

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

Mike Trefry

I accept that this application **must** be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

☒

Owner of Land

☒

Occupier of Land

Applicants Signature



Date

12 September 2025

Part 8 OFFICE USE ONLY

Applicant Notified:

☐

Yes

☐

No

Name of Officer

Signature

Date





REQUEST FORM FIRE PREVENTION & FIRE BREAK EXEMPTION FORM 82

PLEASE NOTE: ALL EXEMPTION REQUESTS MUST BE SUBMITTED BY 30 SEPTEMBER TO BE ELIGIBLE FOR THE EXEMPTION PERIOD OF UP TO 3 YEARS DATED FROM THE CURRENT FIRE SEASON.

Date stamp

Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot 15	House No 2	Street/Road Name Pfennig Place
Suburb/Locality Henty		

Part 2 Requested by

Details of person making request, in accordance with the Bush Fire Act 1954 and the Shire of Dardanup Fire Prevention Order

Name James Brussen
Daytime Contact Phone Number 0417135560
Postal Address 2 Pfennig Place Henty WA 6236
Email Address jkbrussen@bigpond.com

Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

The property is relatively steep and rocky in areas. It was rebury hard once but water running down the firebreak has caused erosion with gravel and rocks washing into the creek bed.

Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

- * Firebreaks will still be sprayed with Glyphosate in Aug and Nov.
- * All pasture areas will be slashed prior to summer
- * Debris under tree lines will be cleared

☐ I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

Applied for 3 years as this will be an ongoing issue.

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

LYNDON SKEENS

District/Brigade

FERGUSON

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby;

☒

Recommend

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

[Signature]

Date

18/09/2025

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

JAMES BRUSSEN

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

☒

Owner of Land

☐

Occupier of Land

Applicants Signature

[Signature]

Date

14/09/2025

Part 8 OFFICE USE ONLY

Applicant Notified:

☐

Yes


☐

No

Name of Officer

Signature

Date



2 PENDING PAGE. HERE


Property boundary

Gravel driveway (4 m wide)

Five access Poi (gifted and given by share)

Current spliced fireproofs

Creek line.

 <p>Shire of Dardanup</p>	<p align="center">REQUEST FORM FIRE PREVENTION & FIRE BREAK EXEMPTION FORM 82</p> <p>PLEASE NOTE: ALL EXEMPTION REQUESTS MUST BE SUBMITTED BY 30 SEPTEMBER TO BE ELIGIBLE FOR THE EXEMPTION PERIOD OF UP TO 3 YEARS DATED FROM THE CURRENT FIRE SEASON.</p>		<p>Date stamp</p>
<p>Part 1 Property Details</p>			
<p>Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on</p>	<p>Lot 112</p>	<p>House No 39</p>	<p>Street/Road Name Nyleeta Close</p>
<p>Suburb/Locality Ferguson Valley, Dardanup</p>			
<p>Part 2 Requested by</p>			
<p>Details of person making request, in accordance with the <i>Bush Fire Act 1954</i> and the Shire of Dardanup Fire Prevention Order</p>	<p>Name Trevor and Kaye Hill</p> <p>Daytime Contact Phone Number 0427383060</p> <p>Postal Address 100A Forrest Street South Perth 6151</p> <p>Email Address kayehill@bigpond.net.au</p>		
<p>Part 3 Reason for Request</p>			
<p>Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1</p>	<p>Our property is a small holding in a Small Holding Zone and is required by the 2024-2025 Fire Prevention Order, to have a 2m firebreak around the perimeter of the entire property boundary. In the case of our property, the steep terrain and soil type makes the provision of the required firebreak physically impractical. It would also exacerbate the erosion risks on both the eastern & western boundaries. The western boundary's granite rock base, limits the provision of a firebreak.</p>		
<p>Part 4 Alternative Proposal</p>			
<p>Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk</p>	<p>The proposed alternative firebreak will provide a 2m firebreak around an existing internal fence line that surrounds all buildings on the property. A firebreak will also be provided along the northern boundary, as well as extending part way down our adjoining neighbours' boundary. These firebreaks will be in addition to the usual 20m Asset Protection Zone around the buildings on the property.</p> <p><input checked="" type="checkbox"/> I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.</p>		

Part 6 Duration of Exemption

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

The situation for this property and the firebreaks will not change

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

Mr Lyndon Skeers

District/Brigade

Ferguson District

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby:

☒

Recommend

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

[Signature]

Date

14/09/2025

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

Trevor and Kaye Hill

We accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, we agree to comply with the Shire of Dardanup Fire Break Order.

We accept that our application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

☒

Owners of Land

☐

Occupier of Land

Applicants Signature

[Signature] *Kaye Hill*

Date

27 August 2025

Part 8 OFFICE USE ONLY

Applicant Notified:

☐

Yes

☐

No

Name of Officer

Signature

Date



REQUEST FORM FIRE PREVENTION & FIRE BREAK EXEMPTION FORM 82

Appendix BFAC 8.13B

DARDANUP
RECEIVED

26 AUG 2025

Name: _____

Date stamp

PLEASE NOTE: ALL EXEMPTION REQUESTS MUST BE SUBMITTED BY
30 SEPTEMBER TO BE ELIGIBLE FOR THE EXEMPTION PERIOD OF UP
TO 3 YEARS DATED FROM THE CURRENT FIRE SEASON.

Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot

1620

House No

Street/Road Name

Ferguson Road

Suburb/Locality

Ferguson 6236

Part 2 Requested by

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name

MARK TITCHENER

Daytime Contact Phone Number

0410 495 028

Postal Address

PO Box 431

DUNSBOROUGH WA 6281.

Email Address

MARK@HUMIDITYLIFESTYLE.COM

Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

TITE BOUNDARY ON FERGUSON ROAD
IS 500m IN LENGTH, APPROX 400m
ON THAT IS A GREEN BED, WHICH IS
TOO WET TO ACCESS, THIS AREA
STAYS GREEN ALL SUMMER.
THERE ARE ENVIRONMENTAL AND
EROSION ISSUES TO CONSIDER.

Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

REDUCE FUEL LOADS THRU GRAZING
AND STRATEGIC SLASHING.
IMPROVED FARM ACCESS AND
TURN-AROUND ZONES. PLUS
ACCESS TO PADDocks IMPROVED
WATER POINT & SITED FOR BFB
APPLIANCES



I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Appendix BFAC 8.13B

Reason/Details

CREEK - Wet Area / Situation
ONGOING.

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officers Name

GRANT LEEZE RATCLIFFE

District/Brigade

UPPER FERGUSON

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby:

☒


Recommend

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature



Date

22.8.2025

Part 7 Declaration by Applicant

Applicants Name

MARK TITENBERG / CREENTH HOLDINGS.

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

☒

Owner of Land

☒

Occupier of Land

Applicants Signature



Date

10/08/2025

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Part 8 OFFICE USE ONLY

Applicant Notified:

☐

Yes


☐

No

Name of Officer

Signature

Date



GREEN
LINE.

FULLY
SUBMITTED
GRAZED
ZONE.

Ferguson Rd

Ferguson Rd

TURN-AROUND
WATER POINT
(SHED)

HOUSE.

RACQUET/WHITE ACRES

1620 Ferguson Road.



REQUEST FORM FIRE PREVENTION & FIRE BREAK EXEMPTION FORM 82

PLEASE NOTE: ALL EXEMPTION REQUESTS MUST BE SUBMITTED BY 30 SEPTEMBER TO BE ELIGIBLE FOR THE EXEMPTION PERIOD OF UP TO 3 YEARS DATED FROM THE CURRENT FIRE SEASON.

Date stamp

Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot

124

House No

101

Street/Road Name

Greenwood Heights

Suburb/Locality

Ferguson

Part 2 Requested by

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name

Jane Skipworth

Daytime Contact Phone Number

0400 137128

Postal Address

P O Box 255

DARDANUP WA 6236

Email Address

skipsons4@bigpond.com

Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

Steep terrain makes it impractical to install firebreaks on the full length of side boundaries

Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

Firebreaks will be installed on side boundaries for a length of approximately 50m, then a bare earth firebreak will be created across the slope, connecting the two sides to protect buildings.

☒

I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

The varied firebreak noted above is created in the same manner each year.

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

L P Skeers

District/Brigade

Ferguson

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby;

☒

Recommend

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

[Signature]

Date

18/09/2025

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

Jane Skipworth

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

☒

Owner of Land

☐

Occupier of Land

Applicants Signature

Jane Skipworth

Date

17/9/2025

Part 8 OFFICE USE ONLY

Applicant Notified:

☐

Yes

☐

No

Name of Officer

Signature

Date





REQUEST FORM FIRE PREVENTION & FIRE BREAK EXEMPTION FORM 82

PLEASE NOTE: ALL EXEMPTION REQUESTS MUST BE SUBMITTED BY
30 SEPTEMBER TO BE ELIGIBLE FOR THE EXEMPTION PERIOD OF UP
TO 3 YEARS DATED FROM THE CURRENT FIRE SEASON.

Date stamp

Part 1 Property Details

Please provide the details of the
property you are requesting an
exemption/variation of fire
prevention measures on

Lot

624

House No

19

Street/Road Name

Tyrrell Rd

Suburb/Locality

Ferguson

Part 2 Requested by

Details of person making request, in
accordance with the *Bush Fire Act*
1954 and the Shire of Dardanup Fire
Prevention Order

Name

Andrew Carrick

Daytime Contact Phone Number

0447311122

Postal Address

19 Tyrrell Rd Ferguson 6236

Email Address

andrew@gtfab.com.au

Part 3 Reason for Request

Please provide details why you
consider the required or standard
fire prevention works to be
impractical at the property described
in Part 1

The center of the front fence line is underwater making it impossible to create a fire break for the
beginning of the fire season

Part 4 Alternative Proposal

Please provide details of the
alternate fire prevention measures to
be taken to mitigate the properties
fire risk

Fire break will be cut as soon as the water subsides

☒

I have included a plan of the property, detailing the proposed fire prevention
measures. Please note: If a plan is not included the application will not be accepted.

Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

LYNDON SKEERS

District/Brigade

FERGUSON

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby;

☒

Recommend

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

[Signature]

Date

18/09/2025

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

Andrew Carrick

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

☒

Owner of Land

☐

Occupier of Land

Applicants Signature

[Signature]

Date

15-9-25

Part 8 OFFICE USE ONLY

Applicant Notified:

☐

Yes

☐


No

Name of Officer


Signature


Date

19 Tyrrell Rd Ferguson



 Area Under Water

 Fire Break will Be Cut As Soon As Access Available

 Fire Break will Be Cut And Maintained





REQUEST FORM FIRE PREVENTION & FIRE BREAK EXEMPTION FORM 82

PLEASE NOTE: ALL EXEMPTION REQUESTS MUST BE SUBMITTED BY 30 SEPTEMBER TO BE ELIGIBLE FOR THE EXEMPTION PERIOD OF UP TO 3 YEARS DATED FROM THE CURRENT FIRE SEASON.

Date stamp

Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot

119

House No

43

Street/Road Name

Greenwood Heights

Suburb/Locality

Ferguson

Part 2 Requested by

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name

Chris Walton

Daytime Contact Phone Number

0421368125

Postal Address

43 Greenwood Heights

Ferguson

Email Address

c.m.w2015@outlook.com

Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

Terrain to steep and trees too thick.

Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

New fire boundary running along top fence line. Grated to bare earth

FCO Note: Approved on condition that firebreak extends 45m to the east on the side boundary and the rest of the rest of the breaks are installed

As per the shire requirements as per my attached plan

☒

I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

Terrain too steep, and trees too thick.

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

Lyndon Skeers

District/Brigade

Ferguson

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby;

☒

Recommend

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature



Date

18/09/2025

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

Chris Walton

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

☒

Owner of Land

☐

Occupier of Land

Applicants Signature



Date

13/09/2025

Part 8 OFFICE USE ONLY

Applicant Notified:

☐

Yes

☐

No

Name of Officer

Signature

Date





REQUEST FORM FIRE PREVENTION & FIRE BREAK EXEMPTION FORM 82

Date stamp

Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot House No Street/Road Name

514

19

Killarney Road

Suburb/Locality

Dardanup West, 6236

Part 2 Requested by

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name

Theresa Pamela Barker & Daniel Vivian Barker

Daytime Contact Phone Number

0418 640 467 / 0438 566 422

Postal Address

PO Box 225 Dardanup, 6236.

Email Address

pampilapil@gmail.com

Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

Fire breaks are not practical due to the following reasons;

- established trees along the back section of the perimeter of the property
- grass & vegetation kept short through year - round (especially in the summer months)
- the property is well maintained and kept free of rubbish and other combustible material
- there are also 2 sheds, water tanks, established gardens and drive way from the gate towards the big shed

Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

The property is well maintained, with grass and vegetation on the property kept short and mowed year - round using a ride on mower and whipper snipper, greatly reducing the risk of fire spreading on or from the property. The well maintained grass and vegetation essentially negates the need for a fire-break.



I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

District/Brigade

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby;

☒

Recommend

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

Date

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

I accept that this application **must** be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

☒

Owner of Land

☐

Occupier of Land

Applicants Signature

Date

Part 8 OFFICE USE ONLY

Applicant Notified:

☐

Yes

☐

No

Name of Officer

Signature

Date

Established trees at rear of property

Property free of rubbish

Grass kept short year-round



19 Killarney Road,
Dardanup West 6236



REQUEST FORM **A8106**
FIRE PREVENTION & FIRE BREAK
EXEMPTION
FORM 82

Appendix BFAC 8.13B

PLEASE NOTE: ALL EXEMPTION REQUESTS MUST BE SUBMITTED BY
30 SEPTEMBER TO BE ELIGIBLE FOR THE EXEMPTION PERIOD OF UP
TO 3 YEARS DATED FROM THE CURRENT FIRE SEASON.

Date stamp

Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot

24

House No

29

Street/Road Name

COONAN AVE

Suburb/Locality

DARDANUP WEST

Part 2 Requested by

Details of person making request, in accordance with the Bush Fire Act 1954 and the Shire of Dardanup Fire Prevention Order

Name

SUSAN DIANE GREEN

Daytime Contact Phone Number

0428151626

Postal Address

29 COONAN AVE

DARDANUP WEST, WA, 6236

Email Address

susangreen@outlook.com.au

Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

ESTABLISHED FOR 36 YEARS THIS SMALL AREA WHERE THE HOUSE IS SITUATED WITHIN THE BUILDING AREA IS RETICULATED LAWNS AND GARDEN. ALSO TO THE SIDE OF THE HOUSE IS A GRAVEL DRIVEWAY WITH A SMALL RETICULATED GARDEN EXTENDING ALONG THE FENCE LINE. NOT PRACTICAL TO PUT A FIREBREAK IN.

Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

THIS AREA IS ONLY A SMALL PORTION OF THE PROPERTY BORDERED BY THE SEALED ROAD (COONAN AVE), A GRAVEL DRIVEWAY, GREEN GARDENS AND LAWN THAT ARE RETICULATED. (BORE) TANK FOR HOUSE. FIREBREAKS FOR THE REMAINING 90% OF THE PROPERTY ARE PUT IN EVERY YEAR.



I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

☐ 1 year (12 months)

☒ 3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Appendix BFAC 8.13B

Reason/Details

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

Neil Dyer

District/Brigade

West Dardanup

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby;

☒ Recommend

☐ Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature



Date

12-9-25

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

SUSAN DIANE GREEN

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

☒ Owner of Land

☐ Occupier of Land

Applicants Signature



Date

8/9/25

Part 8 OFFICE USE ONLY

Applicant Notified:

☐

Yes



☐

No

Name of Officer

Signature

Date





REQUEST FORM FIRE PREVENTION & FIRE BREAK EXEMPTION FORM 82

PLEASE NOTE: ALL EXEMPTION REQUESTS MUST BE SUBMITTED BY 30 SEPTEMBER TO BE ELIGIBLE FOR THE EXEMPTION PERIOD OF UP TO 3 YEARS DATED FROM THE CURRENT FIRE SEASON.

Date stamp

Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot House No Street/Road Name

23

138

GARVEY ROAD

Suburb/Locality

DARDANUP WEST

Part 2 Requested by

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name

AMANDA THRASHER

Daytime Contact Phone Number

0428470870

Postal Address

AS ABOVE

Email Address

TEXANAUSSIEFAMILY@GMAIL.COM

Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

The fire prevention works are impractical at my property for a number of reasons:

- I already have over 3/4's of my front verge filled with large, established Shire trees that overhang my boundary and I have to prune every 6 months or so. These trees are an ongoing and expensive problem to maintain. I would like to alleviate this constant issue by having my firebreak further away from them.
- I would like to plant screening shrubs down my fenceline at the 2m mark. If I planted at the required distance of 4 to 5m, after allowing for a firebreak, it would only create a "tunnel" effect down my fence line that would still fill with the daily debris from the verge trees and create more of a fire hazard.
- If I plant at 2m from the fenceline it then means I can have a completely CLEAR, safe and controlled firebreak in FRONT of my own trees and the Shire Trees. It would be much simpler to maintain and immensely safer for accessibility and fire prevention
- The roots of the big verge trees come onto my property by at least 1 to 2m which has completely been destroying our tractor/plough when we run it anywhere along the fenceline to do our required firebreaks. Having the firebreaks a couple more metres forward of the fence line would save much damage and expense.
- We have horses on our property that obviously need to graze. The further out I am required to plant my trees from the boundary results in a lot LESS grazing land of my own property as I would need to fence in front of the trees to stop the horses from eating them. This would just take up even more valuable grazing land.

Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

- The required firebreak will STILL be on the property boundary, following the necessary guidelines. The only difference is that it would commence at the 3m to 4m metre mark, rather than immediately along the fence line. This would make access and maintenance simpler.
- We keep the pasture grass reticulated up to the fence line. It is always kept cropped low due to the horses grazing and proves to be another extremely effective fire prevention plan.
- We liaised with the local Fire Brigade before building our home to make sure our property was as fire safe as possible. We even removed over 21 trailer loads of trash and debris from the Shire Verge to reduce the potential flammability risk. Thanks to this meeting, combined with our hard work and diligence, we are proud to say that our entire property has been created in an open and accessible way specifically targeted at fire prevention. Our main driveway is wide enough for firetrucks, there are couplings on our water tank for fire use and large swing gates into all paddocks which are open, clear of debris and easily accessible from the main drive
- Our entire building envelope is clear of any fire hazards, under full reticulation and then further surrounded by bitumen road base so that a fire cannot travel to the house or shed.

Y

I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

Y

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details:

The verge screening shrubs will be a permanent addition to the property boundary. They are to provide privacy from the anticipated 20 block subdivision that is currently planned across the road from us.

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

Neil DYER

District/Brigade

West Dardanup

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby:

☒

Recommend

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

Date

10-4-2025

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

AMANDA CHERIE THRASHER

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

Y

Owner of Land


☐

Occupier of Land

Applicants Signature

Date

1-4-2025





REQUEST FORM FIRE PREVENTION & FIRE BREAK EXEMPTION FORM 82

Date stamp

Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot

86

House No

136

Street/Road Name

Padbury Road

Suburb/Locality

Dardanup West

Part 2 Requested by

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name

Neil Warner Dyer

Daytime Contact Phone Number

0418 588159

Postal Address

PO Box 2477

BUNBURY WA 6231

Email Address

ndyer@bunbury-wa-gov-au

Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

The soil at the front of the property is very sandy and the removal of the grass will make the ground hard to maintain/mow and will result in sand escaping from the property

Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

As indicated on the attached plan, the section of the fire break at the front of the property (northern) and a portion of the side of the property (eastern) will be mowed/maintained throughout the fire season



I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

The plan has been in place since 2006

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

Brendon Putt

District/Brigade

Dardanup Central Fire Brigade

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby;

☒

Recommend

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

Brendon Putt

Date

20/08/2025

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 **must** be signed off by your local Fire Control Officer before submitting your application

Applicants Name

Neil Warner Dyer

I accept that this application **must** be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

☒

Owner of Land

☐

Occupier of Land

Applicants Signature

Neil Warner Dyer

Date

18-8-2025

Part 8 OFFICE USE ONLY

Applicant Notified:

☐

Yes

☐

No

Name of Officer

Signature

Date

136 Padbury Road Dardanup West - Request form fire break exemption Form 82 – Attachment 1





REQUEST FORM FIRE PREVENTION & FIRE BREAK EXEMPTION FORM 82

PLEASE NOTE: ALL EXEMPTION REQUESTS MUST BE SUBMITTED BY
30 SEPTEMBER TO BE ELIGIBLE FOR THE EXEMPTION PERIOD OF UP
TO 3 YEARS DATED FROM THE CURRENT FIRE SEASON

Date stamp

Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot 85	House No 37	Street/Road Name GAVINS GULLY COURT
Suburb/Locality DARDANUP WEST		

Part 2 Requested by

Details of person making request, in accordance with the Bush Fire Act 1954 and the Shire of Dardanup Fire Prevention Order

Name REECE PETER NASH
Daytime Contact Phone Number 0422356 133
Postal Address LOT 85 / 37 GAVINS GULLY COURT DARDANUP WEST WA 6236
Email Address FELANY VLT @HOTMAIL.COM

Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

Exemption required for area where firebreak is not on fence line.
Property has native garden from lawn up to fence line. Established trees close to fence.

Part 4 Alternative Proposal


Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

Firebreaks around all other borders of property. All weeds sprayed through out native garden. All grass in paddocks mowed lower than lawn. All fuel removed from ground. No build up of leaves in garden. No trees close to house. 2 gates on front of property, one on rear.

☒ I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted

Part 6 Duration of Exemption	
<p>Please indicate the time frame for this exemption/variation</p>	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 10px;"> <input type="checkbox"/> 1 year (12 months) </div> <div> <input checked="" type="checkbox"/> 3 years (Where alternative fire prevention measures can not be remedied within 12 months) </div> <div style="margin-top: 10px;"> <p><small>Reason/Details</small></p> <div style="border: 1px solid black; padding: 5px; width: 100%;"> Native garden and established trees do not allow for fire break on fence line. </div> </div> </div>
Part 6 Declaration by Bush Fire Control Officer	
<p>Bush Fire Control Officer to complete</p>	<div style="margin-bottom: 10px;"> <p><small>Bush Fire Control Officers Name</small></p> <div style="border: 1px solid black; padding: 2px;">Neil Dyer</div> </div> <div style="margin-bottom: 10px;"> <p><small>District/Brigade</small></p> <div style="border: 1px solid black; padding: 2px;">West Dardanup</div> </div> <p>I have carried out an inspection of the property described in Part 1 for an exemption I hereby:</p> <div style="display: flex; flex-direction: column; align-items: flex-start; margin-bottom: 10px;"> <div style="margin-bottom: 10px;"> <input checked="" type="checkbox"/> Recommend </div> <div> <input type="checkbox"/> Do Not Recommend </div> </div> <p>this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.</p> <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div style="width: 60%;"> <p><small>Bush Fire Control Officers Signature</small></p> <div style="border: 1px solid black; padding: 2px;"> </div> </div> <div style="width: 35%;"> <p><small>Date</small></p> <div style="border: 1px solid black; padding: 2px;">15-9-25</div> </div> </div>
Part 7 Declaration by Applicant	
<p>Applicant to complete</p> <p><small>Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application</small></p>	<div style="margin-bottom: 10px;"> <p><small>Applicants Name</small></p> <div style="border: 1px solid black; padding: 2px;">REECE PETER NASH.</div> </div> <p>I accept that this application <u>must</u> be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.</p> <p>If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.</p> <p>I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year</p> <div style="display: flex; flex-direction: column; align-items: flex-start; margin-bottom: 10px;"> <div style="margin-bottom: 10px;"> <input checked="" type="checkbox"/> Owner of Land </div> <div> <input type="checkbox"/> Occupier of Land </div> </div> <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div style="width: 60%;"> <p><small>Applicants Signature</small></p> <div style="border: 1px solid black; padding: 2px;"> Reece Nash </div> </div> <div style="width: 35%;"> <p><small>Date</small></p> <div style="border: 1px solid black; padding: 2px;">14/9/25</div> </div> </div>
Part 8 OFFICE USE ONLY	
<div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="width: 30%;"> <p>Applicant Notified:</p> </div> <div style="width: 40%;"> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"> <input type="checkbox"/> Yes </div> <div style="text-align: center;"> <input type="checkbox"/> No </div> </div> </div> <div style="width: 30%;"></div> </div> <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div style="width: 30%;"> <p><small>Name of Officer</small></p> <div style="border: 1px solid black; height: 20px;"></div> </div> <div style="width: 30%;"> <p><small>Signature</small></p> <div style="border: 1px solid black; height: 20px;"></div> </div> <div style="width: 30%;"> <p><small>Date</small></p> <div style="border: 1px solid black; height: 20px;"></div> </div> </div>	

Lot 85/37 Gairns Gully Court, Dardanup West, 6236.
Fire Prevention measures.



A2602

Appendix BFAC 8.13B



REQUEST FORM FIRE PREVENTION & FIRE BREAK EXEMPTION FORM 82

SHIRE OF DARDANUP
RECEIVED
15 SEP 2025
Name SK

PLEASE NOTE: ALL EXEMPTION REQUESTS MUST BE SUBMITTED BY 30 SEPTEMBER TO BE ELIGIBLE FOR THE EXEMPTION PERIOD OF UP TO 3 YEARS DATED FROM THE CURRENT FIRE SEASON.

Date stamp

Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot 2 House No 41 Street/Road Name MAKER PLACE
Suburb/Locality DARDANUP (WEST) WA. 6236.

Part 2 Requested by

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name GRANT LEGGIE
Daytime Contact Phone Number 0448194894 , 97281470
Postal Address PO BOX 1117
BUNBURY. WA. 6231
Email Address FIVELEGGES@GMAIL.COM

Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

I AM POSITIONED ON A SANDY RIDGE OF A FRAGILE NATURE AND HAVE PROBLEMS WITH EROSION. I HAVE SPENT TIME IN THE REHABILITATION OF MY 5 ACRE PROPERTY. EACH YEAR I MOW AND MAINTAIN THE DARDANUP SHIRE 10m WIDE WALKWAY ALONG THE SIDE OF MY PROPERTY (MAKER PLACE TO VERA) AS PART OF THE FIRE BREAK PREVENTION PROCESS AT MY OWN EXPENSE, WITH ROAD FRONTAGE, GRAVEL DRIVEWAYS DIVIDING THE PROPERTY AND CLEARED FENCE LINES AND PADDOCKS ALL AROUND. I WOULD LIKE TO SUBMIT A FIRE BREAK EXEMPTION REQUEST FOR 3 YEARS DUE TO A LOW RISK AROUND MY PROPERTY. I HAVE ALSO SUCCESSFULLY COMPLETED A 3 YEAR FIRE BREAK EXEMPTION PROGRAM ENDING SEPTEMBER '25.

Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

- ALL Paddock AREA'S CUT SHORT AND CLEARED.
- ALL FENCE LINES CUT.
- ALL RUBBISH REMOVED.
- ALL ABOVE MAINTAINED UNTIL THE END OF RESTRICTED BURNING.
- (DARDANUP SHIRE WALKWAY MOWED)



I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

AS PER PART 4 ... ALWAYS ONGOING AND MAINTAINED.

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

Neil Dyer

District/Brigade

West Dardanup

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby,

☒

Recommend

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

[Signature]

Date

25-9-25

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

GRANT LEGGE

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

☒

Owner of Land

☐

Occupier of Land

Applicants Signature

[Signature]

Date

15/9/25

Part 8 OFFICE USE ONLY

Applicant Notified:

☐

Yes

☐

No


Name of Officer

Signature

Date

VEGA

N



NEIGHBOUR'S DRIVEWAY

15/9/85

MARSA PLACE



REQUEST FORM FIRE PREVENTION & FIRE BREAK EXEMPTION FORM 82

PLEASE NOTE: ALL EXEMPTION REQUESTS MUST BE SUBMITTED BY 30 SEPTEMBER TO BE ELIGIBLE FOR THE EXEMPTION PERIOD OF UP TO 3 YEARS DATED FROM THE CURRENT FIRE SEASON.

Date stamp

Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot 94	House No 12	Street/Road Name Meadow Lane
Suburb/Locality Dardanup West		

Part 2 Requested by

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name Mathew Pover
Daytime Contact Phone Number 0439988507
Postal Address 12 Meadow Lane Dardanup West WA 6236
Email Address mathew.pover@gmail.com

Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

Livestock on property so wish to keep feed in paddocks for summer grazing. Slashing to 100mm would leave minimal feed.

Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

Compliance to the remainder of the conditions listed in the applicable fire prevention order (firebreaks to correct specification)

We also have good property access for fire appliances should the need arise.



☒ I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

Planning to keep livestock

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

Neil Dyer

District/Brigade

West Dardanup

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby:

☒


Recommend

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature



Date

16-9-25

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

Mathew Pover

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

☒

Owner of Land

☒

Occupier of Land

Applicants Signature



Date

16/9/25

Part 8 OFFICE USE ONLY

Applicant Notified:

☐

Yes

☐

No

Name of Officer

Signature

Date





REQUEST FORM FIRE PREVENTION & FIRE BREAK EXEMPTION FORM 82

PLEASE NOTE: ALL EXEMPTION REQUESTS MUST BE SUBMITTED BY 30 SEPTEMBER TO BE ELIGIBLE FOR THE EXEMPTION PERIOD OF UP TO 3 YEARS DATED FROM THE CURRENT FIRE SEASON.

Date stamp

Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot 501	House No 18	Street/Road Name Meadow Lane
Suburb/Locality Dardanup West		

Part 2 Requested by

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name Gerhard Vrijburg
Daytime Contact Phone Number 0407 662982
Postal Address 18 Meadow Lane, Dardanup West
Email Address gerhard246@hotmail.com

Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

West side of house boundary and neighbouring fence at 3.5 metres.
All other areas are standard.

Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

Maintain via cutting/turning soil over bore pump available in case of fire. Area affected is ATU irrigation area.

☒ I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

District/Brigade

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby,

☒

Recommend

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

Date

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

☒

Owner of Land

☐

Occupier of Land

Applicants Signature

Date

Part 8 OFFICE USE ONLY

Applicant Notified:

☐

Yes

☐

No


Name of Officer

Signature

Date

Fire Break prevention plan

- Cut/ turned soil on all firebreak zones maintained.
- Yard fencing at house structural metal.
- Bore Pump available & 30M Hose Reels at house.
- Easy access to exempt location.
- Exemption zone is ATU irrigation zone.





REQUEST FORM FIRE PREVENTION & FIRE BREAK EXEMPTION FORM 82

PLEASE NOTE: ALL EXEMPTION REQUESTS MUST BE SUBMITTED BY
30 SEPTEMBER TO BE ELIGIBLE FOR THE EXEMPTION PERIOD OF UP
TO 3 YEARS DATED FROM THE CURRENT FIRE SEASON.

Date stamp

Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot

11

House No

21

Street/Road Name

PFENNIG PL

Suburb/Locality

HENTY

Part 2 Requested by

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name

MALCOLM WOODS

Daytime Contact Phone Number

0499 021 223

Postal Address

PO Box 744 DONNYBROOK
WA 6239

Email Address

instr_warrior@hotmail.com

Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

- A. IRRIGATED LAWN AND GARDEN, ALWAYS GREEN
B. GRASS BETWEEN GRAVEL CAR PARK + BOUNDARY
TO HOLD BANK FROM SLIPPING, GRAVEL CAR PARK WILL
PREVENT FIRES MOVEMENT
C. IRRIGATED ORCHARD
D. UNABLE TO GET TRACTOR BETWEEN DAM & FENCE
SAFELY, DAM WILL PREVENT FIRES MOVEMENT

Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

I HAVE A 600 LITRE FIRE UNIT IN TRAILER
WITH PUMP. QUICK FILL FROM BOTH DAM
AND RAINWATER TANKS. MEMBER OF THE
VOLUNTEER FERGUSON BUSHFIRE
BRIGADE



I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officers Name

LYNDON SKEERS

District/Brigade

FERGUSON

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby:

☒


Recommend

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature



Date

22/09/2025

Bush Fire Control Officer to complete

Part 7 Declaration by Applicant

Applicants Name

MALCOLM WOODS

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.


☒

Owner of Land

☐

Occupier of Land

Applicants Signature



Date

17 Sep 2025

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Part 8 OFFICE USE ONLY

Applicant Notified:

☐

Yes

☐


No

Name of Officer

Signature

Date

21 PENNA. PL, HENRY
AREAS FOR FIRE BREAK EXEMPTION



A3026



REQUEST FORM FIRE PREVENTION & FIRE BREAK EXEMPTION FORM 82

PLEASE NOTE: ALL EXEMPTION REQUESTS MUST BE SUBMITTED BY 30 SEPTEMBER TO BE ELIGIBLE FOR THE EXEMPTION PERIOD OF UP TO 3 YEARS DATED FROM THE CURRENT FIRE SEASON.

Date stamp

Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot

123

House No

97

Street/Road Name

Greenwood Heights

Suburb/Locality

Ferguson

Part 2 Requested by

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name

Catherine Louise SAYERS

Daytime Contact Phone Number

0424 471291

Postal Address

as per street address

Email Address

c.l.s@westnet.com.au

Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

Due to the steepness of the northern and southern boundaries of the block firebreaks would cause severe erosion

Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

Two side boundaries cleared for approximately 50 metres, firebreak created behind buildings and connecting the two side boundaries

X

I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

Part 5 Duration of Exemption	
Please indicate the time frame for this exemption/variation	<div style="display: flex; justify-content: space-between; margin-bottom: 10px;"> <div style="text-align: center;"><input type="checkbox"/></div> <div>1 year (12 months)</div> </div> <div style="display: flex; justify-content: space-between;"> <div style="text-align: center;"><input checked="" type="checkbox"/></div> <div>3 years (Where alternative fire prevention measures can not be remedied within 12 months)</div> </div> <div style="border: 1px solid black; padding: 5px; margin-top: 5px;">Reason/Details</div>
Part 6 Declaration by Bush Fire Control Officer	
Bush Fire Control Officer to complete	<div style="margin-bottom: 5px;">Bush Fire Control Officers Name</div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">LYNDON SKEERS</div> <div style="margin-bottom: 5px;">District/Brigade</div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">FERGUSON</div> <p>I have carried out an inspection of the property described in Part 1 for an exemption.</p> <p>I hereby:</p> <div style="display: flex; justify-content: space-between; margin-bottom: 10px;"> <div style="text-align: center;"><input checked="" type="checkbox"/></div> <div>Recommend</div> </div> <div style="display: flex; justify-content: space-between;"> <div style="text-align: center;"><input type="checkbox"/></div> <div>Do Not Recommend</div> </div> <p style="margin-top: 10px;">this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.</p> <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div style="width: 60%;"> <div style="margin-bottom: 5px;">Bush Fire Control Officers Signature</div> <div style="border: 1px solid black; padding: 5px;">[Signature]</div> </div> <div style="width: 35%;"> <div style="margin-bottom: 5px;">Date</div> <div style="border: 1px solid black; padding: 5px;">22/09/2025</div> </div> </div>
Part 7 Declaration by Applicant	
Applicant to complete Please note: Part 6 <u>must</u> be signed off by your local Fire Control Officer before submitting your application	<div style="margin-bottom: 5px;">Applicants Name</div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">Catherine Sayers</div> <p style="margin-top: 10px;">I accept that this application <u>must</u> be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.</p> <p style="margin-top: 10px;">If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.</p> <p style="margin-top: 10px;">I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.</p> <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div style="text-align: center;"><input checked="" type="checkbox"/></div> <div>Owner of Land</div> </div> <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div style="text-align: center;"><input checked="" type="checkbox"/></div> <div>Occupier of Land</div> </div> <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div style="width: 60%;"> <div style="margin-bottom: 5px;">Applicants Signature</div> <div style="border: 1px solid black; padding: 5px;">Catherine Sayers</div> </div> <div style="width: 35%;"> <div style="margin-bottom: 5px;">Date</div> <div style="border: 1px solid black; padding: 5px;">19/9/2025</div> </div> </div>
Part 8 OFFICE USE ONLY	
Applicant Notified:	<div style="display: flex; justify-content: space-around; margin-bottom: 10px;"> <div style="text-align: center;"><input type="checkbox"/> Yes</div> <div style="text-align: center;"><input type="checkbox"/> No</div> </div> <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div style="width: 30%;"> <div style="margin-bottom: 5px;">Name of Officer</div> <div style="border: 1px solid black; height: 30px;"></div> </div> <div style="width: 30%;"> <div style="margin-bottom: 5px;">Signature</div> <div style="border: 1px solid black; height: 30px;"></div> </div> <div style="width: 30%;"> <div style="margin-bottom: 5px;">Date</div> <div style="border: 1px solid black; height: 30px;"></div> </div> </div>





REQUEST FORM FIRE PREVENTION & FIRE BREAK EXEMPTION FORM 82

PLEASE NOTE: ALL EXEMPTION REQUESTS MUST BE SUBMITTED BY 30 SEPTEMBER TO BE ELIGIBLE FOR THE EXEMPTION PERIOD OF UP TO 3 YEARS DATED FROM THE CURRENT FIRE SEASON.

Date stamp

Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot

House No

Street/Road Name

Suburb/Locality

Part 2 Requested by

Details of person making request, in accordance with the *Bush Fire Act 1954* and the *Shire of Dardanup Fire Prevention Order*

Name

Daytime Contact Phone Number

Postal Address

Email Address

Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

**FCO note: you need to extend break
In front of your shed and across
The line between your trees and paddock**

Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

☒

I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

It is impossible to change the current situation.

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

Lyndon Skears

District/Brigade

Ferguson Valley

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby:

☒

Recommend

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

[Signature]

Date

18/09/2025

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

ANDREW GRIEVE

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

☒

Owner of Land

☐

Occupier of Land

Applicants Signature

[Signature]

Date

13/09/25

Part 8 OFFICE USE ONLY

Applicant Notified:

☐

Yes

☐

No

Name of Officer

Signature

Date



Fire break

**FCO Note, must
include red
section**



REQUEST FORM **A11947**
FIRE PREVENTION & FIRE BREAK
EXEMPTION
FORM 82

Appendix BFAC 8.13B

PLEASE NOTE: ALL EXEMPTION REQUESTS MUST BE SUBMITTED BY
30 SEPTEMBER TO BE ELIGIBLE FOR THE EXEMPTION PERIOD OF UP
TO 3 YEARS DATED FROM THE CURRENT FIRE SEASON.

Date stamp

Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot

20

House No

18

Street/Road Name

Tweed Chase

Suburb/Locality

Crooked Brook

Part 2 Requested by

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name

Jason Collard

Daytime Contact Phone Number

0419 007 306

Postal Address

18 Tweed Chase Crooked Brook

Email Address

Jason.collard@bhp.com

Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

I have previously submitted an exception that was approved for 1 year. I am now applying to have the exemption in place for 3 years as my controls have not changed and are not expected to change for the foreseeable future.

Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

I have reticulated lawns along the front of the property, and the rear portion of the property is maintained by livestock, and is never at a significant length. As well as a drain and access track along the rear of the property that acts as a fire break, and contains water for the entire year.

Only one section of the property will have maintained fire breaks, as per the attached drawing.

☒ X

I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

Part 5 Duration of Exemption

☐ 1 year (12 months)

Appendix BFAC 8.13B

☒ X

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Please indicate the time frame for this exemption/variation

Reason/Details:

The outline preventions are not expected to change for the foreseeable future

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officers Name

Neil Dyer

District/Brigade

Dardanup West

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby;



Recommend



Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature



Date

23-9-25

Bush Fire Control Officer to complete

Part 7 Declaration by Applicant

Applicants Name

Jason Collard

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.


☒ X

Owner of Land

☒ X

Occupier of Land

Applicants Signature



Date

22/09/2025

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Part 8 OFFICE USE ONLY

Applicant Notified:



Yes





No

Name of Officer

Signature

Date



 <p>Shire of Dardanup</p>	<p align="center">REQUEST FORM FIRE PREVENTION & FIRE BREAK EXEMPTION FORM 82</p>	<p align="right">Date stamp</p>												
<p>Part 1 Property Details</p> <p>Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on</p>	<table border="1"> <tr> <td>Lot</td> <td>House No</td> <td>Street/Road Name</td> </tr> <tr> <td>39B</td> <td>260</td> <td>Garvey Road</td> </tr> <tr> <td colspan="3">Suburb/Locality</td> </tr> <tr> <td colspan="3">Dardanup West</td> </tr> </table>	Lot	House No	Street/Road Name	39B	260	Garvey Road	Suburb/Locality			Dardanup West			
Lot	House No	Street/Road Name												
39B	260	Garvey Road												
Suburb/Locality														
Dardanup West														
<p>Part 2 Requested by</p> <p>Details of person making request, in accordance with the <i>Bush Fire Act 1954</i> and the Shire of Dardanup Fire Prevention Order</p>	<table border="1"> <tr> <td>Name</td> </tr> <tr> <td>David Rumball</td> </tr> <tr> <td>Daytime Contact Phone Number</td> </tr> <tr> <td>97281017</td> </tr> <tr> <td>Postal Address</td> </tr> <tr> <td>260 Garvey Road, Dardanup West</td> </tr> <tr> <td>Email Address</td> </tr> <tr> <td>s.rumball@yahoo.com</td> </tr> </table>	Name	David Rumball	Daytime Contact Phone Number	97281017	Postal Address	260 Garvey Road, Dardanup West	Email Address	s.rumball@yahoo.com					
Name														
David Rumball														
Daytime Contact Phone Number														
97281017														
Postal Address														
260 Garvey Road, Dardanup West														
Email Address														
s.rumball@yahoo.com														
<p>Part 3 Reason for Request</p> <p>Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1</p>	<table border="1"> <tr> <td>Trees along front & east side of property for screening purposes from the road & neighbours.</td> </tr> <tr> <td>Most trees have been there for 30 years & others planted to replace those that have died.</td> </tr> <tr> <td> </td> </tr> <tr> <td> </td> </tr> <tr> <td> </td> </tr> </table>	Trees along front & east side of property for screening purposes from the road & neighbours.	Most trees have been there for 30 years & others planted to replace those that have died.											
Trees along front & east side of property for screening purposes from the road & neighbours.														
Most trees have been there for 30 years & others planted to replace those that have died.														
<p>Part 4 Alternative Proposal</p> <p>Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk</p>	<table border="1"> <tr> <td>Trees & shrubs along the front of the property & east side to approximately 40m down. Fire breaks to requirements along inside of boundry.</td> </tr> <tr> <td> </td> </tr> <tr> <td> </td> </tr> <tr> <td> </td> </tr> <tr> <td> </td> </tr> </table> <p><input checked="" type="checkbox"/> I have included a plan of the property, detailing the proposed fire prevention measures</p>	Trees & shrubs along the front of the property & east side to approximately 40m down. Fire breaks to requirements along inside of boundry.												
Trees & shrubs along the front of the property & east side to approximately 40m down. Fire breaks to requirements along inside of boundry.														

Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details:

This is long term due to required permanent screening.

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

Neil Dyer

District/Brigade

West Dardanup

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby:

☒

Recommend

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature



Date

23-9-25

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

David Rumball

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.


☒

Owner of Land

☐

Occupier of Land

Applicants Signature



Date

23/09/2025

Part 8 OFFICE USE ONLY

Applicant Notified:

☐

Yes

☐

No

Name of Officer

Signature

Date



180 Garvey Road


Dardanup West

Compliant break

Section for exemption

A12007

Appendix B FAC 8.13B

 Shire of Dardanup		REQUEST FORM FIRE PREVENTION & FIRE BREAK EXEMPTION FORM 82		Date stamp
Part 1 Property Details				
Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on	Lot	House No.	Street/Road Name	
	39A	262	Garvey Road	
	Suburb/Locality			
	Dardanup West			
Part 2 Requested by				
Details of person making request, in accordance with the <i>Bush Fire Act 1954</i> and the Shire of Dardanup Fire Prevention Order	Name			
	Shaun Rumball			
	Daytime Contact Phone Number			
	0448352225			
	Postal Address			
	262 Garvey Road, Dardanup West			
	Email Address			
	s.rumball@yahoo.com			
Part 3 Reason for Request				
Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1	Trees along front & west side of property for screening purposes from			
	the road & neighbours.			
	Most trees have been there for 30 years & others planted to replace			
	those that have died.			
Part 4 Alternative Proposal				
Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk	Trees along the front & west side of the property down to the water			
	tank to provide screening. to be trimmed back & maintained. Front			
	lawn to the boundry to be mowed & reticulation.			
	<input checked="" type="checkbox"/> I have included a plan of the property, detailing the proposed fire prevention measures			

Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

This is a long term due to required permanent screening.

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

Neil Dyer

District/Brigade

West Dardanup

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby:

☒


Recommend

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature



Date

23-9-25

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

Shaun Rumball

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire-Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.


☒

Owner of Land

☐

Occupier of Land

Applicants Signature



Date

23/09/2025

Part 8 OFFICE USE ONLY

Applicant Notified:

☐

Yes

☐

No

Name of Officer

Signature

Date



Lot 39A 262 Garvey Rd.

~~180~~ Garvey Road
Dardanup West

Compliant break
Section for exemption



REQUEST FORM FIRE PREVENTION & FIRE BREAK EXEMPTION FORM 82

PLEASE NOTE: ALL EXEMPTION REQUESTS MUST BE SUBMITTED BY 30 SEPTEMBER TO BE ELIGIBLE FOR THE EXEMPTION PERIOD OF UP TO 3 YEARS DATED FROM THE CURRENT FIRE SEASON.

Date stamp

Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot 20	House No 18	Street/Road Name Tweed Chase
Suburb/Locality Crooked Brook		

Part 2 Requested by

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name Jason Collard
Daytime Contact Phone Number 0419 007 306
Postal Address 18 Tweed Chase Crooked Brook
Email Address Jason.collard@bhp.com

Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

I have previously submitted an exception that was approved for 1 year. I am now applying to have the exemption in place for 3 years as my controls have not changed and are not expected to change for the foreseeable future.

Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

I have reticulated lawns along the front of the property, and the rear portion of the property is maintained by livestock, and is never at a significant length. As well as a drain and access track along the rear of the property that acts as a fire break, and contains water for the entire year.

Only one section of the property will have maintained fire breaks, as per the attached drawing.

☒ I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

Part 5 Duration of Exemption



Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details:

The outline preventions are not expected to change for the foreseeable future

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

Neil Dyer

District/Brigade

Dardanup West

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby:

☒

Recommend

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature



Date

23-9-25

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

Jason Collard

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

☒

Owner of Land

☒

Occupier of Land

Applicants Signature



Date

22/09/2025

Part 8 OFFICE USE ONLY

Applicant Notified:

☐

Yes


☐

No

Name of Officer

Signature

Date





A11081

REQUEST FORM FIRE PREVENTION & FIRE BREAK EXEMPTION FORM 82

Appendix BFAC 8.13B

PLEASE NOTE: ALL EXEMPTION REQUESTS MUST BE SUBMITTED BY
30 SEPTEMBER TO BE ELIGIBLE FOR THE EXEMPTION PERIOD OF UP
TO 3 YEARS DATED FROM THE CURRENT FIRE SEASON.

Date stamp

Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot

440

House No

47

Street/Road Name

Keenan road

Suburb/Locality

Dardanup West

Part 2 Requested by

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name

Paul Psiuk

Daytime Contact Phone Number

0427428195

Postal Address

P.O. Box 96 dardanup wa 6236

Email Address

Paul.psiuk@outlook.com

Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

Impact on landscaping

Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

Mainly grassed areas retic irrigated and mowed year round. remaining bushland parkland cleared and firebreaks installed

☒

I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

Part 5 Duration of Exemption

Appendix BFAC 8.13B

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

District/Brigade

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby;

☒

Recommend

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

Date

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

☒

Owner of Land

☒

Occupier of Land

Applicants Signature

Date

Part 8 OFFICE USE ONLY

Applicant Notified:

☐

Yes

☐

No


Name of Officer

Signature

Date



2





REQUEST FORM **A 8297**
FIRE PREVENTION & FIRE BREAK
EXEMPTION
FORM 82

Appendix BFAC 8.13B

PLEASE NOTE: ALL EXEMPTION REQUESTS MUST BE SUBMITTED BY
30 SEPTEMBER TO BE ELIGIBLE FOR THE EXEMPTION PERIOD OF UP
TO 3 YEARS DATED FROM THE CURRENT FIRE SEASON.

Date stamp

Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot

12

House No

14677

Street/Road Name

SOUTHWESTERN HIGHWAY

Suburb/Locality

PICTON EAST.

Part 2 Requested by

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name

ROBERT WILLIAM BAITLEA.

Daytime Contact Phone Number

99-254393. OR 0497254000

Postal Address

% PICTON POST OFFICE WA 6229

Email Address

Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

FENCEY REEVALUATED. AND
MAINTAINED. THROUGHOUT THE WHOLE
FIRE SEASON.
STOCK GRAZING.

Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

IRRIGATION ON PADDOCKS THROUGH
THE WHOLE FIRE SEASON.
PADDOCKS KEPT GREEN ALL YEAR
ROUND. Mow Verge and maintain
drain along highway.



I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

Part 5 Duration of Exemption

Appendix BFAC 8.13B

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officers Name

CHRIS HYNES.

District/Brigade

DARDANUP CBFCO

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby;

☒

Recommend

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature



Date

26/09/2025

Bush Fire Control Officer to complete

Part 7 Declaration by Applicant

Applicants Name

RW Boga

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.


☒

Owner of Land

☐

Occupier of Land

Applicants Signature



Date

23.9.25.

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Part 8 OFFICE USE ONLY

Applicant Notified:

☐

Yes

☐

No

Name of Officer


Chris Hynes

Signature



Date

26/09/2025



A8087



**REQUEST FORM
FIRE PREVENTION & FIRE BREAK
EXEMPTION
FORM 82**

PLEASE NOTE: ALL EXEMPTION REQUESTS MUST BE SUBMITTED BY 30 SEPTEMBER TO BE ELIGIBLE FOR THE EXEMPTION PERIOD OF UP TO 3 YEARS DATED FROM THE CURRENT FIRE SEASON.

Date stamp

Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot

75

House No

16

Street/Road Name

KENTUCKY DRIVE

Suburb/Locality

DARDANUP WEST

Part 2 Requested by

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name

SHANE + KAREN GIBSON.

Daytime Contact Phone Number

0447 958 820 / 0428 281422

Postal Address

PO BOX 138

DARDANUP WA 6236

Email Address

karengibson@bigpond.com.

Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1



We have retic pipes and sprinklers located under the area where the firebreaks would go.

It is our front lawn and is always green and kept mowed.

Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

The area is always green and kept mowed. There are very few trees there.

	<input type="checkbox"/> I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.	
Part 5 Duration of Exemption		
Please indicate the time frame for this exemption/variation	<input type="checkbox"/> 1 year (12 months)	
	<input checked="" type="checkbox"/> 3 years (Where alternative fire prevention measures can not be remedied within 12 months)	
	Reason/Details The area is a front lawn and is green and kept mowed	
Part 6 Declaration by Bush Fire Control Officer		
Bush Fire Control Officer to complete	Bush Fire Control Officers Name	
	Neil Dyer	
	District/Brigade	
	West Dardanup	
	I have carried out an inspection of the property described in Part 1 for an exemption. I hereby,	
	<input checked="" type="checkbox"/> Recommend	
	<input type="checkbox"/> Do Not Recommend	
	this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan	
	Bush Fire Control Officers Signature	Date
		25-9-25
Part 7 Declaration by Applicant		
Applicant to complete Please note: Part 6 <u>must</u> be signed off by your local Fire Control Officer before submitting your application	Applicants Name	
	Shane Gibson	
	I accept that this application <u>must</u> be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.	
	If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.	
	I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.	
	<input checked="" type="checkbox"/> Owner of Land	
<input type="checkbox"/> Occupier of Land		
	Applicants Signature	Date
		24.9.2025
Part 8 OFFICE USE ONLY		
Applicant Notified:	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Name of Officer	Signature	Date

Google Maps

S + K Gibson 16 Kentucky Drive Dardanup West



Imagery ©2022 CNES / Airbus, Maxar Technologies, Map data ©2022 20 m






Area marked in pink to be exempt
from firebreaks please as this area is reticled
and mowed every week or so.


--	--	--

9


A 116A9

	REQUEST FORM FIRE PREVENTION & FIRE BREAK EXEMPTION FORM 82		Date stamp
PLEASE NOTE: ALL EXEMPTION REQUESTS MUST BE SUBMITTED BY 30 SEPTEMBER TO BE ELIGIBLE FOR THE EXEMPTION PERIOD OF UP TO 3 YEARS DATED FROM THE CURRENT FIRE SEASON.			
Part 1 Property Details			
Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on	A Lot	233 House No	GARVEY RD Street/Road Name
Suburb/Locality			
DARDANUP WEST			
Part 2 Requested by			
Details of person making request, in accordance with the Bush Fire Act 1954 and the Shire of Dardanup Fire Prevention Order	Name DANIEL WILCOCKS		
Daytime Contact Phone Number 0407445920			
Postal Address AS ABOVE			
Email Address DANIEL.WILCOCKS@DARDANUP.SA.AU			
Part 3 Reason for Request			
Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1	VERY LOW FUEL LOAD		
MAKES WEED CONTROL			
VERY DIFFICULT			
Part 4 Alternative Proposal			
Please provide details of the alternative fire prevention measures to be taken to mitigate the properties fire risk	BLOCK TO BE MOWED		
REGULARLY TO MAINTAIN			
LOW FUEL LOAD			
NO TREES TO BE PLANTED			
IN BUILDING ENVELOPE			
I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.			


Part 5 Duration of Exemption			
Please indicate the time frame for this exemption/variation			
		1 year (12 months)	
		<input checked="" type="checkbox"/> 3 years (Where alternative fire prevention measures can not be remedied within 12 months)	
		Reason/Details	
Part 6 Bushfire Risk to Bush with Adjacent Owners			
Bush Fire Control Officer to complete		Bush Fire Control Officers Name	
		Neil Dyer	
		District/Brigade	
		West Dandenup	
		I have carried out an inspection of the property described in Part 1 for an exemption.	
		I hereby:	
		<input checked="" type="checkbox"/> Recommend	
		<input type="checkbox"/> Do Not Recommend	
		this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.	
		Bush Fire Control Officers Signature	Date
			30-9-25
Part 7 Exemption by Applicant			
Applicant to complete		Applicants Name	
Please note: Part 6 <u>must</u> be signed off by your local Fire Control Officer before submitting your application		DANIEL WILKOCKS	
		I accept that this application <u>must</u> be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.	
		If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dandenup Fire Break Order.	
		I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dandenup no later than 30 September each year.	
		Owner of Land	DANIEL WILKOCKS
		Occupier of Land	AS ABOVE
		Applicants Signature	Date
			30/9/25
Part 8 OFFICIALS TO SIGN			
Applicant Notified:		Yes	No
Name of Officer		Signature	Date



TO BE MAINTAINED
REGULARLY TO
MAINTAIN LOW
FUEL LOADS



Site Classification: BAL 12.5
Construction to comply with AS 3959-2018
See plan A106 BAL PLAN for more information



Energy efficiency assessment provided by Ecovate WA
www.ecovate.com.au
0850 370 113
Assessor: Don Fleming
Assessment date: 24/07/21
Assessment Number: 1046421



sophine pfuhl architect

m. 0400 560 288
p. (08) 9796 1267
e. me@sophinepfuhl.com.au

GENERAL NOTES

1. ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE STATED
2. WRITTEN DIMENSIONS TAKE PRECEDENCE OVER SCALED DIMENSIONS
3. THE CONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS ON THE SITE PRIOR TO THE COMMENCEMENT OF WORK
4. ALL WORK SHALL BE CARRIED OUT IN ACCORDANCE WITH THE NCC/BCA AUSTRALIAN STANDARDS AND LOCAL AUTHORITY REQUIREMENTS
5. SITE IS LOCATED IN A SUBSTANTIAL FIRE PRONE AREA. REFER TO BAL REPORT FOR LEVEL. ALL CONSTRUCTION TO COMPLY WITH AS 3959-2018
6. ALL WET AREAS TO TO WATERPROOFED IN ACCORDANCE WITH BCA SECTION F

A 1/07/21 ISSUE TO ENGINEER

Job Title
WILLCOCKS RESIDENCE

DANIEL & NICHELLE WILLCOCKS
LOT 4, GARVEY ROAD, DARDANUP, WA

Job No. 2120

10/07/21

Drawing Name
SITE/ROOF PLAN

Drawing Status
BUILDING LICENCE

Drawing Scale
1:200, 1:1000 @ A3

Layout ID
A101

Revision
A



REQUEST FORM
FIRE PREVENTION & FIRE BREAK
EXEMPTION
FORM 82

A7198

Appendix BFAC 8.13B

SHIRE OF DARDANUP
RECEIVED

30 SEP 2025

JB

Name Date stamp

Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot

507105

House No

507

Street/Road Name

Wellington Mill Rd

Suburb/Locality

Wellington Mill

Part 2 Requested by

Details of person making request, in accordance with the Bush Fire Act 1954 and the Shire of Dardanup Fire Prevention Order

Name

ROBERT DOHERTY

Daytime Contact Phone Number

0427 5586 97

Postal Address

507 Wellington Mill Rd
Dardanup 6236

Email Address

robertdoherty51@gmail.com

Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

The Ferguson river is on my boundary with Wellington Mill Rd and prevents construction of a fire break. Alternative fire breaks are constructed on my side of the river

Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

Firebreaks are maintained where practical as has been the case for the past 40 years

Please refer to previous plans!

☐

I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

As stated, The river is not going anywhere!

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

Russell Harvie

District/Brigade

Wellington Mill

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby,

☒

Recommend

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

[Signature]

Date

30/09/2025

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

Robert Deady

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

☒

Owner of Land

☐

Occupier of Land

Applicants Signature

[Signature]

Date

30/9/2025

Part 8 OFFICE USE ONLY

Applicant Notified:

☐

Yes

☐

No

Name of Officer

[Blank]

Signature

[Blank]

Date

[Blank]



REQUEST FORM A8257 Appendix BFAC 8.13B

FIRE PREVENTION & FIRE BREAK EXEMPTION

FORM 82

Date stamp

Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot

8

House No

1

Street/Road Name

Maguire Place

Suburb/Locality

Dardanup West

Part 2 Requested by

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name

Gail Dawn Scott-Pillow

Daytime Contact Phone Number

0 4 1 9 9 4 3 9 6 3

Postal Address

1 Maguire place Dardanup West

Email Address

gailsco@gmail.com

Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

Small area at front of property and immediately around the house in maintained lawn and gardens

Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

Lawn area around front of property as shown on plan is mowed, reticulated and maintained throughout the fire season. Balance of the Fire Break is as per notice



I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

No plan on changing lawn and garden design

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officers Name

Neil Dyer

District/Brigade

West Dardanup

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby;

☒

Recommend

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature



Date

25-9-25

Bush Fire Control Officer to complete

Part 7 Declaration by Applicant

Applicants Name

Gail Dawn Scott-Pillow

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

☒

Owner of Land

☒

Occupier of Land

Applicants Signature

Gail D. Scott-Pillow

Date

25 Sept 2025

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Part 8 OFFICE USE ONLY

Applicant Notified:

☐

Yes

☐

No

Name of Officer

Signature

Date



Exempt
area

Firebreak

8/24/2016 replace
Site plan

D





REQUEST FORM **A3274**

FIRE PREVENTION & FIRE BREAK EXEMPTION

FORM 82

Date stamp

Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot

81

House No

21

Street/Road Name

Rafferty Road

Suburb/Locality

Dardanup

Part 2 Requested by

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name

Raymond Edward Cosh and Elizabeth Tamzin Langley Cosh

Daytime Contact Phone Number

0429 851278

Postal Address

21 Rafferty Road

Dardanup WA 6236

Email Address

razin1@bigpond.com

Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

Being that our property is 31 acres I run cattle, sheep and a horse. There are three properties in our vicinity that are not the standard 3-5 acres and are part of the Westpine Buffer Zone. I utilise the livestock to assist in maintaining the level of hazardous material, but also need to maintain enough feed for summer months. I believe strongly in firebreaks and they will be implemented to standard. My request is around not being required to mow all grass to 50mm height which would destroy Valuable feed for livestock and also lead to soil damage throughout the summer months.

Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

All paddocks near homestead area are cut for hay and then grazed by both sheep and cattle throughout the summer as part of my paddock/stock rotation. The paddocks at the rear of my block are grazed on a rotational basis all year round as part of fire protection, feed for livestock and also parasite management. On both my North and East boundary I have gravelled roadways which are mowed during winter and a final mow just as the grass turns at the end of spring. I will not mow this area during summer months as mowers and gravel do not mix and would easily start a fire. Our Western boundary along Westpine and Southern boundary along other small land holders I use an offset plough and try and maintain 2 widths of this machine which would total approximately 2.5m minimum. The house and shed area has reticulation around it and if there is a power outage and bore water is required I have a 5kva generator for backup.



I have included a plan of the property, detailing the proposed fire prevention measures

Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

I would like to continue to run livestock and make use of the property as was intended and approved at time of purchase.

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

Neil Dyer

District/Brigade

West Dardanup

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby,

☒

Recommend

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

[Signature]

Date

23-9-25

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

Raymond and Elizabeth Cosh

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

☒

Owner of Land

☐

Occupier of Land

Applicants Signature

[Signature]

Date

23/9/2025

Part 8 OFFICE USE ONLY

Applicant Notified:

☐

Yes

☐


No

Name of Officer

Signature

Date

[Signature]



Red Line = Roadway mowed.

Yellow Line = 2.4m minimum firebreak.

Blue Line = From house out to blue will be cut for hay or grazed during the summer months.

Blue Line to Yellow on boundary all grazed through Winter and continued into Summer.

Area around house is all reticulated and mowed.

9

A 3859



**REQUEST FORM
FIRE PREVENTION & FIRE BREAK
EXEMPTION
FORM 82**

PLEASE NOTE: ALL EXEMPTION REQUESTS MUST BE SUBMITTED BY 30 SEPTEMBER TO BE ELIGIBLE FOR THE EXEMPTION PERIOD OF UP TO 3 YEARS DATED FROM THE CURRENT FIRE SEASON.

Date stamp

Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot 31	House No 60	Street/Road Name Japonica View
Suburb/Locality Wellington Mill		

Part 2 Requested by

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name Matthew Denton
Daytime Contact Phone Number 0427957101
Postal Address 673 Wellington Mill Road 6236
Email Address matt@fergusonglass.com.au

Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

Too steep to safely maintain / Rocky outcrops on boundary line.

Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

Fire break to other areas. 4-6m wide road through entire length of property will act as a firebreak.

<input checked="" type="checkbox"/> X	I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.
---------------------------------------	---

Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

Immovable objects/angles

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

RUSSEN HARVE

District/Brigade

HELMINGTON MIL BFB

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby:

☒

Recommend

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature



Date

18/09/25

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

Matthew Denton

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

☒

Owner of Land

☐

Occupier of Land

Applicants Signature

XXXXXXXXXX



Date

17/09/25

Part 8 OFFICE USE ONLY

Applicant Notified:

☐

Yes

☐

No

Name of Officer

Signature

Date



REQUEST FORM **A2594**
FIRE PREVENTION & FIRE BREAK
EXEMPTION
FORM 82

Appendix BFAC 8.13B

PLEASE NOTE: ALL EXEMPTION REQUESTS MUST BE SUBMITTED BY
30 SEPTEMBER TO BE ELIGIBLE FOR THE EXEMPTION PERIOD OF UP
TO 3 YEARS DATED FROM THE CURRENT FIRE SEASON.

Date stamp

Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot

21

House No

168

Street/Road Name

GARVEY ROAD

Suburb/Locality

DARDANUP West

Part 2 Requested by

Details of person making request, in accordance with the Bush Fire Act 1954 and the Shire of Dardanup Fire Prevention Order

Name

Peter Cowley

Daytime Contact Phone Number

0418933834

Postal Address

168 GARVEY ROAD DARDANUP West

Email Address

PCowleyContractor2@Bigpond.com

Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

- ① All PADOCKS GRASSED AREAS well irrigated.
- ② All FENCELINES are well maintained - mowed and sprayed 2m wide
- ③ Hoose Block kept well maintained with water hoses to every point
- ④ Back up Generator for Base Pump.

Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

- ① well maintained FIRE BREAKS.
- 2 well irrigation
- 3 Back up Generator
- 4 Fire Fighting unit



I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

Part 5 Duration of Exemption

Appendix BFAC 8.13B

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

Neil Dyer

District/Brigade

West Dardanup

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby;

☒

Recommend

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

Date

25-9-25

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

Peter Cowley

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

☒

Owner of Land

☒

Occupier of Land

Applicants Signature

P. Cowley

Date

25.9.2025

Part 8 OFFICE USE ONLY

Applicant Notified:

☐

Yes

☐

No

Name of Officer

Signature

Date


168 Gravelly Road

DARDANUP

X Irrigation Sprinklers

⊗ 13 TAPS HOSES.

Scale 1 mm. = 1 mtr. / 1 cm. = 10 mtrs.



— ELECTRIC WIRE ——— NON-ELECTRIC WIRE ——— TIMBER

A8328



REQUEST FORM FIRE PREVENTION & FIRE BREAK EXEMPTION FORM 82

PLEASE NOTE: ALL EXEMPTION REQUESTS MUST BE SUBMITTED BY
30 SEPTEMBER TO BE ELIGIBLE FOR THE EXEMPTION PERIOD OF UP
TO 3 YEARS DATED FROM THE CURRENT FIRE SEASON.

Date stamp

Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot House No Street/Road Name

10

149

RICH PLACE

Suburb/Locality

DARDANUP WEST

Part 2 Requested by

Details of person making request, in accordance with the Bush Fire Act 1954 and the Shire of Dardanup Fire Prevention Order

Name

STUART FOWLER

Daytime Contact Phone Number

0418 933 642

Postal Address

1 FORSTER ST

BONBURY 6230

Email Address

stuartanne1210@OUTLOOK.COM

Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

I NEED ALL THE GRASS FOR CATHE
REED.

Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

FULL FIREBREAK TO BE INSTALLED
AROUND ENTIRE PROPERTY

Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

LIVESTOCK FEED

Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

Neil Dyer

District/Brigade

West Dardanup

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby;

☒

Recommend

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

[Signature]

Date

26-9-25

Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

STUART FOWLER

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

☒

Owner of Land

☐

Occupier of Land

Applicants Signature

[Signature]

Date

25-9-2025

Part 8 OFFICE USE ONLY

Applicant Notified:

☐

Yes

☐

No

Name of Officer

Signature

Date

RICH PLACE

