



# **A P P E N D I C E S**

## **BUSHFIRE ADVISORY COMMITTEE MEETING**

To be held

**Wednesday, 9<sup>th</sup> October 2024**

**Commencing at 7.00pm**

At

Shire of Dardanup  
Administration Centre Eaton  
1 Council Drive - EATON

This document is available in alternative formats such as:  
~ Large Print  
~ Electronic Format  
Upon request.

**2024/2025 FIREBREAK EXEMPTION APPLICATIONS**

Date	Applicant Name	Assess No.	Lot No.	House No.	Street Road	Suburb Locality	Reason for Impractically	Alternative Fire Prevention Measures	FCO Recommendation	Years	Expiry
06.05.2024	Ian Cartwright	A8208	44	16	Travencore Place	DARDANUP WEST	Area following bridle path to paddock gate	Lawn area regularly mowed and irrigated	Yes	3	2027
23.07.2024	Kelvin Henderson	A8321	3	231	Harold Douglas Drive	DARDANUP WEST	Front corner block containing power pole/pump shed only. Kept green with reticulation and mowed	As Above	Yes	3	2027
13.09.2024	Gavern House	A8153	102	1303	Boyanup Picton Road	DARDANUP WEST	We purchase the adjoining property - Lot 101 Harold Douglas in May 2023. When it came time to install our fire breaks we lost a lot of very good pasture along the adjoining fence line. As both properties are ours it is a waste of very valuable stock feed, and we would like to keep it for stock feed during the long dry spells.	The alternative fire mitigation remedies we have in place are a dam covering part of the area that includes sprinklers irrigation using 40-metre throw sprinklers. The remainder of the boundaries of both properties are serviced by standard width fire breaks maintained by us. We purchased a new holland tractor fitted with a rotary hoe to ensure the fire break are up to standard.	Yes	3	2027

**(Appendix BFAC 8.13A)**

22.08.2024	Glenn Cliffo	A4311	4	17	Bailey Loop	DARDANUP WEST	Location of drains and trees makes it impractical	Will do firebreaks as close to boundary possible and keep vegetation low	Yes	3	2027
13.09.2024	Michael and Brigitte Milligan	A3858	30	50	Japonica View	WELLINGTON MILL	Aspects of fire prevention order for small holdings are impractical, namely: - Topography of land – steep hillside with many granite outcrops situated on boundaries. - Existing large trees on boundary and across the hillside. - Installation of bare earth fire breaks on hillside is dangerous impractical and will require replanting of native vegetation and will cause erosion of hill side	Please see attached diagram. Alternative proposal is: 1) Install chemical fire breaks on steep slopes. 2) All accessible areas on the property will be slashed below 100mm across entire property. 3) Fuel reduction measures will continue, such as burning off when practical and trimming of low hanging branches and removal of flammable debris	Yes	3	2027
9.09.2024	Shaun Johnson	A7277	4	13	South Road	WELLINGTON MILL	Slope of land if ploughed for fire break will cause land erosion. Also block is heavily tree'd at the rear section. Exemption for rear section of the block	Where accessible the block will be slashed by contractor, remainder of the block will be whipper snipped with all fuel gathered and burnt. Where accessible a 3 metre wide fire break will be	Yes	3	2027

**(Appendix BFAC 8.13A)**

								sprayed with Glyphosate.			
12.09.2024	Aaron Storey	A4272	82	31	Harold Douglas Drive	DARDANUP WEST	The grass at the proposed area stays green all summer and I have to rotary hoe it often to maintain the fire break	I will keep the grass mown and short at all times through during the summer.	Yes	3	2027
19.08.2024	David and Susanne Nowland	A8049	2	18	Maguire Place	DARDANUP WEST	Rose bushes along front fence to beautify the area.	Front area is all reticulated, green grass all summer	Yes	3	2027
25.08.2024	Clay Rose	A7063	76	176-204	Collie River Road	BUREKUP	Citrus orchards kept watered, mowed and mulched all summer. Mineral earth breaks create too much dust during the orchard operations	Grass kept mowed, mulched and trees watered all summer	Yes	3	2027
2.09.2024	Helen and Tom Moody	A3019	115	74	Greenwood Heights	FERGUSON	When the sub-division occurred in 1997 fire breaks were not required, trees were planted close to the eastern, northern and southern borders which now preclude establishing fire breaks close to the fence line. The western boundary remains steep and wooded.	There are sprayed fire breaks some metres from the fence line on the eastern, southern and northern (part) boundaries. Neighbours fire breaks (with associated erosion) are all of the northside	Yes	3	2027
12.09.2024	Frank Willis	A3017	113	15	Nyleeta Close	FERGUSON	We are unable to put fire breaks on our north, east and part of our southern boundary due to the	We propose to continue with the previously approved approach to locating our fire breaks as	Yes	3	2027



**(Appendix BFAC 8.13A)**

							presence of established trees. This has been and will continue to be permanent situation. With council permission, our fire breaks have been located a few metres inside the boundary over the past 25 years since we bought the block. We propose to continue this practice and therefore request another amendment to the requirement to place fire breaks on the boundaries, which we cannot do	outlined above and illustrated in the attached map of out property			
12.09.2024	Richard Harvey	A4269	77	50	Harold Douglas Drive	DARDANUP	Shire's Fire prevention requirements will be adhered to	All trees and bushes will be kept to shires recommended requirements for fire breaks. Good bore water available, pump and back up pumps always available, as well as generators	Yes	3	2027
12.09.2024	Terrina Di Candilo	A8071	1	3 & 7	Hollyford Place	DARDANUP WEST	Note: This is an extraction from exemption granted last year. Just like a home in town, we have created a front yard that is lawn and	Fire breaks to be installed around the rest of the boundary as attached map	Yes	3	2027

**(Appendix BFAC 8.13A)**

							garden up to our boundary fence. The retic and grass provide a good fire prevention. This exemption is just for the boundary that faces Hollyford Place. We will still maintain fire breaks on all external paddocks over the rest of our 5 acres				
17.09.2024	Andrew White	A11205	340	828	Crooked Brook Road	CROOKED BROOK	My house is approximately 9 metres from the roadside boundary. It is surrounded by reticulated green lawn and garden bed as is the roadside verge. The Crooked Brook forms another boundary to the garden. It is perpetually green. As the dwelling is within 20 metres of the boundary, the 20 metre asset protection zone cannot be satisfied.	A fire break will be installed as it was last year along the remaining boundary that is not watered and kept green	YES	3	2027
17.9.2024	Simon Wesley	A8378	10	351	Wellington Mill Road	WELLINGTON MILL	Northern boundary with Davies Block is not accessible and steep with erosion risk if disturbed. The area is mainly grass running	Over the last 20 years we have reduced the fuel load on our northern boundary and the grass is kept	YES	3	2027

## (Appendix BFAC 8.13A)

							down to the Ferguson River.	short by native animal's spring and winter, and dies off in summer. We have installed 110k litre tank for firefighting and supply for BFB			
17.9.2024	Dylan Genefini	A11620	5	235	Garvey Road	DARDANUP WEST	Impractical to rotary hoe the property as it would inhibit access as area would be become undrivable for most vehicles and for my mowing equipment to maintain property if regrowth occurs. Also, I do not use poisons on my property	Front half of property boundaries are reticulated and maintained and mowed to a minimum level at a maximum of every 2 weeks and one boundary is bounded by driveway material. Rear of property not reticulated and is maintained by mowing to a minimum level at a maximum of 2 weeks whilst still naturally growing.	NO	3	2027
17.09.2024	Sydney Graham	A8300	11	14743	Southwest Highway	PICTON EAST	The property consists of loose sand and when bare, blows on to the neighbouring caravan park with the easterly winds prompting complaints from the residents.	Slashing and grazing with animals.	YES	3	2027
17.09.2024	Mark Panizza	A8260	24	25	Recreation Road	DARDANUP	The properties on the attached schedule are flood irrigated during the summer season	Properties are flood irrigated during the summer season	YES	3	2027

**(Appendix BFAC 8.13A)**

17.09.2024	Mark Panizza	A8184	16	-	Boyanup-Picton Road	DARDANUP	As above	As above	YES	3	2027
17.09.2024	Mark Panizza	A4132	25	-	Ferguson Road	DARDANUP	As above	As above	YES	3	2027
17.09.2024	Mark Panizza	A4132	103	42	Ferguson Road	DARDANUP	As above	As above	YES	3	2027
25.09.2024	Corey Scott	A11935	8	5	Tweed Chase	CROOKED BROOK	Property is regularly mowed and manicured to a height of 40mm to 60mm throughout the year. All boundaries are irrigated via automatic reticulation all through the watering period.	N/A	YES	3	2027
19.09.2024	Ellen Jones	A7225	8	79	South Road	Wellington Mill	Wet and boggy terrain	Firebreak to go around this boggy area rather than through it	YES	3	2027
25.09.2024	Greg Bishop	A3702	85	146	Padbury Road	Dardanup West	Front boundary from gateway approx. 15m east to western boundary, area is loose black top soil type sand that once turned over becomes dust issue blowing onto house.	Area will be kept mown over the summer and watered in areas.	YES	3	2027
24.09.2024	Jeffrey O'Donnell	A12203	507	82	Killarney Road	Dardanup West	Rear of property covered in native paperbark trees, unable to put firebreak amongst trees.	Firebreak around inside perimeter of trees as per diagram. No firebreak at front due to reticulated grass-kikuyu-throughout entire restricted period	YES	3	2027

**(Appendix BFAC 8.13A)**

27.09.2024	George Loverock	A11616	1	211	Garvey Road	Crooked Brook	By cutting a firebreak will cause a dusty environment, will need to remove current bushes and trees to install required firebreak	My property is entirely manicured. Yard is entirely mowed lawn, mowed weekly. The block is reticulated and has 7x18mm taps with hose outlets along boundaries. Front and side verges are mowed weekly.	YES	3	2027
30.09.2024	Michael Dycer	A11503	20		Carlaminda Road	Ferguson	Lot 20 is a very small block of land approximately 3000m2 Maintaining a fire break is impractical	I will maintain the road verge along Carlaminda Road on my boundary. Animals will be grazing the paddock to keep fuel load to a minimum.	YES	3	2027
30.09.2024	Paul Lydon	A8249	107	48	Vera Place	Dardanup West	The vegetation in our paddock has not been slashed to less than the standard as it is planned to feed livestock from January through to May each year	Fire breaks are sprayed and rotary hoed. Grass around the house is green and well maintained. In case of a grass fire we have 1000 litre portable fire unit and a bore with reticulation and a generator as a back up power source.	YES	3	2027
30.09.2024	Benoit & Elizabeth Lassonde	A11936	9	15	Tweed Chase	Crooked Brook	1/3 of the property is irrigated land that is watered and maintained in a non-flammable state. The	Entire fence line is sprayed with a suitable herbicide to prevent growth. The land is regularly	YES	3	2027

**(Appendix BFAC 8.13A)**

							remainder of the property is maintained and kept below the height of 100mm	maintained to be kept below the height of 100mm. All firewood piles are stored away from our dwelling. 1/3 property has regular irrigation as illustrated.			
30.09.2024	Petrina Graco	A10814	303	9	Morellini Way	Crooked Brook	Lawned and mowed area on Morellini Way roadside is kept irrigated during summer and mowed all year round (south area)	Dardanup West fence line (wst) Garvey Road side (nrth) Back of property (east) are all done by contractor fire break company as per request from shire.	YES	3	2027
30.09.2024	Jamie Wadey	A3853	24	41	Japonica View	Wellington Mill	Two locations are impractical to create a boundary fire break. Existing granite outcrop along south facing boundary & tree line along north facing boundary	The following prevention measures have been adopted: Maintain a fire break as close as practical to the impractical area (orange highlighted lines) Property has cleared fire breaks which protect the main structures as highlighted in blue. Gutters on all structures are cleared and	YES	3	2027


**(Appendix BFAC 8.13A)**

								<p>maintained on a annual basis.</p> <p>All structures have easily accessible water sources, with a total of 4 rain water tanks. In addition water can be pumped from the dam to replenish water tanks (purple circles on map)</p> <p>The property has an emergency evacuation plan that indicates two exit points at either end of Japonica view</p>			
30.09.2024	Matthew Cann	A11208	52	103	King tree road	Wellington Mill	Very steep terrain, there are unacceptable erosion impacts from previous experience. Any large rain event strips topsoil and I have to implement erosion and drainage controls that are unsustainable.	Mow pasture to 1 inch or less, keeping all other dead or flammable vegetation away from area. This will be kept at least 2 M wide. Chemical spray along boundary.	YES	3	2027
30.09.2024	Hayley Thompson	A7154	451	22	Pile Road	Ferguson	House block to be exempt Fuel has been removed Vegetation controlled	Independent water supply available Lawn and garden well maintained.	YES	3	2027
30.09.2024	John Banks	A4139	51		Eastern Rise	Henty	As previously advised, the property consists	Clearly, where wet areas are involved,	YES	3	2027

**(Appendix BFAC 8.13A)**

							of several areas of swamp and streams in juxtaposition to the boundaries, making conventional fire break applications impossible. (Where access is available to boundaries, normal fire break installation is applied.)	the risk of fire is either negated or severely reduced. As stated above, conventional fire breaks are applied wherever possible.			
30.09.2024	Chris Bouteloup	A10798	1	927	Crooked Brook Road	Crooked Brook	The area is in open paddock abutting a road and is too low and wet to get a tractor or ATV. On without getting bogged within the relevant time period.	Access across the paddock is available throughout the fire season. The paddock abuts a wide gravel road trafficable and effective as a regular fire break.	YES	3	2027
30.09.2024	Lee Hutton	A3658	89		Coolabah Cove	West Dardanup	Due to a access road either side of the impacted area there is a fire break of over 2 meters	Grass cut and sprayed and burnt prior to the closed burn season.	YES	3	2027




 <p>Shire of Dardanup</p>	<p align="center"><b>REQUEST FORM FIRE PREVENTION &amp; FIRE BREAK EXEMPTION FORM 82</b></p>	<p align="center">6/5/24 PSS Date stamp</p>								
<p><b>Part 1 Property Details</b></p>										
<p>Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on</p>	<table border="1"> <tr> <td>Lot 44</td> <td>House No 16</td> <td>S. 1st Road Name Travencore Place</td> </tr> <tr> <td colspan="3">Suburb/Locality Dardanup West</td> </tr> </table>		Lot 44	House No 16	S. 1st Road Name Travencore Place	Suburb/Locality Dardanup West				
Lot 44	House No 16	S. 1st Road Name Travencore Place								
Suburb/Locality Dardanup West										
<p><b>Part 2 Requested by</b></p>										
<p>Details of person making request, in accordance with the Bush Fire Act 1954 and the Shire of Dardanup Fire Prevention Order</p>	<table border="1"> <tr> <td colspan="2">Name Ian Cartwright</td> </tr> <tr> <td colspan="2">Daytime Contact Phone Number [REDACTED]</td> </tr> <tr> <td colspan="2">Postal Address [REDACTED]</td> </tr> <tr> <td colspan="2">Email Address [REDACTED]</td> </tr> </table>		Name Ian Cartwright		Daytime Contact Phone Number [REDACTED]		Postal Address [REDACTED]		Email Address [REDACTED]	
Name Ian Cartwright										
Daytime Contact Phone Number [REDACTED]										
Postal Address [REDACTED]										
Email Address [REDACTED]										
<p><b>Part 3 Reason for Request</b></p>										
<p>Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1</p>	<p>area following bridge path to providers gate</p>									
<p><b>Part 4 Alternative Proposal</b></p>										
<p>Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk</p>	<p>lawn area regularly mowed and irrigated</p>									
<p><input checked="" type="checkbox"/> I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.</p>										

Part 5 Duration of Exemption	
Please indicate the time frame for this exemption/variation	<div style="margin-bottom: 10px;"> <input type="checkbox"/> 1 year (12 months)         </div> <div> <input checked="" type="checkbox"/> 3 years (Where alternative fire prevention measures can not be remedied within 12 months)         </div> <div style="margin-top: 10px;">           Reason/Details  <div style="border: 1px solid black; padding: 5px; min-height: 40px;"> <i>Area is always maintained</i> </div> </div>
Part 6 Declaration by Bush Fire Control Officer	
Bush Fire Control Officer to complete	<div style="margin-bottom: 10px;">           Bush Fire Control Officers Name  <div style="border: 1px solid black; padding: 5px;"> <i>Neil Dyer</i> </div> </div> <div style="margin-bottom: 10px;">           District/Brigade  <div style="border: 1px solid black; padding: 5px;"> <i>West Dardanup</i> </div> </div> <p>I have carried out an inspection of the property described in Part 1 for an exemption.</p> <p>I hereby;</p> <div style="margin-bottom: 10px;"> <input checked="" type="checkbox"/> Recommend         </div> <div> <input type="checkbox"/> Do Not Recommend         </div> <p style="margin-top: 20px;">this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.</p> <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div style="width: 60%;">           Bush Fire Control Officers Signature  <div style="border: 1px solid black; padding: 5px; min-height: 30px;"> </div> </div> <div style="width: 35%;">           Date  <div style="border: 1px solid black; padding: 5px;"> <i>6-5-24</i> </div> </div> </div>
Part 7 Declaration by Applicant	
Applicant to complete  Please note: Part 6 <b>must</b> be signed off by your local Fire Control Officer before submitting your application	<div style="margin-bottom: 10px;">           Applicants Name  <div style="border: 1px solid black; padding: 5px;"> <i>Ian Cartwright</i> </div> </div> <p>I accept that this application <b>must</b> be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.</p> <p>If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.</p> <p>I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.</p> <div style="margin-bottom: 10px;"> <input checked="" type="checkbox"/> Owner of Land         </div> <div> <input checked="" type="checkbox"/> Occupier of Land         </div> <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div style="width: 60%;">           Applicants Signature  <div style="border: 1px solid black; padding: 5px; min-height: 30px;"> </div> </div> <div style="width: 35%;">           Date  <div style="border: 1px solid black; padding: 5px;"> <i>6/5/24</i> </div> </div> </div>
Part 8 OFFICE USE ONLY	
Applicant Notified: <div style="display: inline-block; margin-left: 20px;"> <input type="checkbox"/> Yes         </div> <div style="display: inline-block; margin-left: 20px;"> <input type="checkbox"/> No         </div>	
Name of Officer <div style="border: 1px solid black; height: 25px; width: 100%;"></div>	<div style="display: flex; justify-content: space-between;"> <div style="width: 30%;">           Signature  <div style="border: 1px solid black; height: 25px; width: 100%;"></div> </div> <div style="width: 30%;">           Date  <div style="border: 1px solid black; height: 25px; width: 100%;"></div> </div> </div>







 <p>Shire of Dardanup</p>	<b>REQUEST FORM FIRE PREVENTION &amp; FIRE BREAK EXEMPTION FORM 82</b>	<p>23/8/24 RHS</p> <p>Date stamp</p>												
<p><b>Part 1 Property Details</b></p> <p>Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on</p>	<table border="1"> <tr> <td>Lot</td> <td>House No</td> <td>Street/Road Name</td> </tr> <tr> <td></td> <td>231</td> <td>HAROLD DOUGLAS DRIVE</td> </tr> <tr> <td colspan="3">Suburb/Locality</td> </tr> <tr> <td colspan="3">DARDANUP WEST</td> </tr> </table>		Lot	House No	Street/Road Name		231	HAROLD DOUGLAS DRIVE	Suburb/Locality			DARDANUP WEST		
Lot	House No	Street/Road Name												
	231	HAROLD DOUGLAS DRIVE												
Suburb/Locality														
DARDANUP WEST														
<p><b>Part 2 Requested by</b></p> <p>Details of person making request, in accordance with the <i>Bush Fire Act 1954</i> and the Shire of Dardanup Fire Prevention Order</p>	<table border="1"> <tr> <td>Name</td> </tr> <tr> <td>KEVIN HENDERSON</td> </tr> <tr> <td>Daytime Contact Phone Number</td> </tr> <tr> <td></td> </tr> <tr> <td>Postal Address</td> </tr> <tr> <td></td> </tr> <tr> <td></td> </tr> <tr> <td>Email Address</td> </tr> <tr> <td></td> </tr> </table>		Name	KEVIN HENDERSON	Daytime Contact Phone Number		Postal Address			Email Address				
Name														
KEVIN HENDERSON														
Daytime Contact Phone Number														
Postal Address														
Email Address														
<p><b>Part 3 Reason for Request</b></p> <p>Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1</p>	<table border="1"> <tr> <td>FRONT CORNER BLOCK. CONTAINING. POWER POLE/PUMP SHED. ONLY. KEPT GREEN WITH RETICULATION AND MOWED.</td> </tr> <tr><td> </td></tr> <tr><td> </td></tr> <tr><td> </td></tr> <tr><td> </td></tr> </table>		FRONT CORNER BLOCK. CONTAINING. POWER POLE/PUMP SHED. ONLY. KEPT GREEN WITH RETICULATION AND MOWED.											
FRONT CORNER BLOCK. CONTAINING. POWER POLE/PUMP SHED. ONLY. KEPT GREEN WITH RETICULATION AND MOWED.														
<p><b>Part 4 Alternative Proposal</b></p> <p>Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk</p>	<table border="1"> <tr> <td>AS ABOVE</td> </tr> <tr><td> </td></tr> <tr><td> </td></tr> <tr><td> </td></tr> <tr><td> </td></tr> <tr><td> </td></tr> <tr><td> </td></tr> </table> <p><input type="checkbox"/> I have included a plan of the property, detailing the proposed fire prevention measures</p>		AS ABOVE											
AS ABOVE														



## Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details


## Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

NEIL DYER

District/Brigade

DARDANUP WEST

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby:

☒


Recommend

☐

Do Not Recommend

This property to have the Firebreak Variation/Exemption granted in accordance with the attached plans.

Bush Fire Control Officers Signature



Date

5-8-24

## Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

KELVIN HENDERSON

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.


☒

Owner of Land

☐

Occupier of Land

Applicants Signature



Date

23-7-2024

## Part 8 OFFICE USE ONLY

Applicant Notified:

☐

Yes


☐

No


Name of Officer:

Signature



Date





 <p>Shire of Dardanup</p>	<b>REQUEST FORM FIRE PREVENTION &amp; FIRE BREAK EXEMPTION FORM 82</b>	<p>13/9/24 P&amp;S</p> <p>Date stamp</p>						
<b>Part 1 Property Details</b>								
<p>Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on</p>	<table border="1"> <tr> <td data-bbox="532 310 634 384"> <b>Lot</b> 102         </td> <td data-bbox="667 310 776 384"> <b>House No</b> 1303         </td> <td data-bbox="808 310 1365 384"> <b>Street/Road Name</b> Boyanup-Picton Road         </td> </tr> <tr> <td colspan="3" data-bbox="532 384 1365 468"> <b>Suburb/Locality</b> Dardanup West         </td> </tr> </table>		<b>Lot</b> 102	<b>House No</b> 1303	<b>Street/Road Name</b> Boyanup-Picton Road	<b>Suburb/Locality</b> Dardanup West		
<b>Lot</b> 102	<b>House No</b> 1303	<b>Street/Road Name</b> Boyanup-Picton Road						
<b>Suburb/Locality</b> Dardanup West								
<b>Part 2 Requested by</b>								
<p>Details of person making request, in accordance with the <i>Bush Fire Act 1954</i> and the Shire of Dardanup Fire Prevention Order</p>	<table border="1"> <tr> <td data-bbox="532 499 1365 573"> <b>Name</b> Gavern Jamie House         </td> </tr> <tr> <td data-bbox="532 573 1365 657"> <b>Daytime Contact Phone Number</b> [REDACTED]         </td> </tr> <tr> <td data-bbox="532 657 1365 793"> <b>Postal Address</b> [REDACTED]         </td> </tr> <tr> <td data-bbox="532 793 1365 877"> <b>Email Address</b> [REDACTED]         </td> </tr> </table>		<b>Name</b> Gavern Jamie House	<b>Daytime Contact Phone Number</b> [REDACTED]	<b>Postal Address</b> [REDACTED]	<b>Email Address</b> [REDACTED]		
<b>Name</b> Gavern Jamie House								
<b>Daytime Contact Phone Number</b> [REDACTED]								
<b>Postal Address</b> [REDACTED]								
<b>Email Address</b> [REDACTED]								
<b>Part 3 Reason for Request</b>								
<p>Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1</p>	<p>We purchased the adjoining property-Lot 101 Harold Douglas in May 2023. When it came time to install our firebreaks we lost a lot of very good pasture along the adjoining fence line. As both properties are ours it is a waste of very valuable stock feed and we would like to keep it for stock feed during long dry spells.</p>							
<b>Part 4 Alternative Proposal</b>								
<p>Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk</p>	<p>The alternative fire mitigation remedies we have in place are a dam covering part of the area that includes sprinkler irrigation using 40-meter throw sprinklers.</p> <p>The remainder of the boundaries of both properties are serviced by standard width firebreaks maintained by us.</p> <p>We purchased a new – New holland tractor fitted with a rotary hoe to ensure the firebreaks are up to standard.</p>							



	<input checked="" type="checkbox"/> I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.
Part 5 Duration of Exemption	
Please indicate the time frame for this exemption/variation	<input type="checkbox"/> 1 year (12 months)
	<input checked="" type="checkbox"/> 3 years (Where alternative fire prevention measures can not be remedied within 12 months)
	Reason/Details <div style="border: 1px solid black; padding: 2px; margin-top: 5px;">We plan to keep the land for this purpose for the foreseeable future</div> <div style="border: 1px solid black; height: 20px; margin-top: 5px;"></div>
Part 6 Declaration by Bush Fire Control Officer	
Bush Fire Control Officer to complete	Bush Fire Control Officers Name <div style="border: 1px solid black; padding: 2px; margin-top: 5px;">Neil Dyer</div>
	District/Brigade <div style="border: 1px solid black; padding: 2px; margin-top: 5px;">West Dardanup</div>
	I have carried out an inspection of the property described in Part 1 for an exemption. I hereby;
	<input checked="" type="checkbox"/> Recommend <input type="checkbox"/> Do Not Recommend
	this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.
	<div style="display: flex; justify-content: space-between;"> <div>           Bush Fire Control Officers Signature  <div style="border: 1px solid black; padding: 2px; margin-top: 5px;"></div> </div> <div>           Date  <div style="border: 1px solid black; padding: 2px; margin-top: 5px;">13-9-24</div> </div> </div>
Part 7 Declaration by Applicant	
Applicant to complete  <small>Please note: Part 6 <u>must</u> be signed off by your local Fire Control Officer before submitting your application</small>	Applicants Name <div style="border: 1px solid black; padding: 2px; margin-top: 5px;">Gavem Jamie House</div>
	I accept that this application <u>must</u> be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.
	If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.
	I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.
	<input checked="" type="checkbox"/> Owner of Land <input type="checkbox"/> Occupier of Land
	<div style="display: flex; justify-content: space-between;"> <div>           Applicants Signature  <div style="border: 1px solid black; padding: 2px; margin-top: 5px;"></div> </div> <div>           Date  <div style="border: 1px solid black; padding: 2px; margin-top: 5px;">12/09/2024</div> </div> </div>
Part 8 OFFICE USE ONLY	
Applicant Notified:	<input type="checkbox"/> Yes <input type="checkbox"/> No
Name of Officer	Signature _____ Date _____







*[Handwritten signature]*

A 4311



**REQUEST FORM  
FIRE PREVENTION & FIRE BREAK  
EXEMPTION  
FORM 82**

SHIRE OF DARDANUP  
RECEIVED  
22 AUG 2021  
BA.  
Name Date stamp

**Part 1 Property Details**

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot

4

House No

17

Street/Road Name

Bailey loop

Suburb/Locality

Dardanup west

**Part 2 Requested by**

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name

Glenn Cliffo

Daytime Contact Phone Number

Postal Address

Email Address

**Part 3 Reason for Request**

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

location of drains and  
Tree's ~~not~~ makes it impractical

**Part 4 Alternative Proposal**

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

will do fire breaks as  
close to boundary possible  
and keep vegetation low

☐

I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

**Part 5 Duration of Exemption**

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

as long as possible cant move  
drain or tree's

**Part 6 Declaration by Bush Fire Control Officer**

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

Neil Dyer

District/Bnqade

WEST Dardanup

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby;

☒

Recommend

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan

Bush Fire Control Officers Signature



Date

29-8-24

**Part 7 Declaration by Applicant**

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

Glenn Clifton

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation

If permission is not granted by the Council or duly Authorised Officer I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

☒

Owner of Land

☒

Occupier of Land

Applicants Signature



Date

22/Aug/24

**Part 8 OFFICE USE ONLY**

Applicant Notified

☐

Yes

☐

No


Name of Officer

Signature

Date







red is where fire break goes and blue is where it is kept low scrub and grass level by sheep , horses and mower .West side of property has 5 mtr easement for drain and trees imposed by council

A handwritten signature in black ink, consisting of a stylized, cursive letter 'S' or 'L'.



**REQUEST FORM  
FIRE PREVENTION & FIRE BREAK  
EXEMPTION  
FORM 82**

4/9/24  
PSS  
Date stamp

**Part 1 Property Details**

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot <b>30</b>	House No <b>50</b>	Street/Road Name <b>JAPONICA VIEW</b>
Suburb/Locality <b>WELLINGTON MILLS 6236 WA</b>		

**Part 2 Requested by**

Details of person making request, in accordance with the Bush Fire Act 1954 and the Shire of Dardanup Fire Prevention Order

Name <b>MICHAEL &amp; BRIGITTE MILLIGAN</b>
Daytime Contact Phone Number [REDACTED]
Postal Address [REDACTED] [REDACTED]
Email Address [REDACTED]

**Part 3 Reason for Request**

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

**EFFECTS OF FIRE PREVENTION ORDER FOR STEEP HILLSIDES ARE IMPRACTICAL, NAMELY;**

- 1. TOPOGRAPHY OF LAND - STEEP HILLSIDE WITH MANY FLAMMABLE OUTCROPS SITUATED ON BOUNDARIES**
- 2. EXISTING LARGE TREES ON BOUNDARY & ACROSS THE HILLSIDE**
- 3. INSTALLATION OF ABE EARTH FIREBREAKS ON HILLSIDE IS DANGEROUS AND CAUSE EROSION OF HILLSIDE. ALSO, IMPRACTICAL AND WILL REQUIRE REMOVAL OF NATIVE VEGETATION, &**

**Part 4 Alternative Proposal**

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

**PLEASE SEE ATTACHED DIAGRAM. ALTERNATE PROPOSAL IS,**

- 1. INSTALL CEMENTITE FIREBREAKS ON STEEP SLOPES**
- 2. ALL ACCESSIBLE AREAS ON THE PROPERTY WILL BE SLOTTED BELOW 100MM ACROSS ENTIRE PROPERTY.**
- 3. FUEL REDUCTION MEASURES WILL CONTINUE, SUCH AS BURNING OFF WHEN PRACTICAL, AND, TRIMMING OF NON FLAMMABLE BRANCHED AND REMOVAL OF FLAMMABLE DECKIS**



I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.



## Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

REASONS ARE BEYOND CONTROL OF LANDOWNER (A.C. EXEMPTION X VARIATION), AND WILL NOT CHANGE IN FUTURE.

## Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officers Name

MR RUSSELL HARVE 0408 931 387

District/Bngade

WELLINGTON MILLS

I have carried out an inspection of the property described in Part 1 for an exemption  
I hereby,

☒

Recommend

☐

Do Not Recommend

Bush Fire Control Officer to complete

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

*[Signature]*

Date

4.9.24

## Part 7 Declaration by Applicant

Applicants Name

MICHAEL MULLIGAN & BRIGITTE MULLIGAN

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

☒

Owner of Land

☐

Occupier of Land

Applicants Signature

*[Signature]*

Date

14/9/2024

## Part 8 OFFICE USE ONLY

Applicant Notified

☐

Yes

☐

No


Name of Officer


Signature

Date

14/9/2024

# Fire Prevention Measures for 50 Japonica View, Wellington Mill WA.



 <p>Shire of Dardanup</p>	<p align="center"><b>REQUEST FORM FIRE PREVENTION &amp; FIRE BREAK EXEMPTION FORM 82</b></p>		<p align="center">SHIRE OF DARDANUP RECEIVED <b>09 SEP 2024</b> AC Date stamp</p>
<p><b>Part 1 Property Details</b></p> <p>Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on</p>	<p>Lot <input type="text" value="4"/> House No <input type="text" value="13"/> Street/Road Name <input type="text" value="SOUTH ROAD"/></p> <p>Suburb/Locality <input type="text" value="WELLINGTON MILL"/></p>	<p><b>TARDIS</b> 18 SEP 2024 Initials: <i>MT</i></p>	
<p><b>Part 2 Requested by</b></p> <p>Details of person making request, in accordance with the <i>Bush Fire Act 1954</i> and the Shire of Dardanup Fire Prevention Order</p>	<p>Name <input type="text" value="SHAUN JOHNSON"/></p> <p>Daytime Contact Phone Number <input type="text" value="REDACTED"/></p> <p>Postal Address <input type="text" value="REDACTED"/></p> <p>Email Address <input type="text" value="REDACTED"/></p>		
<p><b>Part 3 Reason for Request</b></p> <p>Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1</p>	<p>SLOPE OF LAND IF PLOUGHED FOR FIRE BREAK WILL CAUSE LAND EROSION. ALSO BLOCK IS HEAVILY TREE'D AT REAR SECTION. EXEMPTION FOR REAR SECTION OF BLOCK</p>		
<p><b>Part 4 Alternative Proposal</b></p> <p>Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk</p>	<p>WHERE ACCESSIBLE BLOCK WILL BE SLASHED BY CONTRACTOR. REMAINDER OF BLOCK WILL BE WHIPPED SNIPPED WITH ALL FUEL GATHERED AND BURNT. WHERE ACCESSIBLE A 3 METER WIDE FIRE BREAK WILL BE SPRAYED WITH GLYSOPHATE.</p> <p><input type="checkbox"/> I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.</p>		



## Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

TREES CANNOT BE REMOVED  
SPRAIED FIRE BREAK WHERE POSSIBLE

## Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

RUSSELL HARVEY

District/Brigade

WELLINGTON MILL

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby;

☒

Recommend

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

*[Signature]*

Date

6/9/24

## Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

SHAUN JOHNSON

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

☒

Owner of Land

☒

Occupier of Land

Applicants Signature

*[Signature]*

Date

4/9/24

## Part 8 OFFICE USE ONLY

Applicant Notified:

☐

Yes


☐

No

Name of Officer


Signature

Date






A 4272

 <p>Shire of Dardanup</p>	<b>REQUEST FORM</b> <b>FIRE PREVENTION &amp; FIRE BREAK</b> <b>EXEMPTION</b> <b>FORM 82</b>	<p>12/9/24</p> <p><i>PSB</i></p> <p>Date stamp</p>												
<b>Part 1 Property Details</b>														
<p>Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on</p>	<table border="1" style="width: 100%;"> <tr> <td style="width: 15%;">Lot</td> <td style="width: 15%;">House No</td> <td style="width: 70%;">Street/Road Name</td> </tr> <tr> <td style="text-align: center;">82</td> <td style="text-align: center;">31</td> <td>Harold Douglas Dr</td> </tr> <tr> <td colspan="3">Suburb/Locality</td> </tr> <tr> <td colspan="3">Dardanup West</td> </tr> </table>		Lot	House No	Street/Road Name	82	31	Harold Douglas Dr	Suburb/Locality			Dardanup West		
Lot	House No	Street/Road Name												
82	31	Harold Douglas Dr												
Suburb/Locality														
Dardanup West														
<b>Part 2 Requested by</b>														
<p>Details of person making request, in accordance with the <i>Bush Fire Act 1954</i> and the Shire of Dardanup Fire Prevention Order</p>	<table border="1" style="width: 100%;"> <tr> <td>Name</td> </tr> <tr> <td>Aaron Storey</td> </tr> <tr> <td>Daytime Contact Phone Number</td> </tr> <tr> <td>[REDACTED]</td> </tr> <tr> <td>Postal Address</td> </tr> <tr> <td>[REDACTED]</td> </tr> <tr> <td>Email Address</td> </tr> <tr> <td>[REDACTED]</td> </tr> </table>		Name	Aaron Storey	Daytime Contact Phone Number	[REDACTED]	Postal Address	[REDACTED]	Email Address	[REDACTED]				
Name														
Aaron Storey														
Daytime Contact Phone Number														
[REDACTED]														
Postal Address														
[REDACTED]														
Email Address														
[REDACTED]														
<b>Part 3 Reason for Request</b>														
<p>Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1</p>	<p>the grass at the proposed area stays green all summer and I have to rotary hoe it often to maintain the fire break.</p>													
<b>Part 4 Alternative Proposal</b>														
<p>Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk</p>	<p>I will keep the grass mown and short at all times during the summer.</p> <p><input checked="" type="checkbox"/> I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.</p>													


<b>Part 5 Duration of Exemption</b>		
Please indicate the time frame for this exemption/variation	<input type="checkbox"/>  <input checked="" type="checkbox"/>	1 year (12 months)  3 years (Where alternative fire prevention measures can not be remedied within 12 months)
Reason/Details <div style="border: 1px solid black; padding: 5px; min-height: 40px;">           Will hopefully be ongoing.         </div>		
<b>Part 6 Declaration by Bush Fire Control Officer</b>		
Bush Fire Control Officer to complete	Bush Fire Control Officers Name <div style="border: 1px solid black; padding: 2px;">Neil Dyer</div>	
	District/Brigade <div style="border: 1px solid black; padding: 2px;">West Dardanup</div>	
	I have carried out an inspection of the property described in Part 1 for an exemption.  I hereby;	
	<input checked="" type="checkbox"/> Recommend  <input type="checkbox"/> Do Not Recommend	
	this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.	
Bush Fire Control Officers Signature <div style="border: 1px solid black; padding: 2px;"> </div>		Date <div style="border: 1px solid black; padding: 2px;">23-8-24</div>
<b>Part 7 Declaration by Applicant</b>		
Applicant to complete  Please note: Part 6 <u>must</u> be signed off by your local Fire Control Officer before submitting your application	Applicants Name <div style="border: 1px solid black; padding: 2px;">Aaron Wayne Storey</div>	
	I accept that this application <u>must</u> be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.	
	If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.	
	I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.	
	<input checked="" type="checkbox"/> Owner of Land  <input type="checkbox"/> Occupier of Land	
Applicants Signature <div style="border: 1px solid black; padding: 2px;"> </div>		Date <div style="border: 1px solid black; padding: 2px;">19-8-2024</div>
<b>Part 8 OFFICE USE ONLY</b>		
Applicant Notified: <div style="display: inline-block; margin-left: 20px;"> <input type="checkbox"/> Yes         </div> <div style="display: inline-block; margin-left: 20px;"> <input type="checkbox"/> No         </div>		
Name of Officer <div style="border: 1px solid black; height: 20px; width: 100%;"></div>	Signature <div style="border: 1px solid black; height: 20px; width: 100%;"></div>	Date <div style="border: 1px solid black; height: 20px; width: 100%;"></div>

Keep grass short, as it does not  
stop growing in the summer.






A-8049


	<b>REQUEST FORM FIRE PREVENTION &amp; FIRE BREAK EXEMPTION FORM 82</b>	<div style="border: 1px solid black; padding: 5px;"> SHIRE OF DARDANUP RECEIVED 19 AUG 2024 Name: JB Date stamp </div>								
<b>Part 1 Property Details</b>  Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on	<table border="1" style="width: 100%;"> <tr> <td style="width: 15%;">Lot <b>2</b></td> <td style="width: 15%;">House No <b>18</b></td> <td style="width: 70%;">Street/Road Name <b>MAGUIRE PLACE</b></td> </tr> <tr> <td colspan="3">Suburb/Locality <b>DARDANUP WEST. 6236</b></td> </tr> </table>		Lot <b>2</b>	House No <b>18</b>	Street/Road Name <b>MAGUIRE PLACE</b>	Suburb/Locality <b>DARDANUP WEST. 6236</b>				
Lot <b>2</b>	House No <b>18</b>	Street/Road Name <b>MAGUIRE PLACE</b>								
Suburb/Locality <b>DARDANUP WEST. 6236</b>										
<b>Part 2 Requested by</b>  Details of person making request, in accordance with the Bush Fire Act 1954 and the Shire of Dardanup Fire Prevention Order	<table border="1" style="width: 100%;"> <tr> <td colspan="2">Name <b>DAVID &amp; SUSANNE NOWLAND</b></td> </tr> <tr> <td colspan="2">Daytime Contact Phone Number [REDACTED] OR [REDACTED]</td> </tr> <tr> <td colspan="2">Postal Address [REDACTED]</td> </tr> <tr> <td colspan="2">Email Address _____</td> </tr> </table>		Name <b>DAVID &amp; SUSANNE NOWLAND</b>		Daytime Contact Phone Number [REDACTED] OR [REDACTED]		Postal Address [REDACTED]		Email Address _____	
Name <b>DAVID &amp; SUSANNE NOWLAND</b>										
Daytime Contact Phone Number [REDACTED] OR [REDACTED]										
Postal Address [REDACTED]										
Email Address _____										
<b>Part 3 Reason for Request</b>  Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1	<div style="border: 1px solid black; padding: 10px; min-height: 150px;"> <b>ROSE BUSHES ALONG FRONT FENCE TO BEAUTIFY THE AREA.</b> </div>									
<b>Part 4 Alternative Proposal</b>  Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk	<div style="border: 1px solid black; padding: 10px; min-height: 150px;"> <b>FRONT AREA IS ALL RETICULATED. GREEN GRASS ALL SUMMER.</b> </div> <div style="margin-top: 10px;"> <input type="checkbox"/> I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted. </div>									

Part 5 Duration of Exemption	
Please indicate the time frame for this exemption/variation	<div style="display: flex; justify-content: space-between;"> <div> <input type="checkbox"/> 1 year (12 months)         </div> <div> <input checked="" type="checkbox"/> 3 years (Where alternative fire prevention measures can not be remedied within 12 months)         </div> </div> <div style="margin-top: 10px;"> <p>Reason/Details</p> <div style="border: 1px solid black; padding: 5px; min-height: 40px;"> <p style="font-family: cursive;">THE FRONT AREA IS KEPT MOWED &amp; WATERED AS REQUIRED.</p> </div> </div>
Part 6 Declaration by Bush Fire Control Officer	
Bush Fire Control Officer to complete	<div style="margin-bottom: 10px;"> <p>Bush Fire Control Officers Name</p> <div style="border: 1px solid black; padding: 2px; font-family: cursive;">Neil Dyer</div> </div> <div style="margin-bottom: 10px;"> <p>District/Brigade</p> <div style="border: 1px solid black; padding: 2px; font-family: cursive;">West Dardanup</div> </div> <p>I have carried out an inspection of the property described in Part 1 for an exemption.</p> <p>I hereby;</p> <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div> <input checked="" type="checkbox"/> Recommend         </div> <div> <input type="checkbox"/> Do Not Recommend         </div> </div> <p style="margin-top: 20px;">this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.</p> <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div> <p>Bush Fire Control Officers Signature</p> <div style="border: 1px solid black; padding: 2px; font-family: cursive;">[Signature]</div> </div> <div> <p>Date</p> <div style="border: 1px solid black; padding: 2px; font-family: cursive;">23-8-24</div> </div> </div>
Part 7 Declaration by Applicant	
<p>Applicant to complete</p> <p style="font-size: small; margin-top: 10px;">Please note: Part 6 <u>must</u> be signed off by your local Fire Control Officer before submitting your application</p>	<div style="margin-bottom: 10px;"> <p>Applicants Name</p> <div style="border: 1px solid black; height: 25px;"></div> </div> <p style="font-size: small;">I accept that this application <u>must</u> be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.</p> <p style="font-size: small;">If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.</p> <p style="font-size: small;">I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.</p> <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div> <input checked="" type="checkbox"/> Owner of Land         </div> <div> <input type="checkbox"/> Occupier of Land         </div> </div> <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div> <p>Applicants Signature</p> <div style="border: 1px solid black; padding: 2px; font-family: cursive;">[Signature]</div> </div> <div> <p>Date</p> <div style="border: 1px solid black; padding: 2px; font-family: cursive;">19-8-24</div> </div> </div>
Part 8 OFFICE USE ONLY	
<div style="display: flex; justify-content: space-between; margin-bottom: 10px;"> <div>Applicant Notified:</div> <div> <input type="checkbox"/> Yes         </div> <div> <input type="checkbox"/> No         </div> </div> <div style="display: flex; justify-content: space-between;"> <div> <p>Name of Officer</p> <div style="border: 1px solid black; width: 200px; height: 25px;"></div> </div> <div> <p>Signature</p> <div style="border: 1px solid black; width: 200px; height: 25px;"></div> </div> <div> <p>Date</p> <div style="border: 1px solid black; width: 150px; height: 25px;"></div> </div> </div>	





A 1065

 <p>Shire of Dardanup</p>	<p align="center"><b>REQUEST FORM FIRE PREVENTION &amp; FIRE BREAK EXEMPTION FORM 82</b></p>		<p>SHIRE OF DARDANUP RECEIVED 25 AUG 2024 Date stamp <b>TARDIS</b> 18 SEP 2024</p>
<p><b>Part 1 Property Details</b></p> <p>Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on</p>	<p>Lot <b>176</b></p>	<p>House No <b>176-204</b></p>	<p>Street/Road Name <b>Collie River Rd</b></p> <p>Suburb/Locality <b>Burekup</b></p>
<p><b>Part 2 Requested by</b></p> <p>Details of person making request, in accordance with the <i>Bush Fire Act 1954</i> and the Shire of Dardanup Fire Prevention Order</p>	<p>Name <b>Clay Rose</b></p> <p>Daytime Contact Phone Number [REDACTED]</p> <p>Postal Address [REDACTED]</p> <p>Email Address [REDACTED]</p>		
<p><b>Part 3 Reason for Request</b></p> <p>Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1</p>	<p><b>Citrus orchards kept watered moved &amp; mulched all summer Mineral earth breaks create too much dust during orchard operations</b></p>		
<p><b>Part 4 Alternative Proposal</b></p> <p>Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk</p>	<p><b>Grass kept mowed, mulched &amp; trees watered all summer</b></p> <p><input checked="" type="checkbox"/> I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.</p>		

**Part 5 Duration of Exemption**

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

Perminant Citrus orchard (commercial)

**Part 6 Declaration by Bush Fire Control Officer**

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

District/Brigade

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby;

☐

Recommend

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

Date

**Part 7 Declaration by Applicant**

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

Clay Rose

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

☒

Owner of Land

☐

Occupier of Land

Applicants Signature

Date

Clay Rose

21-8-24

**Part 8 OFFICE USE ONLY**

Applicant Notified:

☐

Yes

☐

No

Name of Officer

Signature

Date

**Part 5 Duration of Exemption**☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Please indicate the time frame for this exemption/variation

Reason/Details

Perminant Citrus orchard (commercial)

**Part 6 Declaration by Bush Fire Control Officer**

Bush Fire Control Officers Name

Chris Hynes

District/Briade

Waterloo/Dardanup CBFCO

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby:

Bush Fire Control Officer to complete

☒

Recommend

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature



Date

11/9/2024

**Part 7 Declaration by Applicant**

Applicants Name

Clay Rose

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year

☒

Owner of Land

☐

Occupier of Land

Applicants Signature



Date

21-8-24

**Part 8 OFFICE USE ONLY**

Applicant Notified:

☐

Yes

☐

No



Name of Officer

Signature

Date

"Greycliff Farm"

Clay Rose





# WA Grower

If undelivered please return to  
702-704 Murray Street  
WEST PERTH WA 6005



PRINT  
POST  
100007928

POSTAGE  
PAID  
AUSTRALIA

002\_WA\_053\_2\_6227\_A\_053 838



CLAY ROSE  
GREYCLIFFE FARM  
LOT 76 COLLIE RIVER ROAD  
BUREKUP WA 6227

## HAVE WE GOT YOUR DETAILS CORRECT?

If not, please correct your details below, and return this entire coversheet, so we can update our records.

Mr/Mrs/Ms First Name: \_\_\_\_\_ Last Name: \_\_\_\_\_  
Title/Position: \_\_\_\_\_  
Company: \_\_\_\_\_  
Address: \_\_\_\_\_  
Email Address: \_\_\_\_\_  
Phone: \_\_\_\_\_ Fax: \_\_\_\_\_

This form can be emailed to [comms@vegetableswa.com.au](mailto:comms@vegetableswa.com.au)

A3019



**REQUEST FORM  
FIRE PREVENTION & FIRE BREAK  
EXEMPTION  
FORM 82**

2/9/24  
PSS

Date stamp

**Part 1 Property Details**

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot

115

House No

74

Street/Road Name

GREENWOOD HEIGHTS

Suburb/Locality

FERGUSON

**Part 2 Requested by**

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name

H + T MOODY

Daytime Contact Phone Number

Postal Address

Email Address

**Part 3 Reason for Request**

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

When the Sub-division occurred in 1997 firebreaks were not required. Trees were planted close to two Eastern, Northern + Southern borders which now preclude establishing fire breaks close to the fence line. The Western boundary remains steep and wooded.

**Part 4 Alternative Proposal**

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

There are sprayed firebreaks some metres from the fence line on the Eastern, Southern + Northern (part) boundaries. Neighbours firebreaks (with associated erosion) are all of the Northside.



I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

## Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

The 2024/25 situation is as it has been for 12+ years and is unlikely to alter soon.

## Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

lyndon skeers

District/Brigade

ferguson bfb

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby:

Fco note, sprayed fire breaks need to be minral earth and maintained for the fire seson

☒

Recommend

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

Lyndon Skeers

Date

30/08/2024

## Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

HELEN MOODY TOM MOODY

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

☒

Owner of Land

☐

Occupier of Land

Applicants Signature

H. Moody

Date

28/08/2024

## Part 8 OFFICE USE ONLY

Applicant Notified:

☐

Yes

☐


No

Name of Officer

Signature

Date





— Sprayed firebreak



A 3017



# REQUEST FORM FIRE PREVENTION & FIRE BREAK EXEMPTION FORM 82

12/9/24  
PXS

Date stamp

**Part 1 Property Details**

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot

113

House No

15

Street/Road Name

Nyleeta Close

Suburb/Locality

Ferguson

**Part 2 Requested by**

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name

Frank Willis

Daytime Contact Phone Number

Postal Address

Email Address

**Part 3 Reason for Request**

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

We are unable to put firebreaks directly on our north, east and part of our southern boundary due to the presence of established trees.

This has been and will continue to be a permanent situation.

With council permission, our firebreaks have been located a few metres inside the boundary over the past 25 years since we bought the block.

We propose to continue this practice and therefore request another amendment to the requirement to place firebreaks on the boundaries, which we cannot do.

**Part 4 Alternative Proposal**

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

We propose to continue with the previously approved approach to locating our firebreaks as outlined above and illustrated in the attached map of our property.

X

I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.







A 4269



**REQUEST FORM  
FIRE PREVENTION & FIRE BREAK  
EXEMPTION  
FORM 82**

12/9/24  
PSS  
Date stamp

**Part 1 Property Details**

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot

77

House No.

50

Street/Road Name

HAROLD DOUGLAS DRIVE

Suburb/Locality

DARDANUP

**Part 2 Requested by**

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name

RICHARD HARVEY

Daytime Contact Phone Number

Postal Address

Email Address

**Part 3 Reason for Request**

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

SHIRES FIRE PREVENTION REQUIREMENTS  
WILL ALWAYS BE ADHERED TO.

**Part 4 Alternative Proposal**

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

ALL TREES + BUSHES etc WILL BE KEPT TO  
SHIRES RECOMMENDED REQUIREMENTS FOR  
FIREBREAK.

GOOD BORE WATER AVAILABLE


PUMP + BACK UP PUMPS ALWAYS AVAILABLE  
AS WELL AS GENERATORS.







I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.



Part 5 Duration of Exemption	
Please indicate the time frame for this exemption/variation	<div style="display: flex; align-items: flex-start;"> <div style="margin-right: 10px;"> <input type="checkbox"/> 1 year (12 months)         </div> <div style="margin-right: 10px;"> <input checked="" type="checkbox"/> 3 years (Where alternative fire prevention measures can not be remedied within 12 months)         </div> </div> <div style="margin-top: 5px;">         Reason/Details  <div style="border: 1px solid black; height: 40px; width: 100%;"></div> </div>
Part 6 Declaration by Bush Fire Control Officer	
Bush Fire Control Officer to complete	<div style="margin-bottom: 10px;">         Bush Fire Control Officers Name  <div style="border: 1px solid black; padding: 2px; font-family: cursive;">Neil Dyer</div> </div> <div style="margin-bottom: 10px;">         District/Brigade  <div style="border: 1px solid black; padding: 2px; font-family: cursive;">West Dardanup</div> </div> <p>I have carried out an inspection of the property described in Part 1 for an exemption.</p> <p>I hereby:</p> <div style="display: flex; align-items: flex-start; margin-bottom: 10px;"> <div style="margin-right: 10px;"> <input checked="" type="checkbox"/> Recommend         </div> <div style="margin-right: 10px;"> <input type="checkbox"/> Do Not Recommend         </div> </div> <p>this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.</p> <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div style="width: 60%;">         Bush Fire Control Officers Signature  <div style="border: 1px solid black; padding: 2px; font-family: cursive;">[Signature]</div> </div> <div style="width: 35%;">         Date  <div style="border: 1px solid black; padding: 2px; font-family: cursive;">11-9-24</div> </div> </div>
Part 7 Declaration by Applicant	
Applicant to complete  Please note: Part 6 <u>must</u> be signed off by your local Fire Control Officer before submitting your application	<div style="margin-bottom: 10px;">         Applicants Name  <div style="border: 1px solid black; padding: 2px; font-family: cursive;">RICHARD HARVEY</div> </div> <p>I accept that this application <u>must</u> be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.</p> <p>If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.</p> <p>I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.</p> <div style="display: flex; align-items: flex-start; margin-bottom: 10px;"> <div style="margin-right: 10px;"> <input checked="" type="checkbox"/> Owner of Land         </div> <div style="margin-right: 10px;"> <input type="checkbox"/> Occupier of Land         </div> </div> <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div style="width: 60%;">         Applicants Signature  <div style="border: 1px solid black; padding: 2px; font-family: cursive;">R. Harvey</div> </div> <div style="width: 35%;">         Date  <div style="border: 1px solid black; padding: 2px; font-family: cursive;">11-09-2024</div> </div> </div>
Part 8 OFFICE USE ONLY	
<div style="display: flex; align-items: center; margin-bottom: 10px;">         Applicant Notified:         <div style="margin-left: 20px;"> <input type="checkbox"/> Yes         </div> <div style="margin-left: 20px;"> <input type="checkbox"/> No         </div> </div> <div style="display: flex; justify-content: space-between;"> <div style="width: 30%;">         Name of Officer  <div style="border: 1px solid black; height: 20px; width: 100%;"></div> </div> <div style="width: 30%;">         Signature  <div style="border: 1px solid black; height: 20px; width: 100%;"></div> </div> <div style="width: 30%;">         Date  <div style="border: 1px solid black; height: 20px; width: 100%;"></div> </div> </div>	



A 8071


 <p>Shire of Dardanup</p>	<b>REQUEST FORM FIRE PREVENTION &amp; FIRE BREAK EXEMPTION FORM 82</b>	<p>PSS 12/9/24 Date stamp</p>												
<p><b>Part 1 Property Details</b></p> <p>Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on</p>	<table border="1"> <tr> <td>Lot</td> <td>House No</td> <td>Street/Road Name</td> </tr> <tr> <td>1</td> <td>3+7</td> <td>HOLLYFORD PLACE</td> </tr> <tr> <td colspan="3">Suburb/Locality</td> </tr> <tr> <td colspan="3">DARDANUP WEST</td> </tr> </table>		Lot	House No	Street/Road Name	1	3+7	HOLLYFORD PLACE	Suburb/Locality			DARDANUP WEST		
Lot	House No	Street/Road Name												
1	3+7	HOLLYFORD PLACE												
Suburb/Locality														
DARDANUP WEST														
<p><b>Part 2 Requested by</b></p> <p>Details of person making request, in accordance with the <i>Bush Fire Act 1954</i> and the Shire of Dardanup Fire Prevention Order</p>	<table border="1"> <tr> <td>Name</td> </tr> <tr> <td>TERESA DI CANNIO</td> </tr> <tr> <td>Daytime Contact Phone Number</td> </tr> <tr> <td>[REDACTED]</td> </tr> <tr> <td>Postal Address</td> </tr> <tr> <td>7 HOLLYFORD PLACE DARDANUP WEST WA 6236</td> </tr> <tr> <td>Email Address</td> </tr> <tr> <td>[REDACTED]</td> </tr> </table>		Name	TERESA DI CANNIO	Daytime Contact Phone Number	[REDACTED]	Postal Address	7 HOLLYFORD PLACE DARDANUP WEST WA 6236	Email Address	[REDACTED]				
Name														
TERESA DI CANNIO														
Daytime Contact Phone Number														
[REDACTED]														
Postal Address														
7 HOLLYFORD PLACE DARDANUP WEST WA 6236														
Email Address														
[REDACTED]														
<p><b>Part 3 Reason for Request</b></p> <p>Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1</p>	<p>Note this is an extension from exemption granted last year. Just like a home in town we have created a front yard that is lawn + garden up to our boundary fence. The retic + grass provide <del>is</del> good fire prevention. This exemption is just for the boundary that faces Hollyford place. We will still maintain fire breaks on all external paddocks over rest of our ⑤ acres.</p>													
<p><b>Part 4 Alternative Proposal</b></p> <p>Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk</p>	<table border="1"> <tr> <td colspan="2" style="text-align: center;">HOLLYFORD PLACE</td> </tr> <tr> <td colspan="2">  </td> </tr> </table> <p><input type="checkbox"/> I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.</p>		HOLLYFORD PLACE											
HOLLYFORD PLACE														
														



Part 5 Duration of Exemption	
Please indicate the time frame for this exemption/variation	<div style="display: flex; align-items: flex-start;"> <div style="margin-right: 10px;"> <input type="checkbox"/> 1 year (12 months)         </div> <div style="margin-right: 10px;"> <input checked="" type="checkbox"/> 3 years (Where alternative fire prevention measures can not be remedied within 12 months)         </div> </div> <div style="border: 1px solid black; padding: 5px; margin-top: 5px;">         Reason/Details          we don't expect any changes to our front yard       </div>
Part 6 Declaration by Bush Fire Control Officer	
Bush Fire Control Officer to complete	<div style="margin-bottom: 5px;">         Bush Fire Control Officers Name  <div style="border: 1px solid black; padding: 2px; display: inline-block;">NICK DYER</div> </div> <div style="margin-bottom: 5px;">         District/Brigade  <div style="border: 1px solid black; padding: 2px; display: inline-block;">NEST Dardanup</div> </div> <p style="font-size: small;">I have carried out an inspection of the property described in Part 1 for an exemption.</p> <p style="font-size: small;">I hereby:</p> <div style="display: flex; align-items: flex-start; margin-bottom: 10px;"> <div style="margin-right: 10px;"> <input checked="" type="checkbox"/> </div> <div>Recommend</div> </div> <div style="display: flex; align-items: flex-start;"> <div style="margin-right: 10px;"> <input type="checkbox"/> </div> <div>Do Not Recommend</div> </div> <p style="font-size: small;">this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.</p> <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div style="width: 60%;">         Bush Fire Control Officers Signature  <div style="border: 1px solid black; padding: 2px; display: inline-block;"> </div> </div> <div style="width: 35%;">         Date  <div style="border: 1px solid black; padding: 2px; display: inline-block;">12-9-24</div> </div> </div>
Part 7 Declaration by Applicant	
Applicant to complete  Please note: Part 6 <u>must</u> be signed off by your local Fire Control Officer before submitting your application	<div style="margin-bottom: 5px;">         Applicants Name  <div style="border: 1px solid black; padding: 2px; display: inline-block;">TERRINA DI CANDILO</div> </div> <p style="font-size: small;">I accept that this application <u>must</u> be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.</p> <p style="font-size: small;">If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.</p> <p style="font-size: small;">I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.</p> <div style="display: flex; align-items: flex-start; margin-top: 10px;"> <div style="margin-right: 10px;"> <input checked="" type="checkbox"/> </div> <div>Owner of Land</div> </div> <div style="display: flex; align-items: flex-start; margin-top: 10px;"> <div style="margin-right: 10px;"> <input checked="" type="checkbox"/> </div> <div>Occupier of Land</div> </div> <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div style="width: 60%;">         Applicants Signature  <div style="border: 1px solid black; padding: 2px; display: inline-block;"> </div> </div> <div style="width: 35%;">         Date  <div style="border: 1px solid black; padding: 2px; display: inline-block;">26-08-2024</div> </div> </div>
Part 8 OFFICE USE ONLY	
<div style="display: flex; align-items: center; margin-bottom: 10px;">         Applicant Notified:         <div style="margin-left: 20px;"> <input type="checkbox"/> Yes         </div> <div style="margin-left: 20px;"> <input type="checkbox"/> No         </div> </div> <div style="display: flex; justify-content: space-between;"> <div style="width: 30%;">         Name of Officer  <div style="border: 1px solid black; height: 20px; margin-top: 5px;"></div> </div> <div style="width: 30%;">         Signature  <div style="border: 1px solid black; height: 20px; margin-top: 5px;"></div> </div> <div style="width: 30%;">         Date  <div style="border: 1px solid black; height: 20px; margin-top: 5px;"></div> </div> </div>	



A 11205

 <p>Shire of Dardanup</p>	<p align="center"><b>REQUEST FORM FIRE PREVENTION &amp; FIRE BREAK EXEMPTION FORM 82</b></p>		<p>Date stamp</p>
<p><b>Part 1 Property Details</b></p>			
<p>Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on</p>	<p>Lot <b>340</b></p>	<p>House No <b>828</b></p>	<p>Street/Road Name <b>Crooked Brook Rd</b></p> <p>Suburb/Locality <b>Crooked Brook</b></p>
<p><b>Part 2 Requested by</b></p>			
<p>Details of person making request, in accordance with the <i>Bush Fire Act 1954</i> and the Shire of Dardanup Fire Prevention Order</p>	<p>Name <b>Andrew White</b></p> <p>Daytime Contact Phone Number [REDACTED]</p> <p>Postal Address [REDACTED] [REDACTED]</p> <p>Email Address [REDACTED]</p>		
<p><b>Part 3 Reason for Request</b></p>			
<p>Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1</p>	<p>My house is approx. 2 metres from the roadside boundary. It is surrounded by reticulated green lawn &amp; garden bed as is the roadside verge. The Crooked Brook forms another boundary to the garden. It is perpetually green. As the <sup>dwelling</sup> <del>property</del> is within 20 metres of the boundary, the 20 metre Asset Protection zone cannot be satisfied.</p>		
<p><b>Part 4 Alternative Proposal</b></p>			
<p>Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk</p>	<p>A fire break will be installed as it was last year along the remaining boundary that is not watered &amp; kept green</p> <p><input checked="" type="checkbox"/> I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.</p>		

**Part 5 Duration of Exemption**

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

There are no planned changes for the foreseeable future

**Part 6 Declaration by Bush Fire Control Officer**

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

Jeff Duncan

District/Brigade

Yashua Crooked Brook

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby:

☒

Recommend

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

J. Duncan

Date

13/9/2024

**Part 7 Declaration by Applicant**

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

Andrew Hill

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

☐

Owner of Land

☒

Occupier of Land

Applicants Signature

Andrew Hill

Date

13/9/2024

**Part 8 OFFICE USE ONLY**

Applicant Notified:

☐

Yes

☐

No


Name of Officer

Signature






Date



828 Crooked Brook Rd, Crooked Brook 6236



A8378

	<p align="center"><b>REQUEST FORM FIRE PREVENTION &amp; FIRE BREAK EXEMPTION FORM 82</b></p>		<p align="center">SHIRE OF DARDANUP RECEIVED 17 SEP 2024 Name:  Date stamp</p>
<p><b>Part 1 Property Details</b></p> <p>Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on</p>	<p>Lot: <b>L10</b> House No: <b>351</b> Street/Road Name: <b>WELLINGTON MILL ROAD</b></p> <p>Suburb/Locality: <b>WELLINGTON MILL 6236</b></p>		
<p><b>Part 2 Requested by</b></p> <p>Details of person making request, in accordance with the Bush Fire Act 1954 and the Shire of Dardanup Fire Prevention Order</p>	<p>Name: <b>SIMON WESLEY</b></p> <p>Daytime Contact Phone Number: </p> <p>Postal Address: </p> <p>Email Address: </p>		
<p><b>Part 3 Reason for Request</b></p> <p>Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1</p>	<p><b>NORTHERN BOUNDARY WITH DAVIES BLOCK IS NOT ACCESSABLE + STEEP WITH EROSION RISK IF DISTURBED. THE AREA IS MAINLY GRASS RUNNING DOWN TO THE FERGUSON RIVER.</b></p>		
<p><b>Part 4 Alternative Proposal</b></p> <p>Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk</p>	<p><b>OVER THE LAST 20 YEARS WE HAVE REDUCED THE FUEL LOAD ON OUR NORTHERN BOUNDARY + THE GRASS IS KEPT SHORT BY NATIVE ANIMALS SPRING + WINTER, + DIES OFF IN SUMMER. WE HAVE INSTALLED 110K LITRE TANK FOR FIRE-FIGHTING + SUPPLY FOR BFB.</b></p> <p><input checked="" type="checkbox"/> I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.</p>		



**Part 5 Duration of Exemption**

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

NO MATERIAL CHANGE OVER TIME -  
FRAME.

**Part 6 Declaration by Bush Fire Control Officer**

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

RUSSEL HARVE

District/Brigade

NEELINGTON MIL BFB

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby,

☒

Recommend

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

*[Signature]*

Date

14.9.24

**Part 7 Declaration by Applicant**

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

SIMON WESLEY

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

☒

Owner of Land

☐

Occupier of Land

Applicants Signature

*[Signature]*

Date

05.09.2024

**Part 8 OFFICE USE ONLY**

Applicant Notified:

☐

Yes

☐


No

Name of Officer

Signature

Date







A11620

(Appendix BFAC 8.13B)



# REQUEST FORM TEMPORARY FIRE PREVENTION & FIRE BREAK EXEMPTION FORM 82A

Date stamp

## Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot: 5 House No: 235 Street/Road Name: GARVEY ROAD

Suburb/Locality: DARDANUP WEST

TARDIS  
18 SEP 2024  
Initials: [Signature]

## Part 2 Requested by

Details of person making request, in accordance with the Bush Fire Act 1954 and the Shire of Dardanup Fire Prevention Order

Name: DYLAN JOHN GENEFINI

Daytime Contact Phone Number: [Redacted]

Postal Address: [Redacted]

Email Address: [Redacted]

## Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

IMPRACTICAL TO ROTARY HOE PROPERTY AS IT WOULD INHIBIT  
ACCESS AS AREA WOULD BECOME UNDRIVABLE FOR MOST VEHICLES  
AND FOR MY MOWING EQUIPMENT TO MAINTAIN PROPERTY IF  
REGROWTH OCCURS. ALSO, I DO NOT USE POISONS ON MY PROPERTY

## Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

FRONT HALF OF PROPERTY BOUNDARIES ARE RETICULATED AND  
MAINTAINED AND MOWED TO A MINIMUM LEVEL AT A MAXIMUM OF  
EVERY TWO WEEKS AND ONE BOUNDARY IS BOUNDED BY DRIVEWAY  
MATERIAL.

REAR OF PROPERTY NOT RETICULATED AND IS MAINTAINED BY  
MOWING TO A MINIMUM LEVEL AT A MAXIMUM OF TWO WEEKS  
WHILST STILL NATUARALLY GROWING.



I have included a plan of the property, detailing the proposed fire prevention measures



## Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

☐

Current Fire Season

1<sup>st</sup> to

3 Years

PLEASE NOTE THAT YOU MUST PUT IN A REQUEST FORM FOR A FIRE PREVENTION & FIRE BREAK EXEMPTION (FORM 82) BY 30 SEPTEMBER, IF YOU WISH TO HAVE AN EXEMPTION OF UP TO 3 YEARS AFTER THE FIRE SEASON STATED ABOVE

Reason/Details

AS LONG AS ALLOWABLE

## Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

NEIL DYER

District/Brigade

WEST DARDANUP -

I have carried out an inspection of the property described in Part 1 for an exemption

hereby,

☐


Recommend

☒

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan

Bush Fire Control Officers Signature



Date

17-9-24

## Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

DYLAN JOHN GENEFINI

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year


☒

Owner of Land

☐

Occupier of Land

Applicants Signature



Date

17/09/24

## Part 8 OFFICE USE ONLY

Approved by CEO

☐

Yes

☐

No

Chief Executive Officer


Signature

Date





A8300

 <p>Shire of Dardanup</p>	<p align="center"><b>REQUEST FORM TARDIS</b>  <b>FIRE PREVENTION &amp; FIRE BREAK</b>  <b>EXEMPTION</b>  <b>FORM 82</b></p> <p>Initials: <i>[Signature]</i></p>			<p align="center">SHIRE OF DARDANUP  RECEIVED  17 SEP 2024</p> <p>Name: <i>[Signature]</i>  Date stamp</p>
<p><b>Part 1 Property Details</b></p> <p>Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on</p>	<p>Lot 11</p>	<p>House No 14743</p>	<p>Street/Road Name Southwest Highway</p> <p>Suburb/Locality Picton East</p>	
<p><b>Part 2 Requested by</b></p> <p>Details of person making request, in accordance with the <i>Bush Fire Act 1954</i> and the Shire of Dardanup Fire Prevention Order</p>	<p>Name Sydney Graham</p> <p>Daytime Contact Phone Number [Redacted]</p> <p>Postal Address [Redacted]</p> <p>Email Address [Redacted]</p>			
<p><b>Part 3 Reason for Request</b></p> <p>Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1</p>	<p>The property consists of Loose Sand and when bare, blows on to The Neighbouring Caravan Park with the easterly wind Prompting Complaints from the residents.</p>			
<p><b>Part 4 Alternative Proposal</b></p> <p>Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk</p>	<p>Slashing grazing with animals</p> <p><input checked="" type="checkbox"/> I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.</p>			



**Part 5 Duration of Exemption**

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

**Part 6 Declaration by Bush Fire Control Officer**

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

CBFCO Dardanup

District/Brigade

Dardanup

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby:

☒


Recommend

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature



Date

18/9/2024

**Part 7 Declaration by Applicant**

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

Sydney Graham

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

☒

Owner of Land

☒

Occupier of Land

Applicants Signature



Date

2-9-24

**Part 8 OFFICE USE ONLY**

Applicant Notified:

☐

Yes

☐

No


Name of Officer

Signature

Date



Southwest Highway



FIRE BREAK TO BE INSTALLED  
IN HIGHLIGHTED AREA

Waterloo Caravan Park

Rail Reserve

Total Area 3 Hectares



# REQUEST FORM FIRE PREVENTION & FIRE BREAK EXEMPTION FORM 82



## Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot

House No

Street/Road Name

Suburb/Locality

## Part 2 Requested by

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name

Daytime Contact Phone Number

Postal Address

Email Address

## Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

## Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

☐

I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.



## Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

APPROVAL HAS BEEN GRANTED PREVIOUSLY  
VIA THE USE OF FLOOD IRRIGATION OVER SUMMER

## Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

Brendon Pott

District/Brigade

Dardanup Central

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby:

☒

Recommend

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

Brendon Pott

Date

16-9-24

## Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

MARK PANIZZA

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

☒

Owner of Land

DIRECTOR / SECRETARY of PROPRIETOR  
OF THE LAND.

☐

Occupier of Land

Applicants Signature

*[Signature]*

Date

13-9-2024

## Part 8 OFFICE USE ONLY

Applicant Notified:

☐

Yes

☐

No

Name of Officer

Signature

Date

Schedule of Properties for Fire Prevention & Fire Break Exemptions

- 25 Recreation Road, Dardanup WA 6236 A8260 .
  - Lot 16 Boyanup-Picton Road, Dardanup WA 6236 A8184
  - ~~Lot 25 Boyanup-Picton Road, Dardanup WA 6236~~
  - ~~Lot 103 Boyanup-Picton Road, Dardanup WA 6236~~
- } A4132

10 Brooksy Place Burekup. A5087



# REQUEST FORM FIRE PREVENTION & FIRE BREAK EXEMPTION FORM 82

Date stamp

**Part 1 Property Details**

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot

25

House No

Street/Road Name

Ferguson Road

Suburb/Locality

DARDANUP WA 6236

**Part 2 Requested by**

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name

Mark Panizza

Daytime Contact Phone Number

Postal Address

Email Address

**Part 3 Reason for Request**

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

The properties on the attached schedule are flood irrigated during the summer season

**Part 4 Alternative Proposal**

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

As above. The properties are flood irrigated during the summer season.

☐

I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.



## Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

Approval has been granted previously via the use of flood irrigations over summer

## Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

Brendon Putt

District/Brigade

Dardanup Central

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby:

☐

Recommend

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

Date

## Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

Mark Panizza

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

☐

Owner of Land – DIRECTOR/SECRETARY OF PROPERTIES OF THE LAND

☐

Occupier of Land

Applicants Signature

Date



2-10-2024

## Part 8 OFFICE USE ONLY

Applicant Notified:

☐

Yes

☐

No

Name of Officer

Signature

Date



# REQUEST FORM FIRE PREVENTION & FIRE BREAK EXEMPTION FORM 82

Date stamp

## Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot

25 103

House No

Street/Road Name

Ferguson Road

Suburb/Locality

DARDANUP WA 6236

## Part 2 Requested by

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name

Mark Panizza

Daytime Contact Phone Number

Postal Address

Email Address

## Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

The properties on the attached schedule are flood irrigated during the summer season

## Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

As above. The properties are flood irrigated during the summer season.

☐ I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

## Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

Approval has been granted previously via the use of flood irrigations over summer

## Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

Brendon Putt

District/Brigade

Dardanup Central

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby;

☐

Recommend

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

Date

## Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

Mark Panizza

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

☐

Owner of Land – DIRECTOR/SECRETARY OF PROPERTIES OF THE LAND

☐

Occupier of Land

Applicants Signature

Date

2-10-2024

## Part 8 OFFICE USE ONLY

Applicant Notified:

☐

Yes

☐


No

Name of Officer

Signature

Date



 <p>Shire of Dardanup</p>	<p align="center"><b>REQUEST FORM FIRE PREVENTION &amp; FIRE BREAK EXEMPTION FORM 82</b></p>		<p align="right">Date stamp</p>
<p><b>Part 1 Property Details</b></p>			
<p>Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on</p>	<p>Lot: <input type="text"/></p> <p>Suburb/Locality: <input type="text"/></p>	<p>House No: <input type="text" value="5"/></p>	<p>Street/Road Name: <input type="text" value="TWEED CHASE"/></p> <p><input type="text" value="CROOKED BROOK"/></p>
<p><b>Part 2 Requested by</b></p>			
<p>Details of person making request, in accordance with the <i>Bush Fire Act 1954</i> and the Shire of Dardanup Fire Prevention Order</p>	<p>Name: <input type="text" value="COREY SCOTT"/></p> <p>Daytime Contact Phone Number: <input type="text" value="[REDACTED]"/></p> <p>Postal Address: <input type="text" value="[REDACTED]"/></p> <p>Email Address: <input type="text" value="[REDACTED]"/></p>		
<p><b>Part 3 Reason for Request</b></p>			
<p>Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1</p>	<p>PROPERTY IS REGULARLY MOWED AND MANICURED TO A HEIGHT OF 40MM TO 60MM THROUGHOUT THE YEAR.</p> <p>ALL BOUNDARIES ARE IRRIGATED VIA AUTOMATIC RETICULATION ALL THROUGH THE WATERING PERIOD</p>		
<p><b>Part 4 Alternative Proposal</b></p>			
<p>Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk</p>	<p><input type="text" value="N/A"/></p> <p><input checked="" type="checkbox"/> I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.</p>		



## Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

WELL MANICURED LAWNS AND BOUNDARY IS IRRIGATED

## Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

NGIL DYER

District/Brigade

WEST Dardanup

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby:

☒

Recommend

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

Date

26-9-24

## Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 **must** be signed off by your local Fire Control Officer before submitting your application

Applicants Name

COREY SCOTT

I accept that this application **must** be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

☒

Owner of Land

☐

Occupier of Land

Applicants Signature

Date

23/09/2024

## Part 8 OFFICE USE ONLY

Applicant Notified:

☐

Yes

☐

No

Name of Officer

Signature


Date





*[Handwritten signature]*



 <p>Shire of Dardanup</p>	<p align="center"><b>REQUEST FORM FIRE PREVENTION &amp; FIRE BREAK EXEMPTION FORM 82</b></p>		<p align="center">SHIRE OF DARDANUP RECEIVED</p> <p align="center">19 SEP 2016</p> <p>BA .</p> <p>Name: _____ Date stamp</p>
<p><b>Part 1 Property Details</b></p> <p>Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on</p>	<p>Lot <input type="text"/> House No <input type="text" value="79"/> Street/Road Name <input type="text" value="South Road"/></p> <p>Suburb/Locality <input type="text" value="Wellington Mill"/></p>		
<p><b>Part 2 Requested by</b></p> <p>Details of person making request, in accordance with the Bush Fire Act 1954 and the Shire of Dardanup Fire Prevention Order</p>	<p>Name <input type="text" value="Ellen Jones"/></p> <p>Daytime Contact Phone Number <input type="text" value="[REDACTED] or [REDACTED]"/></p> <p>Postal Address <input type="text" value="[REDACTED]"/></p> <p>Email Address <input type="text" value="[REDACTED]"/></p>		
<p><b>Part 3 Reason for Request</b></p> <p>Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1</p>	<p align="center"><input type="text" value="Wet and boggy terrain"/></p>		
<p><b>Part 4 Alternative Proposal</b></p> <p>Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk</p>	<p align="center"><input type="text" value="Firebreak to go around this boggy area rather than through it."/></p>		
	<p><input checked="" type="checkbox"/> I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.</p>		

## Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

Ongoing wet, boggy issues each year

## Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

RUSSEL HARNIE

District/Brigade

WELLINGTON MILL BFB

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby,

☒

Recommend

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

*[Signature]*

Date

17-9-24

## Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

*EE* Ellen Jones

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

☒

Owner of Land

☐

Occupier of Land

Applicants Signature

*E Jones*

Date

18-9-24

## Part 8 OFFICE USE ONLY

Applicant Notified:

☐

Yes

☐

No

Name of Officer

Signature

Date

Firebreak

79 South Rd  
Wellington Mill  
6236

Kurt + Ellie  
Jones

House

Firebreak

Firebreak

~~Too wet, boggy  
and steep.~~

~~Please exempt  
this section~~

Firebreak

GAGE





**REQUEST FORM  
FIRE PREVENTION & FIRE BREAK  
EXEMPTION  
FORM 82**

Date stamp

**Part 1 Property Details**

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot

85

House No

146

Street/Road Name

PADBURY ROAD

Suburb/Locality

DARDANUP WEST

**Part 2 Requested by**

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name

GREG BISHOP

Daytime Contact Phone Number

Postal Address

Email Address

**Part 3 Reason for Request**

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

Front ~~Back~~ boundary from gateway approx. 15m east to western boundary, area is base black top soil type sand that once turned over becomes dust issue blowing onto house

**Part 4 Alternative Proposal**

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

Area will be keep mown over the summer and watered in areas

☐

I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

Part 5 Duration of Exemption	
Please indicate the time frame for this exemption/variation	<div style="display: flex; align-items: flex-start;"> <div style="margin-right: 10px;"> <input type="checkbox"/> 1 year (12 months)         </div> <div style="margin-right: 10px;"> <input checked="" type="checkbox"/> 3 years (Where alternative fire prevention measures can not be remedied within 12 months)         </div> </div> <div style="margin-top: 10px;">           Reason/Details  <div style="border: 1px solid black; padding: 5px; min-height: 40px;">Ongoing</div> </div>
Part 6 Declaration by Bush Fire Control Officer	
Bush Fire Control Officer to complete	<div style="margin-bottom: 10px;">           Bush Fire Control Officers Name  <div style="border: 1px solid black; padding: 2px; min-height: 20px;">Neil DYER</div> </div> <div style="margin-bottom: 10px;">           District/Brigade  <div style="border: 1px solid black; padding: 2px; min-height: 20px;">West Dardanup</div> </div> <p>I have carried out an inspection of the property described in Part 1 for an exemption.</p> <p>I hereby;</p> <div style="display: flex; align-items: flex-start; margin-bottom: 10px;"> <div style="margin-right: 10px;"> <input checked="" type="checkbox"/> Recommend         </div> <div style="margin-right: 10px;"> <input type="checkbox"/> Do Not Recommend         </div> </div> <p>this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.</p> <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div style="width: 60%;">           Bush Fire Control Officers Signature  <div style="border: 1px solid black; padding: 2px; min-height: 30px;"> </div> </div> <div style="width: 35%;">           Date  <div style="border: 1px solid black; padding: 2px; min-height: 30px;">25-9-24</div> </div> </div>
Part 7 Declaration by Applicant	
Applicant to complete  <i>Please note: Part 6 <u>must</u> be signed off by your local Fire Control Officer before submitting your application</i>	<div style="margin-bottom: 10px;">           Applicants Name  <div style="border: 1px solid black; padding: 2px; min-height: 20px;">Greg Bishop</div> </div> <p>I accept that this application <u>must</u> be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.</p> <p>If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.</p> <p>I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.</p> <div style="display: flex; align-items: flex-start; margin-bottom: 10px;"> <div style="margin-right: 10px;"> <input checked="" type="checkbox"/> Owner of Land         </div> <div style="margin-right: 10px;"> <input type="checkbox"/> Occupier of Land         </div> </div> <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div style="width: 60%;">           Applicants Signature  <div style="border: 1px solid black; padding: 2px; min-height: 30px;"> </div> </div> <div style="width: 35%;">           Date  <div style="border: 1px solid black; padding: 2px; min-height: 30px;">25/9/24</div> </div> </div>
Part 8 OFFICE USE ONLY	
<div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="width: 30%;">Applicant Notified:</div> <div style="width: 30%;"> <input type="checkbox"/> Yes         </div> <div style="width: 30%;"> <input type="checkbox"/> No         </div> </div> <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div style="width: 30%;">           Name of Officer  <div style="border: 1px solid black; padding: 2px; min-height: 20px;"></div> </div> <div style="width: 30%;">           Signature  <div style="border: 1px solid black; padding: 2px; min-height: 20px;"></div> </div> <div style="width: 30%;">           Date  <div style="border: 1px solid black; padding: 2px; min-height: 20px;"></div> </div> </div>	



Area highlighted





A12203



**REQUEST FORM  
FIRE PREVENTION & FIRE BREAK  
EXEMPTION  
FORM 82**

**Part 1 Property Details**

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot <b>507</b>	House No <b>82</b>	Street/Road Name <b>KILLARNEY ROAD</b>
Suburb/Locality <b>DARDANUP</b>		

**Part 2 Requested by**

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name <b>Jeff</b>
Daytime Contact Phone Number [REDACTED]
Postal Address [REDACTED] [REDACTED] [REDACTED]
Email Address [REDACTED]

**Part 3 Reason for Request**

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

- ① Rear of property covered in native paperbark trees, unable to put firebreak amongst trees.
- ② Front Paddock - reticulated green all year round + kept to 20mm.

**Part 4 Alternative Proposal**

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

- ① firebreak around inside perimeter of trees as per diagram
- ② No firebreak at front due to reticulated grass - kikuyu - throughout entire restricted period.



I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

## Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

No changes foreseen

## Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

NEIL DYER

District/Brigade

WEST Dardanup

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby;

☒

Recommend

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan

Bush Fire Control Officers Signature



Date

23-9-24

## Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

Jeffrey O'Donnell

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

☒

Owner of Land

☐

Occupier of Land

Applicants Signature



Date

23 9 24

## Part 8 OFFICE USE ONLY

Applicant Notified:

☐

Yes


No

Name of Officer


Signature

Date







 <p>Shire of Dardanup</p>	<b>REQUEST FORM FIRE PREVENTION &amp; FIRE BREAK EXEMPTION FORM 82</b>	<p>TARDIS NAME: <u>PSS</u> DATE: <u>27/9/24</u> Date stamp</p>												
<p><b>Part 1 Property Details</b></p> <p>Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on</p>	<table border="1"> <tr> <td>Lot</td> <td>House No</td> <td>Street/Road Name</td> </tr> <tr> <td></td> <td><u>211</u></td> <td><u>GARVEY ROAD</u></td> </tr> <tr> <td colspan="3">Suburb/Locality</td> </tr> <tr> <td colspan="3"><u>CLONKEE BROOK 6236</u></td> </tr> </table>		Lot	House No	Street/Road Name		<u>211</u>	<u>GARVEY ROAD</u>	Suburb/Locality			<u>CLONKEE BROOK 6236</u>		
Lot	House No	Street/Road Name												
	<u>211</u>	<u>GARVEY ROAD</u>												
Suburb/Locality														
<u>CLONKEE BROOK 6236</u>														
<p><b>Part 2 Requested by</b></p> <p>Details of person making request, in accordance with the <i>Bush Fire Act 1954</i> and the Shire of Dardanup Fire Prevention Order</p>	<table border="1"> <tr> <td>Name</td> </tr> <tr> <td><u>GEORGE LOVEROCK</u></td> </tr> <tr> <td>Daytime Contact Phone Number</td> </tr> <tr> <td>[REDACTED]</td> </tr> <tr> <td>Postal Address</td> </tr> <tr> <td>[REDACTED]</td> </tr> <tr> <td>[REDACTED]</td> </tr> <tr> <td>Email Address</td> </tr> <tr> <td>[REDACTED]</td> </tr> </table>		Name	<u>GEORGE LOVEROCK</u>	Daytime Contact Phone Number	[REDACTED]	Postal Address	[REDACTED]	[REDACTED]	Email Address	[REDACTED]			
Name														
<u>GEORGE LOVEROCK</u>														
Daytime Contact Phone Number														
[REDACTED]														
Postal Address														
[REDACTED]														
[REDACTED]														
Email Address														
[REDACTED]														
<p><b>Part 3 Reason for Request</b></p> <p>Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1</p>	<table border="1"> <tr> <td><u>BY CUTTING A FIRE BREAK WILL CAUSE</u></td> </tr> <tr> <td><u>DUSTY ENVIRONMENT. WILL NEED TO REMOVE</u></td> </tr> <tr> <td><u>CURRENT BUSHES AND TREES TO INSTALL</u></td> </tr> <tr> <td><u>REQUIRED FIRE BREAK</u></td> </tr> <tr> <td> </td> </tr> <tr> <td> </td> </tr> <tr> <td> </td> </tr> </table>		<u>BY CUTTING A FIRE BREAK WILL CAUSE</u>	<u>DUSTY ENVIRONMENT. WILL NEED TO REMOVE</u>	<u>CURRENT BUSHES AND TREES TO INSTALL</u>	<u>REQUIRED FIRE BREAK</u>								
<u>BY CUTTING A FIRE BREAK WILL CAUSE</u>														
<u>DUSTY ENVIRONMENT. WILL NEED TO REMOVE</u>														
<u>CURRENT BUSHES AND TREES TO INSTALL</u>														
<u>REQUIRED FIRE BREAK</u>														
<p><b>Part 4 Alternative Proposal</b></p> <p>Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk</p>	<table border="1"> <tr> <td><u>MY PROPERTY IS ENTIRELY MANITURED.</u></td> </tr> <tr> <td><u>YARD IS ENTIRELY MOWED LAWN, MOWED WEEKLY</u></td> </tr> <tr> <td><u>THE BLOCK IS RETICULATED AND HAS</u></td> </tr> <tr> <td><u>SEVEN (7) 18MM TAPS WITH HOSE OUTLETS</u></td> </tr> <tr> <td><u>ALONG BOUNDARIES.</u></td> </tr> <tr> <td><u>FRONT AND SIDE VERGES ARE MOWED</u></td> </tr> <tr> <td><u>WEEKLY</u></td> </tr> <tr> <td> <input checked="" type="checkbox"/> I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.         </td> </tr> </table>		<u>MY PROPERTY IS ENTIRELY MANITURED.</u>	<u>YARD IS ENTIRELY MOWED LAWN, MOWED WEEKLY</u>	<u>THE BLOCK IS RETICULATED AND HAS</u>	<u>SEVEN (7) 18MM TAPS WITH HOSE OUTLETS</u>	<u>ALONG BOUNDARIES.</u>	<u>FRONT AND SIDE VERGES ARE MOWED</u>	<u>WEEKLY</u>	<input checked="" type="checkbox"/> I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.				
<u>MY PROPERTY IS ENTIRELY MANITURED.</u>														
<u>YARD IS ENTIRELY MOWED LAWN, MOWED WEEKLY</u>														
<u>THE BLOCK IS RETICULATED AND HAS</u>														
<u>SEVEN (7) 18MM TAPS WITH HOSE OUTLETS</u>														
<u>ALONG BOUNDARIES.</u>														
<u>FRONT AND SIDE VERGES ARE MOWED</u>														
<u>WEEKLY</u>														
<input checked="" type="checkbox"/> I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.														

## Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

MAINTENANCE OF PROPERTIES WILL NOT CHANGE  
WHILE I OWN THE PROPERTY

## Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

NEIL DYER

District/Brigade

WEST Dardanup

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby:

☒


Recommend

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature



Date:

26-9-24

## Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

GEORGE LOVELL

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

☒

Owner of Land

☐

Occupier of Land

Applicants Signature



Date

23/9/2024

## Part 8 OFFICE USE ONLY

Applicant Notified:

☐

Yes

☐

No

Name of Officer

Signature


Date





GARNEY ROAD



 <p>Shire of Dardanup</p>	<p align="center"><b>REQUEST FORM FIRE PREVENTION &amp; FIRE BREAK EXEMPTION FORM 82</b></p>		<p>TARDIS NAME: <u>PSS</u> DATE: <u>30/9/24</u> Date stamp</p>
<p><b>Part 1 Property Details</b></p>			
<p>Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on</p>	<p>Lot <u>20</u></p>	<p>House No <u>—</u></p>	<p>Street/Road Name <u>Carlamininda Rd</u> Suburb/Locality <u>Ferguson</u></p>
<p><b>Part 2 Requested by</b></p>			
<p>Details of person making request, in accordance with the <i>Bush Fire Act 1954</i> and the Shire of Dardanup Fire Prevention Order</p>	<p>Name [Redacted] Daytime Contact Phone Number [Redacted] Postal Address [Redacted] Email Address [Redacted]</p>		
<p><b>Part 3 Reason for Request</b></p>			
<p>Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1</p>	<p><u>Lot 20 is a very small block of land of approximately 3000m<sup>2</sup>. Maintaining a firebreak is impractical</u></p>		
<p><b>Part 4 Alternative Proposal</b></p>			
<p>Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk</p>	<p><u>I will maintain the road verge along Carlamininda Rd on my boundary. Animals will be grazing the paddock to keep fuel load to a minimum.</u></p> <p><input checked="" type="checkbox"/> I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.</p>		

## Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

## Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

LYNDON Skeers

District/Brigade

FERGUSON

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby;

☒

Recommend

With notes as listed on plan

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature



Date

29/09/2024

## Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

Michael Dyer

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

☒

Owner of Land

☐

Occupier of Land

Applicants Signature



Date

29-9-24

## Part 8 OFFICE USE ONLY

Applicant Notified:

☐

Yes

☐


No

Name of Officer

Signature

Date


# Lot 20 Firebreak Exemption Plan



FCO Note: if not grazed during the fire season, a mineral earth break must be installed following the roads in the front paddock. To Shire requirements, as per the orange line.




A8249

 <p>Shire of Dardanup</p>	<p align="center"><b>REQUEST FORM FIRE PREVENTION &amp; FIRE BREAK EXEMPTION FORM 82</b></p>	<p align="right">TARDIS NAME: <u>PSS</u> DATE: <u>30/9/24</u> Date stamp</p>												
<p><b>Part 1 Property Details</b></p>														
<p>Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on</p>	<table border="1"> <tr> <td>Lot <u>107</u></td> <td>House No <u>48</u></td> <td>Street/Road Name <u>Vera Place</u></td> </tr> <tr> <td colspan="3">Suburb/Locality <u>Dardanup West</u></td> </tr> </table>		Lot <u>107</u>	House No <u>48</u>	Street/Road Name <u>Vera Place</u>	Suburb/Locality <u>Dardanup West</u>								
Lot <u>107</u>	House No <u>48</u>	Street/Road Name <u>Vera Place</u>												
Suburb/Locality <u>Dardanup West</u>														
<p><b>Part 2 Requested by</b></p>														
<p>Details of person making request, in accordance with the Bush Fire Act 1954 and the Shire of Dardanup Fire Prevention Order</p>	<table border="1"> <tr> <td colspan="3">Name <u>Paul Lydon</u></td> </tr> <tr> <td colspan="3">Daytime Contact Phone Number [REDACTED]</td> </tr> <tr> <td colspan="3">Postal Address [REDACTED] [REDACTED]</td> </tr> <tr> <td colspan="3">Email Address [REDACTED]</td> </tr> </table>		Name <u>Paul Lydon</u>			Daytime Contact Phone Number [REDACTED]			Postal Address [REDACTED] [REDACTED]			Email Address [REDACTED]		
Name <u>Paul Lydon</u>														
Daytime Contact Phone Number [REDACTED]														
Postal Address [REDACTED] [REDACTED]														
Email Address [REDACTED]														
<p><b>Part 3 Reason for Request</b></p>														
<p>Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1</p>	<p><u>The vegetation in our paddock has not been slashed to less than the standard as it is planned to feed livestock from January through to May each year</u></p>													
<p><b>Part 4 Alternative Proposal</b></p>														
<p>Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk</p>	<p><u>Fire breaks are sprayed and rotary hoed. Grass around the house is green and well maintained.</u> <u>In case of a grass fire we have a 1000Litre portable fire unit and a bore with reticulation and a generator as a backup power source.</u></p> <p><input type="checkbox"/> I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.</p>													

<b>Part 5 Duration of Exemption</b>	
Please indicate the time frame for this exemption/variation	<div style="margin-bottom: 10px;"> <input type="checkbox"/> 1 year (12 months)         </div> <div> <input checked="" type="checkbox"/> 3 years (Where alternative fire prevention measures can not be remedied within 12 months)         </div> <div style="margin-top: 10px;">           Reason/Details  <div style="border: 1px solid black; padding: 5px; min-height: 40px;">             This is ongoing           </div> </div>
<b>Part 6 Declaration by Bush Fire Control Officer</b>	
Bush Fire Control Officer to complete	<div style="margin-bottom: 10px;">           Bush Fire Control Officers Name  <div style="border: 1px solid black; padding: 5px;">Neil Dyer</div> </div> <div style="margin-bottom: 10px;">           District/Brigade  <div style="border: 1px solid black; padding: 5px;">West Dardanup</div> </div> <p>I have carried out an inspection of the property described in Part 1 for an exemption.</p> <p>I hereby:</p> <div style="margin-bottom: 10px;"> <input checked="" type="checkbox"/> Recommend         </div> <div> <input type="checkbox"/> Do Not Recommend         </div> <p style="margin-top: 20px;">this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.</p> <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div style="width: 60%;">           Bush Fire Control Officers Signature  <div style="border: 1px solid black; padding: 5px;"> </div> </div> <div style="width: 35%;">           Date  <div style="border: 1px solid black; padding: 5px;">30-09-24</div> </div> </div>
<b>Part 7 Declaration by Applicant</b>	
Applicant to complete  Please note: Part 6 <u>must</u> be signed off by your local Fire Control Officer before submitting your application	<div style="margin-bottom: 10px;">           Applicants Name  <div style="border: 1px solid black; padding: 5px;">Paul Lydon</div> </div> <p>I accept that this application <u>must</u> be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.</p> <p>If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.</p> <p>I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.</p> <div style="margin-bottom: 10px;"> <input checked="" type="checkbox"/> Owner of Land         </div> <div> <input type="checkbox"/> Occupier of Land         </div> <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div style="width: 60%;">           Applicants Signature  <div style="border: 1px solid black; padding: 5px;"> </div> </div> <div style="width: 35%;">           Date  <div style="border: 1px solid black; padding: 5px;">25/9/24</div> </div> </div>
<b>Part 8 OFFICE USE ONLY</b>	
Applicant Notified: <div style="display: inline-block; margin-left: 20px;"> <input type="checkbox"/> Yes           </div> <div style="display: inline-block; margin-left: 20px;"> <input type="checkbox"/> No           </div>	
Name of Officer	<div style="border: 1px solid black; height: 25px; width: 100%;"></div>
Signature	<div style="border: 1px solid black; height: 25px; width: 100%;"></div>
Date	<div style="border: 1px solid black; height: 25px; width: 100%;"></div>








*[Handwritten signature]*



TARDIS  
NAME: PSS  
DATE: 30/9/24


A 11936

 Shire of Dardanup	REQUEST FORM FIRE PREVENTION & FIRE BREAK EXEMPTION FORM 82		Date stamp
<b>Part 1 Property Details</b>  Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on.	Lot <u>1</u> House No <u>15</u> Street/Road Name <u>TWEED CHASE</u> Suburb/Locality <u>CROOKED BROOK</u>		
<b>Part 2 Requested by</b>  Details of person making request in accordance with the Bush Fire Act 1954 and the Shire of Dardanup Fire Prevention Order	Name <u>BENOIT LASSONDE &amp; ELIZABETH LASSONDE</u> Daytime Contact Phone Number <u>[REDACTED] &amp; [REDACTED]</u> Postal Address <u>[REDACTED]</u> Email Address <u>[REDACTED]</u>		
<b>Part 3 Reason for Request</b>  Please provide details why you consider the required or standard fire prevention works to be impractical at the property described Part 1	<u>1/3 OF THE PROPERTY IS IRRIGATED LAND THAT IS WATERED AND MAINTAINED IN A NON-FLAMMABLE STATE. THE REMAINDER OF THE PROPERTY IS MAINTAINED AND KEPT BELOW THE HEIGHT OF 100mm.</u>		
<b>Part 4 Alternative Proposal</b>  Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk.	<u>ENTIRE FENCE LINE IS SPRAYED WITH SUITABLE HERBICIDE TO PREVENT GROWTH. THE LAND IS REGULARLY MAINTAINED TO BE KEPT BELOW THE HEIGHT OF 100mm. ALL FIRE WOOD PILES ARE STORED AWAY FROM OUR DWELLING. 1/3 PROPERTY HAS REGULAR IRRIGATION AS ILLUSTRATED</u>  <input checked="" type="checkbox"/> I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.		

<b>Part 5 Duration of Exemption</b>	
Please indicate the time frame for this exemption/variation	<input checked="" type="checkbox"/> 1 year (12 months) <input checked="" type="checkbox"/> 3 years (When alternative fire prevention measures can not be remedied within 12 months)
	Reason/Details:
<b>Part 6 Declaration by Bush Fire Control Officer</b>	
Bush Fire Control Officer to complete	Bush Fire Control Officer's Name <b>MR. NEIL DYER</b> District/Brigade: <b>WEST DARDANUP DISTRICT</b>
	I have carried out an inspection of the property described in Part 1 for an exemption. Therefore,
	<input checked="" type="checkbox"/> Recommend <input type="checkbox"/> Do Not Recommend
	this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan
Bush Fire Control Officer's Signature:  Date: <b>30-9-24</b>	
<b>Part 7 Declaration by Applicant</b>	
Applicant to complete  Please note: Part 6 <u>must</u> be signed off by your local Fire Control Officer before submitting your application	Applicant's Name <b>BENOIT LASSONDE</b>
	I accept that this application <u>must</u> be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.
	If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.
	I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.
	<input checked="" type="checkbox"/> Owner of Land <input checked="" type="checkbox"/> Occupier of Land
Applicant's Signature:  Date: <b>27/9/2024</b>	
<b>Part 8 OFFICE USE ONLY</b>	
Applicant Notified	<input type="checkbox"/> Yes <input type="checkbox"/> No
Name of Officer	Signature
	Date

# PLAN OF PROPERTY

15 TWEED CHASE, COOKED BROOK  
 DENOF LASSONDE & ELIZABETH LASSONDE



## FIRE PREVENTION MEASURES

- FIRE TRUCKS CAN ACCESS AND TURN AROUND ON OUR PROPERTY
- GUTTERS WILL BE CLEAN
- GRASS KEPT SHORT
- SHRUBS PRUNED
- GAS CYLINDERS ARE SECURE
- NO LIVE STOCK
- WOOD PILES ARE STORED AWAY FROM OUR DWELLING

UNDERGROUND BORE PUMP

GAS BOTTLE

PRUNED AND  
 REMOVED

WOOD PILE

ACCESS TO 1000 LITRE  
 FOR FIGHTING FIRES

SHRUBS AND TREES

ACCESS TO BORE WATER  
 VIA TAP AND HOSE

ACCESS TO WATER TANK  
 VIA TAP AND HOSE

15



A10814

  
 Shire of Dardanup

**REQUEST FORM  
FIRE PREVENTION & FIRE BREAK  
EXEMPTION  
FORM 82**

SHIRE OF DARDANUP	
NAME: PSS	DATE: 30/9/2014
Date stamp	

**Part 1 Property Details**

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot <b>303</b>	House No <b>9</b>	Street/Road Name <b>morellini Way</b>
Suburb/Locality <b>Crooked Brook</b>		

**Part 2 Requested by**

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name <b>Petina Graco</b>
Daytime Contact Phone Number [REDACTED]
Postal Address [REDACTED] [REDACTED]
Email Address [REDACTED]

**Part 3 Reason for Request**

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

Lawned & mowed area on morellini Way  
Roadside. Is kept irrigated during  
summer & mowed all year round.  
(Stm area)

**Part 4 Alternative Proposal**

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

Dardanup West fence line (wst).....  
Garvey Rd Side (NM)  
Back of Property (east) are all done  
by contractor fire break company as per  
request from shire

☐ I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.

## Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

Area will be kept green & mowed on sth side of property

## Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

NEIL DYER

District/Brigade

Dardanup ~~West~~ WEST Dardanup

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby:

☒

Recommend

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature



Date

30-9-24

## Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

Petria Graco

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

☒

Owner of Land

☐

Occupier of Land

Applicants Signature



Date

2.9.24

## Part 8 OFFICE USE ONLY

Applicant Notified:

☐

Yes

☐

No

Name of Officer

Signature


Date







A3853

 Shire of Dardanup	<b>REQUEST FORM FIRE PREVENTION &amp; FIRE BREAK EXEMPTION FORM 82</b>	TARDIS NAME: <u>PSS</u> DATE: <u>30/9/24</u> Date stamp								
<b>Part 1 Property Details</b>										
Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on	<table border="1" style="width: 100%;"> <tr> <td style="width: 15%;">Lot <b>24</b></td> <td style="width: 15%;">House No <b>41</b></td> <td style="width: 70%;">Street/Road Name <b>Japanica View</b></td> </tr> <tr> <td colspan="3">Suburb/Locality <b>Wellington Mill</b></td> </tr> </table>		Lot <b>24</b>	House No <b>41</b>	Street/Road Name <b>Japanica View</b>	Suburb/Locality <b>Wellington Mill</b>				
Lot <b>24</b>	House No <b>41</b>	Street/Road Name <b>Japanica View</b>								
Suburb/Locality <b>Wellington Mill</b>										
<b>Part 2 Requested by</b>										
Details of person making request, in accordance with the <i>Bush Fire Act 1954</i> and the Shire of Dardanup Fire Prevention Order	<table border="1" style="width: 100%;"> <tr> <td colspan="2">Name <b>Jamie Wadey</b></td> </tr> <tr> <td colspan="2">Daytime Contact Phone Number [REDACTED]</td> </tr> <tr> <td colspan="2">Postal Address [REDACTED]</td> </tr> <tr> <td colspan="2">Email Address [REDACTED]</td> </tr> </table>		Name <b>Jamie Wadey</b>		Daytime Contact Phone Number [REDACTED]		Postal Address [REDACTED]		Email Address [REDACTED]	
Name <b>Jamie Wadey</b>										
Daytime Contact Phone Number [REDACTED]										
Postal Address [REDACTED]										
Email Address [REDACTED]										
<b>Part 3 Reason for Request</b>										
Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1	<table border="1" style="width: 100%;"> <tr> <td>         Two locations are impractical to create a boundary fire break:          1) existing granite outcrop along south facing boundary          2) tree line along north facing boundary       </td> <td></td> </tr> <tr><td> </td><td></td></tr> <tr><td> </td><td></td></tr> <tr><td> </td><td></td></tr> </table>		Two locations are impractical to create a boundary fire break: 1) existing granite outcrop along south facing boundary 2) tree line along north facing boundary							
Two locations are impractical to create a boundary fire break: 1) existing granite outcrop along south facing boundary 2) tree line along north facing boundary										
<b>Part 4 Alternative Proposal</b>										
Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk	<table border="1" style="width: 100%;"> <tr> <td>         The following prevention measures have been adopted:          1) Maintain a fire break as close as practical to the impractical areas (orange highlighted lines)          2) Property has cleared fire breaks which protect the main structures as highlighted in blue          3) Gutters on all structures are cleared and maintained on an annual basis          4) All structures have easily accessible water sources, with a total of 4 rain tanks. In addition water can be pumped from the dam to replenish water tanks (purple circles on map)          5) The property has an emergency evacuation plan that includes two exit points at either end of Japanica view       </td> <td></td> </tr> </table> <div style="margin-top: 10px;"> <input checked="" type="checkbox"/> I have included a plan of the property, detailing the proposed fire prevention measures       </div>		The following prevention measures have been adopted: 1) Maintain a fire break as close as practical to the impractical areas (orange highlighted lines) 2) Property has cleared fire breaks which protect the main structures as highlighted in blue 3) Gutters on all structures are cleared and maintained on an annual basis 4) All structures have easily accessible water sources, with a total of 4 rain tanks. In addition water can be pumped from the dam to replenish water tanks (purple circles on map) 5) The property has an emergency evacuation plan that includes two exit points at either end of Japanica view							
The following prevention measures have been adopted: 1) Maintain a fire break as close as practical to the impractical areas (orange highlighted lines) 2) Property has cleared fire breaks which protect the main structures as highlighted in blue 3) Gutters on all structures are cleared and maintained on an annual basis 4) All structures have easily accessible water sources, with a total of 4 rain tanks. In addition water can be pumped from the dam to replenish water tanks (purple circles on map) 5) The property has an emergency evacuation plan that includes two exit points at either end of Japanica view										

## Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

It is impractical to place a fire break on all boundaries in line with the required distances.

## Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

RUSSELL HARVE

District/Brigade

WELLINGTON NIM 3FB

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby;

☒


Recommend

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature



Date

17.9.24

## Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

Jamie Wadey

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

☒

Owner of Land

☐

Occupier of Land

Applicants Signature



Date

09/09/2024

## Part 8 OFFICE USE ONLY

Applicant Notified:

☐

Yes

☐

No

Name of Officer

Signature

Date





Legend:

- Orange lines = impractical fire break locations
- Blue lines = current fire break locations that are maintained annually
- Purple circles = locations of water tanks
- Red lines = property boundary





# REQUEST FORM FIRE PREVENTION & FIRE BREAK EXEMPTION FORM 82

TARDIS  
NAME: PSS  
DATE: 30/9/24  
Date stamp

## Part 1 Property Details

Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on

Lot <u>52</u>	House No <u>103</u>	Street/Road Name <u>King Tree Road</u>
Suburb/Locality <u>WELLINGTON MILL WA 6236</u>		

## Part 2 Requested by

Details of person making request, in accordance with the *Bush Fire Act 1954* and the Shire of Dardanup Fire Prevention Order

Name <u>Matthew Cann</u>
Daytime Contact Phone Number <u>[REDACTED]</u>
Postal Address <u>[REDACTED]</u>
Email Address <u>[REDACTED]</u>

## Part 3 Reason for Request

Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1

Very steep terrain, there are unacceptable erosion impacts from previous experience. Any large rain event strips topsoil and I have to implement erosion and drainage ~~controls~~ controls that are unsustainable.

## Part 4 Alternative Proposal

Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk

Mow pasture to 2 inch or less, keeping all other dead or flammable vegetation away from area. This will be at least 2m wide


Chemical spray along boundary.



I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.


Part 5 Duration of Exemption	
<p>Please indicate the time frame for this exemption/variation</p>	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 10px;"> <input type="checkbox"/> 1 year (12 months)         </div> <div> <input checked="" type="checkbox"/> 3 years (Where alternative fire prevention measures can not be remedied within 12 months)         </div> <div style="margin-top: 10px;"> <p>Reason/Details</p> <div style="border: 1px solid black; padding: 5px; width: 100%;"> <i>I cannot alter slope of property</i> </div> </div> </div>
Part 6 Declaration by Bush Fire Control Officer	
<p>Bush Fire Control Officer to complete</p>	<div style="margin-bottom: 10px;"> <p>Bush Fire Control Officers Name</p> <div style="border: 1px solid black; padding: 2px;"> <i>Russ Harvie</i> </div> </div> <div style="margin-bottom: 10px;"> <p>District/Brigade</p> <div style="border: 1px solid black; padding: 2px;"> <i>WELLINGTON MIL BFB</i> </div> </div> <p>I have carried out an inspection of the property described in Part 1 for an exemption.</p> <p>I hereby:</p> <div style="display: flex; margin-bottom: 10px;"> <input checked="" type="checkbox"/> Recommend         </div> <div style="display: flex; margin-bottom: 10px;"> <input type="checkbox"/> Do Not Recommend         </div> <p>this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.</p> <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div> <p>Bush Fire Control Officers Signature</p> <div style="border: 1px solid black; padding: 2px; width: 60%;"> </div> </div> <div> <p>Date</p> <div style="border: 1px solid black; padding: 2px; width: 30%;"> <i>19.9.24</i> </div> </div> </div>
Part 7 Declaration by Applicant	
<p>Applicant to complete</p> <p><i>Please note: Part 6 <u>must</u> be signed off by your local Fire Control Officer before submitting your application</i></p>	<div style="margin-bottom: 10px;"> <p>Applicants Name</p> <div style="border: 1px solid black; padding: 2px;"> <i>Matthew Cann</i> </div> </div> <p>I accept that this application <u>must</u> be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.</p> <p>If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.</p> <p>I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.</p> <div style="display: flex; margin-bottom: 10px;"> <input checked="" type="checkbox"/> Owner of Land         </div> <div style="display: flex; margin-bottom: 10px;"> <input type="checkbox"/> Occupier of Land         </div> <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div> <p>Applicants Signature</p> <div style="border: 1px solid black; padding: 2px; width: 60%;"> </div> </div> <div> <p>Date</p> <div style="border: 1px solid black; padding: 2px; width: 30%;"> <i>19.9.24</i> </div> </div> </div>
Part 8 OFFICE USE ONLY	
<div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="width: 30%;"> <p>Applicant Notified:</p> </div> <div style="width: 40%; display: flex; justify-content: space-around;"> <div> <input type="checkbox"/> Yes         </div> <div> <input type="checkbox"/> No         </div> </div> </div> <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div style="width: 30%;"> <p>Name of Officer</p> <div style="border: 1px solid black; height: 30px; width: 100%;"></div> </div> <div style="width: 30%;"> <p>Signature</p> <div style="border: 1px solid black; height: 30px; width: 100%;"></div> </div> <div style="width: 30%;"> <p>Date</p> <div style="border: 1px solid black; height: 30px; width: 100%;"></div> </div> </div>	







A7154

 <p>Shire of Dardanup</p>	<p align="center"><b>REQUEST FORM FIRE PREVENTION &amp; FIRE BREAK EXEMPTION FORM 82</b></p>	<p>TARDIS NAME: <u>PSS</u> DATE: <u>30/9/24</u> Date stamp</p>
<p><b>Part 1 Property Details</b></p> <p>Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on</p>	<p>Lot <u>451</u> House No <u>22</u> Street/Road Name <u>PILE ROAD</u> Suburb/Locality <u>FERGUSON</u></p>	
<p><b>Part 2 Requested by</b></p> <p>Details of person making request, in accordance with the <i>Bush Fire Act 1954</i> and the Shire of Dardanup Fire Prevention Order</p>	<p>Name <u>HAYLEY THOMPSON</u> Day/time Contact Phone Number <u>[REDACTED]</u> Postal Address <u>[REDACTED]</u> Email Address <u>[REDACTED]</u></p>	
<p><b>Part 3 Reason for Request</b></p> <p>Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1</p>	<p><u>HOUSE BLOCK TO BE EXEMPTED.</u> <u>FUEL HAS BEEN REMOVED</u> <u>VEGETATION CONTROLLED.</u></p>	
<p><b>Part 4 Alternative Proposal</b></p> <p>Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk</p>	<p><u>INDEPENDANT WATER SUPPLY AVAILABLE</u> <u>LAWN + GARDEN WELL MAINTAINED.</u></p>	<p><input checked="" type="checkbox"/> I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.</p>

## Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

## Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

Lyndon Skeers

District/Brigade

Ferguson BFB

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby;

☒

Recommend

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature

Lyndon Skeers

Date

30/09/2024

## Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

Harley Thompson

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.

☒

Owner of Land

☐

Occupier of Land

Applicants Signature

Harley Thompson

Date

19.08.2024

## Part 8 OFFICE USE ONLY

Applicant Notified:

☐

Yes

☐

No

Name of Officer

Signature

Date








A 2540

(Appendix BFAC 8.13B)

 Shire of Dardanup		<b>REQUEST FORM FIRE PREVENTION &amp; FIRE BREAK EXEMPTION FORM 82</b>		TARDIS NAME: PSS DATE: 30/9/24 Date stamp	
<b>Part 1 Property Details</b>					
Please provide the details of the property you are requesting an exemption/variation of the prevention measures on	Lot	House No	Street/Road Name		
	51	110	EASTERN RISE		
	Suburb/Locality HENTY				
<b>Part 2 Requested by</b>					
Details of person making request, in accordance with the Bush Fire Act 1954 and the Shire of Dardanup Fire Prevention Order	Name JOHN BANKS				
	Daytime Contact Phone Number [REDACTED]				
	Postal Address [REDACTED]				
	Email Address [REDACTED]				
<b>Part 3 Reason for Request</b>					
Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1	As previously advised, the property consists of several areas of swamp and streams in juxtaposition to the boundaries, making conventional fire break application impossible. (Where access is available to boundaries, normal fire break installation is applied.)				
<b>Part 4 Alternative Proposal</b>					
Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk	Clearly, where wet areas are involved, the risk of fire is either negated or severely reduced. As stated above, conventional fire breaks are applied wherever possible.				
	<input type="checkbox"/> I have included a plan of the property, detailing the proposed fire prevention measures.				

<b>Part 5 Duration of Exemption</b>	
Please indicate the time frame for this exemption/variation	<div style="display: flex; align-items: flex-start;"> <div style="margin-right: 10px;"> <input type="checkbox"/> 1 year (12 months)         </div> <div> <input checked="" type="checkbox"/> 3 years (Where alternative fire prevention measures can not be remedied within 12 months)         </div> </div> <div style="margin-top: 5px;"> <b>Reason/Details</b>  <div style="border: 1px solid black; padding: 5px; min-height: 40px;">           (as previously detailed herein)         </div> </div>
<b>Part 6 Declaration by Bush Fire Control Officer</b>	
Bush Fire Control Officer to complete	<div style="margin-bottom: 10px;"> <b>Bush Fire Control Officers Name</b>  <div style="border: 1px solid black; padding: 2px;">Lyndon Skeers</div> </div> <div style="margin-bottom: 10px;"> <b>District/Brigade</b>  <div style="border: 1px solid black; padding: 2px;">Ferguson BFB</div> </div> <p>I have carried out an inspection of the property described in Part 4 for an exemption. I hereby:</p> <div style="display: flex; align-items: flex-start; margin-bottom: 10px;"> <div style="margin-right: 10px;"> <input checked="" type="checkbox"/> Recommend         </div> <div> <input type="checkbox"/> Do Not Recommend         </div> </div> <p>this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.</p> <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div style="width: 60%;"> <b>Bush Fire Control Officers Signature</b>  <div style="border: 1px solid black; padding: 2px; font-family: cursive;">Lyndon Skeers</div> </div> <div style="width: 35%;"> <b>Date</b>  <div style="border: 1px solid black; padding: 2px;">30/09/2024</div> </div> </div>
<b>Part 7 Declaration by Applicant</b>	
Applicant to complete  Please note: Part 6 <u>must</u> be signed off by your local Fire Control Officer before submitting your application	<div style="margin-bottom: 10px;"> <b>Applicants Name</b>  <div style="border: 1px solid black; padding: 2px;">BHJ Banks</div> </div> <p>I accept that this application <u>must</u> be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.</p> <p>If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.</p> <p>I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.</p> <div style="display: flex; align-items: flex-start; margin-bottom: 10px;"> <div style="margin-right: 10px;"> <input checked="" type="checkbox"/> Owner of Land         </div> <div> <input checked="" type="checkbox"/> Coupler of Land         </div> </div> <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div style="width: 60%;"> <b>Applicants Signature</b>  <div style="border: 1px solid black; padding: 2px; font-family: cursive;">BHJ Banks</div> </div> <div style="width: 35%;"> <b>Date</b>  <div style="border: 1px solid black; padding: 2px;">24/09/2024</div> </div> </div>
<b>Part 8 OFFICE USE ONLY</b>	
<div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="width: 40%;"> <b>Applicant Notified:</b>   <b>Name of Officer</b>  <div style="border: 1px solid black; height: 20px; width: 100%;"></div> </div> <div style="width: 20%;"> <input type="checkbox"/> Yes    <input type="checkbox"/> No         </div> <div style="width: 35%;"> <b>Signature</b>  <div style="border: 1px solid black; height: 20px; width: 100%;"></div> </div> <div style="width: 15%;"> <b>Date</b>  <div style="border: 1px solid black; height: 20px; width: 100%;"></div> </div> </div>	




**FIRE BREAK EXEMPTION PLAN - LOT 51 EASTERN RISE HENTY**



Imagery ©2021 CNES / Airbus, Maxar Technologies, Map data ©2021


100 m



 = parts of boundary inaccessible due to water/swamp topography.

Plan current at 03-08-2021



A 10798

 <p>Shire of Dardanup</p>	<b>REQUEST FORM FIRE PREVENTION &amp; FIRE BREAK EXEMPTION FORM 82</b>	<p>TARDIS NAME: <u>PSJ</u> DATE: <u>30/9/24</u> Date stamp</p>								
Part 1 Property Details										
<p>Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on</p>	<table border="1"> <tr> <td>Lot <u>1</u></td> <td>House No <u>927</u></td> <td>Street/Road Name <u>Crooked Brook Road</u></td> </tr> <tr> <td colspan="3">Suburb/Locality <u>Crooked Brook</u></td> </tr> </table>		Lot <u>1</u>	House No <u>927</u>	Street/Road Name <u>Crooked Brook Road</u>	Suburb/Locality <u>Crooked Brook</u>				
Lot <u>1</u>	House No <u>927</u>	Street/Road Name <u>Crooked Brook Road</u>								
Suburb/Locality <u>Crooked Brook</u>										
Part 2 Requested by										
<p>Details of person making request, in accordance with the <i>Bush Fire Act 1954</i> and the Shire of Dardanup Fire Prevention Order</p>	<table border="1"> <tr> <td colspan="2">Name <u>Chris Borteloup</u></td> </tr> <tr> <td colspan="2">Daytime Contact Phone Number <u>[REDACTED]</u></td> </tr> <tr> <td colspan="2">Postal Address <u>[REDACTED]</u></td> </tr> <tr> <td colspan="2">Email Address <u>[REDACTED]</u></td> </tr> </table>		Name <u>Chris Borteloup</u>		Daytime Contact Phone Number <u>[REDACTED]</u>		Postal Address <u>[REDACTED]</u>		Email Address <u>[REDACTED]</u>	
Name <u>Chris Borteloup</u>										
Daytime Contact Phone Number <u>[REDACTED]</u>										
Postal Address <u>[REDACTED]</u>										
Email Address <u>[REDACTED]</u>										
Part 3 Reason for Request										
<p>Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1</p>	<p><u>The area is in open paddock abutting a road and is too low and wet to get a tractor or ATV on without getting bogged within the relevant time period.</u></p>									
Part 4 Alternative Proposal										
<p>Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk</p>	<p><u>Access across the paddock is available throughout the fire season. The paddock abuts a wide gravel road trafficable and effective as a regular fire break</u></p>									

Part 5 Duration of Exemption	
Please indicate the time frame for this exemption/variation	<input type="checkbox"/> 1 year (12 months)
	<input checked="" type="checkbox"/> 3 years (Where alternative fire prevention measures can not be remedied within 12 months)
	Reason/Details <div style="border: 1px solid black; height: 40px; width: 100%;"></div>
Part 6 Declaration by Bush Fire Control Officer	
Bush Fire Control Officer to complete	Bush Fire Control Officers Name <div style="border: 1px solid black; padding: 2px;">TEFF DUNCOMBE</div>
	District/Brigade <div style="border: 1px solid black; padding: 2px;">JCB</div>
	I have carried out an inspection of the property described in Part 1 for an exemption. I hereby:
	<input checked="" type="checkbox"/> Recommend
	<input type="checkbox"/> Do Not Recommend
this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.	
Bush Fire Control Officers Signature <div style="border: 1px solid black; padding: 2px;">  </div>	
Date <div style="border: 1px solid black; padding: 2px;">30-9-24</div>	
Part 7 Declaration by Applicant	
Applicant to complete	Applicants Name <div style="border: 1px solid black; padding: 2px;">Chris Bootcamp</div>
	I accept that this application <u>must</u> be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.
	If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.
	I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.
	<input checked="" type="checkbox"/> Owner of Land
<input type="checkbox"/> Occupier of Land	
Applicants Signature <div style="border: 1px solid black; padding: 2px;">  </div>	
Date <div style="border: 1px solid black; padding: 2px;">30-09-24</div>	
Part 8 OFFICE USE ONLY	
Applicant Notified: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Name of Officer <div style="border: 1px solid black; height: 20px; width: 100%;"></div>	Signature <div style="border: 1px solid black; height: 20px; width: 100%;"></div>
Date <div style="border: 1px solid black; height: 20px; width: 100%;"></div>	








A3658

(Appendix BFAC 8.13B)

 Shire of Dardanup	<b>REQUEST FORM FIRE PREVENTION &amp; FIRE BREAK EXEMPTION FORM 82</b>	<div style="border: 1px solid black; padding: 5px;">SHIRE OF DARDANUP RECEIVED 30 SEP 2024 JB Name Date stamp</div>												
<b>Part 1 Property Details</b>  Please provide the details of the property you are requesting an exemption/variation of fire prevention measures on	<table border="1" style="width: 100%;"><tr><td style="width: 15%;">Lot</td><td style="width: 15%;">House No</td><td style="width: 70%;">Street/Road Name</td></tr><tr><td>89</td><td>/</td><td>Coolabah Cove</td></tr><tr><td colspan="3">Suburb/Locality</td></tr><tr><td colspan="3">WEST DARDANUP</td></tr></table>		Lot	House No	Street/Road Name	89	/	Coolabah Cove	Suburb/Locality			WEST DARDANUP		
Lot	House No	Street/Road Name												
89	/	Coolabah Cove												
Suburb/Locality														
WEST DARDANUP														
<b>Part 2 Requested by</b>  Details of person making request, in accordance with the <i>Bush Fire Act 1954</i> and the Shire of Dardanup Fire Prevention Order	<table border="1" style="width: 100%;"><tr><td>Name</td></tr><tr><td>Lee Hutton</td></tr><tr><td>Daytime Contact Phone Number</td></tr><tr><td>[REDACTED]</td></tr><tr><td>Postal Address</td></tr><tr><td>[REDACTED]</td></tr><tr><td>[REDACTED]</td></tr><tr><td>Email Address</td></tr><tr><td>[REDACTED]</td></tr></table>		Name	Lee Hutton	Daytime Contact Phone Number	[REDACTED]	Postal Address	[REDACTED]	[REDACTED]	Email Address	[REDACTED]			
Name														
Lee Hutton														
Daytime Contact Phone Number														
[REDACTED]														
Postal Address														
[REDACTED]														
[REDACTED]														
Email Address														
[REDACTED]														
<b>Part 3 Reason for Request</b>  Please provide details why you consider the required or standard fire prevention works to be impractical at the property described in Part 1	<table border="1" style="width: 100%;"><tr><td>Due to a access road either side of the impacted area there is a fire break of over 2mtrs. The zone also has power &amp; water piping &amp; trees outside the house boundary that cant be removed.</td></tr></table>		Due to a access road either side of the impacted area there is a fire break of over 2mtrs. The zone also has power & water piping & trees outside the house boundary that cant be removed.											
Due to a access road either side of the impacted area there is a fire break of over 2mtrs. The zone also has power & water piping & trees outside the house boundary that cant be removed.														
<b>Part 4 Alternative Proposal</b>  Please provide details of the alternate fire prevention measures to be taken to mitigate the properties fire risk	<table border="1" style="width: 100%;"><tr><td>grass cut &amp; sprayed and burnt prior to the closed burn season</td></tr></table> <div style="border: 1px solid black; padding: 5px;"><input type="checkbox"/> I have included a plan of the property, detailing the proposed fire prevention measures. Please note: If a plan is not included the application will not be accepted.</div>		grass cut & sprayed and burnt prior to the closed burn season											
grass cut & sprayed and burnt prior to the closed burn season														

## Part 5 Duration of Exemption

Please indicate the time frame for this exemption/variation

☐

1 year (12 months)

☒

3 years (Where alternative fire prevention measures can not be remedied within 12 months)

Reason/Details

impracticable to place a fire break in this location.

## Part 6 Declaration by Bush Fire Control Officer

Bush Fire Control Officer to complete

Bush Fire Control Officers Name

NEIL DYER

District/Bridge

WEST DARDANUP

I have carried out an inspection of the property described in Part 1 for an exemption.

I hereby;

☒


Recommend

☐

Do Not Recommend

this property to have the Firebreak Variation/Exemption granted in accordance with the attached plan.

Bush Fire Control Officers Signature



Date

29-9-24

## Part 7 Declaration by Applicant

Applicant to complete

Please note: Part 6 must be signed off by your local Fire Control Officer before submitting your application

Applicants Name

Lee Hutton

I accept that this application must be counter-signed by the Bush Fire Control Officer for the District in which the land is situated to signify his agreement to the variation.

If permission is not granted by the Council or duly Authorised Officer, I agree to comply with the Shire of Dardanup Fire Break Order.

I accept that my application for a Fire Prevention and Fire Break Exemption must be submitted to the Shire of Dardanup no later than 30 September each year.


☒

Owner of Land

☐

Occupier of Land

Applicants Signature



Date

26/9/24

## Part 8 OFFICE USE ONLY

Applicant Notified:

☐

Yes

☐

No

Name of Officer

Signature

Date



